


Thule Omnistor 2000

Small vehicles

Information

- Installation into the existing rail or using the special adapters
- Awning's length 1.90m up to 3m
- Fabric projection 1.30m up to 2.15m
- Cassette colours White
- Fabric colours 04 - Alaska grey
22 - Uni grey
- Weight 11kg up to 17.50kg



Specs

- Operated manually and retracted automatically (roll-in system).
- Fitted with a manual lock system and a security lock: awning cannot be opened until the safety lock is released.
- Ideal for caravans, smaller vehicles and passenger vehicles.

Related products


- Thule Windscreen
- Thule Safari Room
- Thule Rain Blocker side panels (only on the VW T4)
- Thule Hold Down Kit
- Thule LED Strip

Product references Thule Omnistor 2000

PRODUCT REF.	CASSETTE	FABRIC	LENGTH	PROJECTION	NET WEIGHT
307401	white	04 Alaska Grey	1.90m	1.30m	11kg
307404	white	22 Uni Grey	1.90m	1.30m	11kg
307407	white	04 Alaska Grey	2.60m	2.00m	14.5kg
307410	white	22 Uni Grey	2.60m	2.00m	14.5kg
307413	white	04 Alaska Grey	3.00m	2.15m	17.5kg
307416	white	22 Uni Grey	3.00m	2.15m	17.5kg



Spare parts Thule Omnistor 2000



	ART.NR.	DESCRIPTION
1	1500600742	MAIN HOUSING 2000 1.90M
	1500600743	MAIN HOUSING 2000 2.60M
	1500600744	MAIN HOUSING 2000 3.00M
2	1500600745	COVER LEAD RAIL 2000 1.90M
	1500600746	COVER LEAD RAIL 2000 2.60M
	1500600747	COVER LEAD RAIL 2000 3.00M
3	1500600748	INSIDE LEAD RAIL 2000 1.90M
	1500600749	INSIDE LEAD RAIL 2000 2.60M
	1500600750	INSIDE LEAD RAIL 2000 3.00M
4	1500600751	ROLLER TUBE 2000 1.90M
	1500600752	ROLLER TUBE 2000 2.60M
	1500600753	ROLLER TUBE 2000 3.00M
5	1500602325	FABRIC 1.90M 2000 04
	1500600758	FABRIC 1.90M 2000 22 RAL 9002
	1500602326	FABRIC 2,60M 2000 04
	1500600762	FABRIC 2,60M 2000 22 RAL 9002
	1500602180	FABRIC 3,00M 2000 04
	1500600767	FABRIC 3.00M 2000 22 RAL 9002
6	1500601196	LH COVER ASSY OMNISTOR 2000
7	1500601197	RH COVER ASSY OMNISTOR 2000
8	1500601198	LH+RH END PLATE LEAD RAIL 2000



	ART.NR.	DESCRIPTION
9	1500601199	LH + RH TORSION ASSY 2000
10	1500601588	SUPPORT ARM V2 1.90M
	1500601960	SUPPORT ARM V2 2.60M XL
	1500601611	SUPPORT ARM V2 3.00M
12	1500601323	LH RAFTER ARM ASSY 1.90M 2000
	1500601324	LH RAFTER ARM ASSY 2.60M 2000
	1500601325	LH RAFTER ARM ASSY 3.00M 2000
13	1500601326	RH RAFTER ARM ASSY 2000 1.90M
	1500601327	RH RAFTER ARM ASSY 2000 2.60M
	1500601328	RH RAFTER ARM ASSY 2000 3.00M




Thule Omnistor 5003

Forever classic

Information

- Installation wall-mounted
- Awning's length 1.90m up to 4.50m
- Fabric projection From 1.40m up to 2.50m
- Cassette colours
 - White
 - Anodised
 - Anthracite - from 3.00m - only with fabric 31 (Mystic Grey)
- Fabric colours
 - 31 - Mystic grey
 - 32 - Sapphire blue
 - 03 - Blue sky
 - 04 - Alaska grey
 - 22 - Uni grey
- The fabric is welded to allow a perfect waterproof and long-lasting awning (no stitching)
- Weight 15kg up to 33.20kg



Specs

- Designed to perfectly fit any recreational vehicle.
- Flat adapter delivered as standard. Special adapters for wall mounting need to be ordered separately (see further on in this chapter).
- Unique Thule Double lock system prevents the awning from opening while the vehicle is moving. This locking system is working automatically when closing the awning.
- Front profile with drainage system.
- Tension arm supplied as standard with all awnings over 4.00m in length.
- Adjustable angle for increased horizontal opening.
- Perfect for vehicles where the awning is fitted just above the door.

Related products

- Thule Windscreen
- Thule Safari Panorama
- Thule Safari Residence
- Thule Rain & Sun blocker side and front panels
- Thule LED strip
- Thule Hold down side strap kit
- Thule Sealing rubber
- Thule Tension rafters



Product references Thule Omnistor 5003


PRODUCT REF.	CASSETTE	FABRIC	LENGTH	PROJECTION	NET WEIGHT
308609	anodised	03 Blue Sky	1.95m	1.40m	15kg
308610	anodised	04 Alaska Grey	1.95m	1.40m	15kg
308614	anodised	31 Mystic Grey	1.95m	1.40m	15kg
308615	anodised	32 Sapphire Blue	1.95m	1.40m	15kg
308539	white	03 Blue Sky	1.95m	1.40m	15kg
308540	white	04 Alaska Grey	1.95m	1.40m	15kg
308545	white	22 Uni Grey	1.95m	1.40m	15kg
308547	white	31 Mystic Grey	1.95m	1.40m	15kg
308548	white	32 Sapphire Blue	1.95m	1.40m	15kg
308616	anodised	03 Blue Sky	2.35m	1.80m	18kg
308617	anodised	04 Alaska Grey	2.35m	1.80m	18kg
308621	anodised	31 Mystic Grey	2.35m	1.80m	18kg
308622	anodised	32 Sapphire Blue	2.35m	1.80m	18kg
308549	white	03 Blue Sky	2.35m	1.80m	18kg
308550	white	04 Alaska Grey	2.35m	1.80m	18kg
308555	white	22 Uni Grey	2.35m	1.80m	18kg
308557	white	31 Mystic Grey	2.35m	1.80m	18kg
308558	white	32 Sapphire Blue	2.35m	1.80m	18kg
308629	anodised	32 Sapphire Blue	2.65m	2.00m	20kg
308623	anodised	03 Blue Sky	2.65m	2.00m	20kg
308624	anodised	04 Alaska Grey	2.65m	2.00m	20kg
308628	anodised	31 Mystic Grey	2.65m	2.00m	20kg
308559	white	03 Blue Sky	2.65m	2.00m	20kg
308560	white	04 Alaska Grey	2.65m	2.00m	20kg
308565	white	22 Uni Grey	2.65m	2.00m	20kg
308567	white	31 Mystic Grey	2.65m	2.00m	20kg
308568	white	32 Sapphire Blue	2.65m	2.00m	20kg
308630	anodised	03 Blue Sky	3.05m	2.50m	23kg
308631	anodised	04 Alaska Grey	3.05m	2.50m	23kg
308635	anodised	31 Mystic Grey	3.05m	2.50m	23kg
308636	anodised	32 Sapphire Blue	3.05m	2.50m	23kg
306595	anthracite	31 Mystic Grey	3.05m	2.50m	23.0kg
308569	white	03 Blue Sky	3.05m	2.50m	23kg
308570	white	04 Alaska Grey	3.05m	2.50m	23kg
308575	white	22 Uni Grey	3.05m	2.50m	23kg
308577	white	31 Mystic Grey	3.05m	2.50m	23kg
308578	white	32 Sapphire Blue	3.05m	2.50m	23kg
308637	anodised	03 Blue Sky	3.55m	2.50m	26kg
308638	anodised	04 Alaska Grey	3.55m	2.50m	26kg
308642	anodised	31 Mystic Grey	3.55m	2.50m	26kg
308643	anodised	32 Sapphire Blue	3.55m	2.50m	26kg
306596	anthracite	31 Mystic Grey	3.55m	2.50m	23.0kg
308579	white	03 Blue Sky	3.55m	2.50m	26kg
308580	white	04 Alaska Grey	3.55m	2.50m	26kg



PRODUCT REF.	CASSETTE	FABRIC	LENGTH	PROJECTION	NET WEIGHT
308585	white	22 Uni Grey	3.55m	2.50m	26kg
308587	white	31 Mystic Grey	3.55m	2.50m	26kg
308588	white	32 Sapphire Blue	3.55m	2.50m	26kg
308644	anodised	03 Blue Sky	4.05m	2.50m	30.2kg
308645	anodised	04 Alaska Grey	4.05m	2.50m	30.2kg
308649	anodised	31 Mystic Grey	4.05m	2.50m	30.2kg
308650	anodised	32 Sapphire Blue	4.05m	2.50m	30.2kg
306597	anthracite	31 Mystic Grey	4.05m	2.50m	23.0kg
308589	white	03 Blue Sky	4.05m	2.50m	30.2kg
308590	white	04 Alaska Grey	4.05m	2.50m	30.2kg
308595	white	22 Uni Grey	4.05m	2.50m	30.2kg
308597	white	31 Mystic Grey	4.05m	2.50m	30.2kg
308598	white	32 Sapphire Blue	4.05m	2.50m	30.2kg
308651	anodised	03 Blue Sky	4.55m	2.50m	33.2kg
308652	anodised	04 Alaska Grey	4.55m	2.50m	33.2kg
308656	anodised	31 Mystic Grey	4.55m	2.50m	33.2kg
308657	anodised	32 Sapphire Blue	4.55m	2.50m	33.2kg
308599	white	03 Blue Sky	4.55m	2.50m	33.2kg
308600	white	04 Alaska Grey	4.55m	2.50m	33.2kg
308605	white	22 Uni Grey	4.55m	2.50m	33.2kg
308607	white	31 Mystic Grey	4.55m	2.50m	33.2kg
308608	white	32 Sapphire Blue	4.55m	2.50m	33.2kg



Spare parts Thule Omnistor 5003



THULE Omnistor 5003

5AF611

	ART.NR.	DESCRIPTION
1	1500601790	ROLLER TUBE 48 5002/5003 -1.9M
	1500601791	ROLLER TUBE 48 5002/5003 -2.3M
	1500601792	ROLLER TUBE 48 5002/5003 -2.6M
	1500601793	ROLLER TUBE 48 5002/5003 -3.0M
	1500601794	ROLLER Tubfdbdbfb
	1500601795	ROLLER TUBE 52 5003 -4.00M
	1500601796	ROLLER TUBE 52 5003 -4.50M
2	1500601546	MAIN HOUSING 5003 1.90M
	1500601547	MAIN HOUSING 5003 2.30M
	1500601548	MAIN HOUSING 5003 2.60M
	1500601549	MAIN HOUSING 5003 3.00M
	1500601550	MAIN HOUSING 5003 3.50M
	1500601551	MAIN HOUSING 5003 4.00M
	1500601552	MAIN HOUSING 5003 4.50M
	1500601567	MAIN HOUSING 5003 ANO 1.90M
	1500601568	MAIN HOUSING 5003 ANO 2.30M
	1500601569	MAIN HOUSING 5003 ANO 2.60M
	1500601570	MAIN HOUSING 5003 ANO 3.00M
	1500601571	MAIN HOUSING 5003 ANO 3.50M
	1500601572	MAIN HOUSING 5003 ANO 4.00M
	1500601573	MAIN HOUSING 5003 ANO 4.50M



	ART.NR.	DESCRIPTION
3	1500601553	ROOF HOUSING 5003 1.90M
	1500601554	ROOF HOUSING 5003 2.30M
	1500601555	ROOF HOUSING 5003 2.60M
	1500601556	ROOF HOUSING 5003 3.00M
	1500601557	ROOF HOUSING 5003 3.50M
	1500601558	ROOF HOUSING 5003 4.00M
	1500601559	ROOF HOUSING 5003 4.50M
	1500601574	ROOF HOUSING 5003 ANO 1.90M
	1500601575	ROOF HOUSING 5003 ANO 2.30M
	1500601576	ROOF HOUSING 5003 ANO 2.60M
	1500601577	ROOF HOUSING 5003 ANO 3.00M
	1500601578	ROOF HOUSING 5003 ANO 3.50M
	1500601579	ROOF HOUSING 5003 ANO 4.00M
	1500601580	ROOF HOUSING 5003 ANO 4.50M
	1500601560	LEAD RAIL 5003 1.90M
	1500601561	LEAD RAIL 5003 2.30M
	1500601562	LEAD RAIL 5003 2.60M
	1500601563	LEAD RAIL 5003 3.00M
	1500601564	LEAD RAIL 5003 3.50M
4	1500601565	LEAD RAIL 5003 4.00M
	1500601566	LEAD RAIL 5003 4.50M
	1500601581	LEAD RAIL 5003 ANO 1.90M
	1500601582	LEAD RAIL 5003 ANO 2.30M
	1500601583	LEAD RAIL 5003 ANO 2.60M
	1500601584	LEAD RAIL 5003 ANO 3.00M
	1500601585	LEAD RAIL 5003 ANO 3.50M
	1500601586	LEAD RAIL 5003 ANO 4.00M
	1500601587	LEAD RAIL 5003 ANO 4.50M
	1500601617	FABRIC 1.90M 5003 03 BL SK
	1500601618	FABRIC 1.90M 5003 04 AL GR
	1500601622	FABRIC 1.90M 5003 22 RAL 9002
	1500601624	FABRIC 1.90M 5003 31 MY GR
	1500601625	FABRIC 1.90M 5003 32 SA BL
	1500601626	FABRIC 2.30M 5003 03 BL SK
	1500601627	FABRIC 2.30M 5003 04 AL GR
	1500601631	FABRIC 2.30M 5003 22 RAL 9002
	1500601633	FABRIC 2.30M 5003 31 MY GR
5	1500601634	FABRIC 2.30M 5003 32 SA BL
	1500601635	FABRIC 2.60M 5003 03 BL SK
	1500601636	FABRIC 2.60M 5003 04 AL GR
	1500601640	FABRIC 2.60M 5003 22 RAL9002
	1500601642	FABRIC 2.60M 5003 31 MY GR
	1500601643	FABRIC 2.60M 5003 32 SA BL
	1500601644	FABRIC 3.00M 5003 03 BL SK
	1500601645	FABRIC 3.00M 5003 04 AL GR
	1500601649	FABRIC 3.00M 5003 22 RAL9002
	1500601651	FABRIC 3.00M 5003 31 MY GR
	1500601652	FABRIC 3.00M 5003 32 SA BL



	ART.NR.	DESCRIPTION
	1500601653	FABRIC 3.50M 5003 03 BL SK
	1500601654	FABRIC 3.50M 5003 04 AL GR
	1500601658	FABRIC 3.50M 5003 22 RAL9002
	1500601660	FABRIC 3.50M 5003 31 MY GR
	1500601661	FABRIC 3.50M 5003 32 SA BL
	1500601662	FABRIC 4.00M 5003 03 BL SK
	1500601663	FABRIC 4.00M 5003 04 AL GR
	1500601667	FABRIC 4.00M 5003 22 RAL 9002
	1500601669	FABRIC 4.00M 5003 31 MY GR
	1500601670	FABRIC 4.00M 5003 32 SA BL
	1500601671	FABRIC 4.50M 5003 03 BL SK
	1500601672	FABRIC 4.50M 5003 04 AL GR
	1500601676	FABRIC 4.50M 5003 22 RAL 9002
	1500601678	FABRIC 4.50M 5003 31 MY GR
	1500601679	FABRIC 4.50M 5003 32 SA BL
6	1500601207	HAND CRANK ASSY SHORT
7	1500601221	GEAR ASSY+COUPL.FUNN 5003
8	1500601589	LH+RH ENDCAP MAINHOUSING 5003
	1500601590	LH + RH ENDC MAINHOUS 5003 ANO
9	1500601591	LH+RH ENDCAP LEADRAIL 5003
	1500601592	LH+RH ENDCAP LEADRAIL 5003 ANO
10	1500601594	LH ENDPLATE ASSY 5003
11	1500601595	RH ENDPLATE ASSY 5003
12	1500601596	LH+RH LOCK ASSY 5003
13	1500601597	LH+RH ENDCAP ROLLER TUBE D52 (4,00-4,50M)
	1500601267	LH+RH ENDCAP ROLLER TUBE D48 (<3,50M)
14	1500601598	SUPPORT ROLLER TUBE 5003
15	1500601602	LH+RH CONN SUPPORT ARM 5003
16	1500601606	INSERT LEAD RAIL 5003 2PC
17	1500601607	GLIDING ANGLE LEAD RAIL
18	1500601588	SUPPORT ARM V2 1.90M
	1500601609	SUPPORT ARM V2 2.30M
	1500601960	SUPPORT ARM V2 2.60M XL
	1500601611	SUPPORT ARM V2 3.00M
	1500601612	SUPPORT ARM V2 3.50-4.50M
19	1500602074	L.H. SPRING ARM COMPL. 5003 - 1,90M
	1500602076	L.H. SPRING ARM COMPL. 5003 - 2,30M
	1500602078	L.H. SPRING ARM COMPL. 5003 - 2,60M
	1500602080	L.H. SPRING ARM COMPL. 5003 ≥3,00M
20	1500602075	R.H. SPRING ARM COMPL. 5003 - 1,90M
	1500602077	R.H. SPRING ARM COMPL. 5003 - 2,30M
	1500602079	R.H. SPRING ARM COMPL. 5003 - 2,60M
	1500602081	R.H. SPRING ARM COMPL. 5003 ≥3,00M
21	1500601608	CONNECTION PCS TENS RAFT 5003
22	1500601789	CENTRAL CLAMP SUPPORT ARM V2
23	1500602327	POSITIONER SPRING ARM - 2PC
24	1500601601	LH+RH CONN LEAD RAIL 5003




Thule Omnistor 5102

Conceived for VW T5

Information

- Installation attached to the existing roof rail
- Awning's length 2.60m
- Fabric projection 2m
- Cassette colours Light grey
Anthracite (matching the bumper & door handles colour of the van)
- Fabric colours 31 - Mystic grey
- Weight 19.80kg



Specs

- Attached to existing roof rail using supplied adapters.
- RHD variant available for right hand driven vehicles including specific adapters.
- Unique Thule Quick In-out System: perfect for city life. Can be removed and put on in a few minutes.
- Thule Residence tent (optional) increases living space by 5 m².
- Ideal form & size to allow public parking's entrance (height: max. 2m).
- Awning for VW California is only to obtain via VW dealers.

Related products


- Thule Windscreen
- Thule Safari Residence
- Thule Rain & Sun Blocker front panels
- Thule Hold down kit
- Thule LED Strip

Product references Thule Omnistor 5102

PRODUCT REF.	CASSETTE	FABRIC	LENGTH	PROJECTION	NET WEIGHT
309851	anthracite	Mystic Grey	2.60m	2.00m	19.80kg
309852	light grey	Mystic Grey	2.60m	2.00m	19.80kg



Spare parts Thule Omnistor 5102



THULE Omnistor 5102/VW

VW 606-00

	ART.NR.	DESCRIPTION
1	1500600296	CONNECT. SUPP. ARM V97 SERIE 5
2	1500601954	ROLLER TUBE ASSY 5102 2.6M
3	1500600952	FABRIC 2.60M 5102 04
4	1500601124	HANDCRANK VW T5 + 5102
5	1500601689	MAIN HOUSING VW T5 RAL9006
6	1500601955	OUTSIDE LEAD RAIL 5102
7	1500601956	INSIDE LEAD RAIL 5102
8	1500601201	LH ENDPLATE + GEAR ASSY VW T5
9	1500601202	RH ENDPLATE MH VW T5
10	1500601203	LH+RH SIDECAP ASSY 5102
11	1500602103	LH SPRINGARM COMPL 5102
12	1500602104	RH SPRINGARM COMPL 5102
13	1500601206	LH+RH LEAD RAIL END PLATE ASSY 5102
14	1500601960	SUPPORT ARM V2 2.60M XL
15	1500601789	CENTRAL CLAMP SUPPORT ARM V2
16	1500601219	LH+RH CONN.LEAD RAIL
17	307993	ADAPTER SET 5102 VWT5 (not on image)




Thule Omnistor 8000

Leaders in technology

Information

- Installation wall-mounted
- Awning's length 3.53m up to 6.03m
- Fabric projection 2.50m up to 2.75m
- Cassette colours
 - White
 - Anodised
 - Cream RAL 9002 - from 4.00m - only with fabric 31 (Mystic Grey)
- Fabric colours
 - 31 - Mystic grey
 - 32 - Sapphire blue
 - 03 - Blue sky
 - 04 - Alaska grey
 - 22 - Uni grey
- Weight 38kg up to 55.40kg



Specs

- Integrated tension arms for tighter fabric tension.
- Integrated channels for 12V cables for the installation of LED lights. for example.
- Front profile with drainage system.
- Flat adapter delivered as standard. Special adapters for wall mounting need to be ordered separately (see further on in this chapter).
- Spring arms
 - Re-enforced with a double steel cable.
 - The automatically deployed tension rafters absorb movement to ensure stability and wind resistance.
- 230 V motor with remote control:
 - Opening without any effort.
 - Digital settings ensure the perfect closing of the front profile.
 - Two safety devices to prevent the awning from opening while driving and to operate the awning manually in case of emergency.
- Unique Thule Double lock system prevents the awning from opening while the vehicle is moving. This locking system is working automatically when closing the awning.

Related products

- Thule Windscreen
- Thule Safari Panorama
- Thule Safari Residence
- Thule Rain & Sun Blocker side and front panels
- Thule Hold down Side strap kit
- Thule Sealing rubber
- Thule Tension rafters
- Motorkit 8000
- Thule LED strip



Product references Thule Omnistor 8000 Manual

PRODUCT REF.	CASSETTE	FABRIC	LENGTH	PROJECTION
308510	anodised	03 Blue Sky	3.50m	2.50m
308511	anodised	04 Alaska Grey	3.50m	2.50m
308516	anodised	22 Uni Grey	3.50m	2.50m
308730	anodised	31 Mystic Grey	3.50m	2.50m
308731	anodised	32 Sapphire Blue	3.50m	2.50m
308502	white	03 Blue Sky	3.50m	2.50m
308503	white	04 Alaska Grey	3.50m	2.50m
308508	white	22 Uni Grey	3.50m	2.50m
308726	white	31 Mystic Grey	3.50m	2.50m
308727	white	32 Sapphire Blue	3.50m	2.50m
307786	anodised	03 Blue Sky	4.00m	2.75m
307787	anodised	04 Alaska Grey	4.00m	2.75m
306487	anodised	22 Uni Grey	4.00m	2.75m
308683	anodised	31 Mystic Grey	4.00m	2.75m
308701	anodised	32 Sapphire Blue	4.00m	2.75m
307712	white	03 Blue Sky	4.00m	2.75m
307713	white	04 Alaska Grey	4.00m	2.75m
307717	white	22 Uni Grey	4.00m	2.75m
308728	white	31 Mystic Grey	4.00m	2.75m
308698	white	32 Sapphire Blue	4.00m	2.75m
308979	cream	31 Mystic Grey	4.00m	2.75m
307790	anodised	03 Blue Sky	4.50m	2.75m
307791	anodised	04 Alaska Grey	4.50m	2.75m
308708	anodised	31 Mystic Grey	4.50m	2.75m
308709	anodised	32 Sapphire Blue	4.50m	2.75m
307719	white	03 Blue Sky	4.50m	2.75m
307720	white	04 Alaska Grey	4.50m	2.75m
307725	white	22 Uni Grey	4.50m	2.75m
308679	white	31 Mystic Grey	4.50m	2.75m
308703	white	32 Sapphire Blue	4.50m	2.75m
308912	cream	31 Mystic Grey	4.50m	2.75m
307795	anodised	04 Alaska Grey	5.00m	2.75m
307794	anodised	03 Blue Sky	5.00m	2.75m
308710	anodised	31 Mystic Grey	5.00m	2.75m
308711	anodised	32 Sapphire Blue	5.00m	2.75m
307727	white	03 Blue Sky	5.00m	2.75m
307728	white	04 Alaska Grey	5.00m	2.75m
307733	white	22 Uni Grey	5.00m	2.75m
308704	white	31 Mystic Grey	5.00m	2.75m
308705	white	32 Sapphire Blue	5.00m	2.75m
308971	cream	31 Mystic Grey	5.00m	2.75m
307798	anodised	03 Blue Sky	5.50m	2.75m
307799	anodised	04 Alaska Grey	5.50m	2.75m
308712	anodised	31 Mystic Grey	5.50m	2.75m



PRODUCT REF.	CASSETTE	FABRIC	LENGTH	PROJECTION
308713	anodised	32 Sapphire Blue	5.50m	2.75m
307735	white	03 Blue Sky	5.50m	2.75m
307736	white	04 Alaska Grey	5.50m	2.75m
307741	white	22 Uni Grey	5.50m	2.75m
308706	white	31 Mystic Grey	5.50m	2.75m
308707	white	32 Sapphire Blue	5.50m	2.75m
308972	cream	31 Mystic Grey	5.50m	2.75m
307802	anodised	03 Blue Sky	6.00m	2.75m
307803	anodised	04 Alaska Grey	6.00m	2.75m
308714	anodised	31 Mystic Grey	6.00m	2.75m
308715	anodised	32 Sapphire Blue	6.00m	2.75m
307743	white	03 Blue Sky	6.00m	2.75m
307744	white	04 Alaska Grey	6.00m	2.75m
307749	white	22 Uni Grey	6.00m	2.75m
308729	white	31 Mystic Grey	6.00m	2.75m
308718	white	32 Sapphire Blue	6.00m	2.75m
308978	cream	31 Mystic Grey	6.00m	2.75m


Product references Thule Omnistor 8000 with 220V motor

PRODUCT REF.	CASSETTE	FABRIC	LENGTH	PROJECTION
308829	anodised	31 Mystic Grey	3.50m	2.50m
308884	anodised	32 Sapphire Blue	3.50m	2.50m
308518	white	03 Blue Sky	3.50m	2.50m
308519	white	04 Alaska Grey	3.50m	2.50m
308524	white	22 Uni Grey	3.50m	2.50m
307806	anodised	03 Blue Sky	4.00m	2.75m
307807	anodised	04 Alaska Grey	4.00m	2.75m
308796	anodised	31 Mystic Grey	4.00m	2.75m
308841	anodised	32 Sapphire Blue	4.00m	2.75m
307751	white	03 Blue Sky	4.00m	2.75m
307752	white	04 Alaska Grey	4.00m	2.75m
307756	white	22 Uni Grey	4.00m	2.75m
308738	white	31 Mystic Grey	4.00m	2.75m
308818	white	32 Sapphire Blue	4.00m	2.75m
308973	cream	31 Mystic Grey	4.00m	2.75m
307810	anodised	03 Blue Sky	4.50m	2.75m
307811	anodised	04 Alaska Grey	4.50m	2.75m
308801	anodised	31 Mystic Grey	4.50m	2.75m
308825	anodised	32 Sapphire Blue	4.50m	2.75m
307758	white	03 Blue Sky	4.50m	2.75m
307759	white	04 Alaska Grey	4.50m	2.75m
307763	white	22 Uni Grey	4.50m	2.75m
308914	white	32 Sapphire Blue	4.50m	2.75m
308974	cream	31 Mystic Grey	4.50m	2.75m



PRODUCT REF.	CASSETTE	FABRIC	LENGTH	PROJECTION
307814	anodised	03 Blue Sky	5.00m	2.75m
307815	anodised	04 Alaska Grey	5.00m	2.75m
308803	anodised	31 Mystic Grey	5.00m	2.75m
308951	anodised	32 Sapphire Blue	5.00m	2.75m
307765	white	03 Blue Sky	5.00m	2.75m
307766	white	04 Alaska Grey	5.00m	2.75m
307770	white	22 Uni Grey	5.00m	2.75m
308835	white	32 Sapphire Blue	5.00m	2.75m
308975	cream	31 Mystic Grey	5.00m	2.75m
307818	anodised	03 Blue Sky	5.50m	2.75m
307819	anodised	04 Alaska Grey	5.50m	2.75m
308739	anodised	31 Mystic Grey	5.50m	2.75m
308820	anodised	32 Sapphire Blue	5.50m	2.75m
307772	white	03 Blue Sky	5.50m	2.75m
307773	white	04 Alaska Grey	5.50m	2.75m
307777	white	22 Uni Grey	5.50m	2.75m
308836	white	32 Sapphire Blue	5.50m	2.75m
308976	cream	31 Mystic Grey	5.50m	2.75m
307822	anodised	03 Blue Sky	6.00m	2.75m
307823	anodised	04 Alaska Grey	6.00m	2.75m
308747	anodised	31 Mystic Grey	6.00m	2.75m
308746	anodised	32 Sapphire Blue	6.00m	2.75m
307779	white	03 Blue Sky	6.00m	2.75m
307780	white	04 Alaska Grey	6.00m	2.75m
307784	white	22 Uni Grey	6.00m	2.75m
308789	white	31 Mystic Grey	6.00m	2.75m
308837	white	32 Sapphire Blue	6.00m	2.75m
308977	cream	31 Mystic Grey	6.00m	2.75m



Spare parts Thule Omnistor 8000


THULE Omnistor 8000

SAP 606-00

	ART.NR.	DESCRIPTION
1	1500601797	ROLLER TUBE 70 / 8000 -3,50M
	1500601798	ROLLER TUBE 70 / 8000 -4,00M
	1500601799	ROLLER TUBE 70 / 8000 -4,50M
	1500601800	ROLLER TUBE 70 / 8000 -5,00M
	1500601801	ROLLER TUBE 70 / 8000 -5,50M
	1500601802	ROLLER TUBE 70 / 8000 -6,00M
2	1500601825	FABRIC 8000 3,50M 03
	1500601826	FABRIC 8000 3,50M 04
	1500601830	FABRIC 8000 3,50M 22
	1500601832	FABRIC 8000 3,50M 31
	1500601833	FABRIC 8000 3,50M 32
	1500600077	FABRIC 4.00M 8000 03
	1500600078	FABRIC 4.00M 8000 04
	1500600082	FABRIC 4.00M 8000 22 RAL 9002
	1500601701	FABRIC 4.00M 8000 31
	1500601702	FABRIC 4.00M 8000 32
	1500600084	FABRIC 4.50M 8000 03
	1500600085	FABRIC 4.50M 8000 04
	1500600089	FABRIC 4.50M 8000 22 RAL 9002
	1500601703	FABRIC 4.50M 8000 31



	ART.NR.	DESCRIPTION
	1500601704	FABRIC 4.50M 8000 32
	1500600092	FABRIC 5.00M 8000 03
	1500600093	FABRIC 5.00M 8000 04
	1500600097	FABRIC 5.00M 8000 22 RAL 9002
	1500601705	FABRIC 5.00M 8000 31
	1500601706	FABRIC 5.00M 8000 32
	1500600099	FABRIC 5.50M 8000 03
	1500600100	FABRIC 5.50M 8000 04
	1500600104	FABRIC 5.50M 8000 22 RAL 9002
	1500601707	FABRIC 5.50M 8000 31
	1500601708	FABRIC 5.50M 8000 32
	1500600106	FABRIC 6.00M 8000 03
	1500600107	FABRIC 6.00M 8000 04
	1500600111	FABRIC 6.00M 8000 22 RAL 9002
	1500601686	FABRIC 6.00M 8000 31
	1500601709	FABRIC 6.00M 8000 32
3	1500600296	CONNECT. SUPP. ARM
4	1500600325	LEAD RAIL HOLD DOWN 8000
5	1500600326	GLIDING ANGLE LEAD RAIL 8000
6	1500600863	RELAIS + FEET MOTOR 8000 220V
7	1500600865	RH MAIN HOUS.END PL. ASSY 8000
	1500600867	RH ENDPLATE 8000 220V
8	1500601834	L.H. END PLATE ASSY 8000-220V
9	1500601259	LH+RH CONN.LEAD RAIL
10	1500600871	L.H. END PLATE ASSY 8000
11	1500602049	BACK HOUSING 8000 - 3,50M
	1500600890	BACK HOUSING 8000 - 4.00 M
	1500600891	BACK HOUSING 8000 - 4.50M
	1500600892	BACK HOUSING 8000 - 5.00M
	1500600893	BACK HOUSING 8000 - 5.50M
	1500600894	BACK HOUSING 8000 - 6.00M
	1500602050	BACK HOUSING 8000 ANO - 3,50M
	1500600910	BACK HOUSING 8000 ANO - 4.00M
	1500600911	BACK HOUSING 8000 ANO - 4.50M
	1500600912	BACK HOUSING 8000 ANO - 5.00M
	1500600913	BACK HOUSING 8000 ANO 5.50M
	1500600914	BACK HOUSING 8000 ANO - 6.00M
	1500602289	BACK HOUSING 8000 - 4.00 M RAL9002
	1500602290	BACK HOUSING 8000 - 4.50 M RAL9002
	1500602291	BACK HOUSING 8000 - 5.00 M RAL9002
	1500602292	BACK HOUSING 8000 - 5.50 M RAL9002
	1500602293	BACK HOUSING 8000 - 6.00 M RAL9002
12	1500602051	MAINHOUSING BOTTOM 8000 - 3,50M
	1500600895	MAINHOUSING BOTTOM 8000 - 4.00M
	1500600896	MAINHOUSING BOTTOM 8000 - 4.50M
	1500600897	MAINHOUSING BOTTOM 8000 - 5.00M



	ART.NR.	DESCRIPTION
	1500600898	MAINHOUSING BOTTOM 8000 - 5.50M
	1500600899	MAINHOUSING BOTTOM 8000 - 6.00M
	1500602052	MAINHOUSING BOTTOM 8000 ANO - 3,50M
	1500600915	MAINHOUSING BOTTOM 8000 ANO - 4.00M
	1500600916	MAINHOUSING BOTTOM 8000 ANO - 4.50M
	1500600917	MAINHOUSING BOTTOM 8000 ANO - 5.00M
	1500600918	MAINHOUSING BOTTOM 8000 ANO - 5.50M
	1500600919	MAINHOUSING BOTTOM 8000 ANO - 6.00M
	1500602294	MAINHOUSING BOTTOM 8000 RAL9002 - 4.00M
	1500602295	MAINHOUSING BOTTOM 8000 RAL9002 - 4.50M
	1500602296	MAINHOUSING BOTTOM 8000 RAL9002 - 5.00M
	1500602297	MAINHOUSING BOTTOM 8000 RAL9002 - 5.50M
	1500602298	MAINHOUSING BOTTOM 8000 RAL9002 - 6.00M
13	1500602053	ROOFHOUSING 8000 - 3,50M
	1500600900	ROOFHOUSING 8000 - 4.00M
	1500600901	ROOFHOUSING 8000 - 4.50M
	1500600902	ROOFHOUSING 8000 - 5.00M
	1500600903	ROOFHOUSING 8000 - 5.50M
	1500600904	ROOFHOUSING 8000 - 6.00M
	1500602054	ROOFHOUSING 8000 ANO - 3,50M
	1500600920	ROOFHOUSING 8000 ANO - 4.00M
	1500600921	ROOFHOUSING 8000 ANO - 4.50M
	1500600922	ROOFHOUSING 8000 ANO - 5.00M
	1500600923	ROOFHOUSING 8000 ANO - 5.50M
	1500600924	ROOFHOUSING 8000 ANO - 6.00M
	1500602299	ROOFHOUSING 8000 RAL9002 - 4.00M
	1500602300	ROOFHOUSING 8000 RAL9002 - 4.50M
	1500602301	ROOFHOUSING 8000 RAL9002 - 5.00M
	1500602302	ROOFHOUSING 8000 RAL9002 - 5.50M
	1500602303	ROOFHOUSING 8000 RAL9002 - 6.00M
14	1500602055	LEADRAIL 8000 - 3,50M
	1500600905	LEADRAIL 8000 - 4.00M
	1500600906	LEADRAIL 8000 - 4.50M
	1500600907	LEADRAIL 8000 - 5.00M
	1500600908	LEADRAIL 8000 - 5.50M
	1500600909	LEADRAIL 8000 - 6.00M
	1500602056	LEADRAIL 8000 ANO - 3,50M
	1500600925	LEADRAIL 8000 ANO - 4.00M
	1500600926	LEADRAIL 8000 ANO - 4.50M
	1500600927	LEADRAIL 8000 ANO - 5.00M
	1500600928	LEADRAIL 8000 ANO - 5.50M
	1500600929	LEADRAIL 8000 ANO - 6.00M
	1500602304	LEAD RAIL 8000 - 4,00M RAL9002
	1500602305	LEAD RAIL 8000 - 4,50M RAL9002
	1500602306	LEAD RAIL 8000 - 5,00M RAL9002
	1500602283	LEAD RAIL 8000 - 5,50M RAL9002



	ART.NR.	DESCRIPTION
	1500602308	LEAD RAIL 8000 - 6,00M RAL9002
15	1500601129	REMOTE CONTROL 8000 220V
16	1500601207	HAND CRANK ASSY SHORT
17	1500601210	GEAR ASSY+COUPLING FUNNEL 8000
18	1500601249	LH ENDCAP MAINHOUSING 8000
	1500601250	LH ENDCAP MAINHOUSING 8000 ANO
	1500602286	LH ENDCAP MAINHOUSING 8000 RAL9002
19	1500601251	RH ENDCAP MAINHOUSING 8000
	1500601252	RH ENDCAP MAINHOUSING 8000 ANO
	1500602287	RH ENDCAP MAINHOUSING 8000 RAL9002
20	1500601254	LH+RH LEAD RAIL END PLATE 8000
	1500601255	LH+RH LEAD RAIL ENDPL.8000 ANO
	1500602288	LH+RH LEAD RAIL ENDPL.8000 RAL9002
21	1500601256	LH+RH SIDE CAP MH BOTTOM 8000
	1500601257	LH+RH SIDECAP MH BOTT.8000 ANO
22	1500601258	LH+RH ROLLER TUBE ASSY 8000
23	1500601260	LH ENDCAP MH 8000 220V
	1500601261	LH ENDCAP MH 8000 220V ANO
24	1500602059	L.H. SPRING ARM COMPL. 8000 ≥4,00M
	1500602057	L.H. SPRING ARM 8000 - 3,50M
25	1500601298	LH & RH GLIDING PIECES TENSION ARMS
26	1500602060	R.H.SPR.ARM COMPL. 8000 ≥4,00M
	1500602058	RH. SPRING ARM 8000 - 3,50M
27	1500601612	SUPPORT ARM V2 3.50M
	1500601312	SUPPORT ARM V2 LARGE
28	1500602342	ANTI RATTLING SUPPORT ARM
29	1500601789	CENTRAL CLAMP SUPPORT ARM V2
30	307924	220V MOTOR 8000 WHITE
	307925	220V MOTOR 8000 ANO
31	1500602404	CONNECTION PCS TENSION RAFTER 8000
32	1500602375	EMERGENCY HAND CRANK 8000
33	1500602391	LH END PLATE HOUSING 8000 12V
34	1500602327	SPRING ARM PROTECTION KIT 8000




Thule Omnistor Caravan Style

User-friendly and compact

Information

- Installation slid into the caravan rail
- Awning's length 2.30m up to 4.50m
- Fabric projection 2.20m up to 2.30m
- Bag colour White
- Fabric colours 03 - Blue sky
04 - Alaska grey
- Weight 7.50kg up to 14.50kg



Specs

- Light Weight min 7.5kg to max 14.5kg.
- Two end plugs are supplied: awning does not move in the rail.
- The awning is opened and closed manually.
- Tension arms & support legs integrated in the profile: awning fits in a small bag.
- Especially designed for caravans.
- Suits smaller budgets.

Related products


- Thule Windscreen
- Thule Safari Style
- Thule Rain & Sun Blocker front panels
- Thule Rain Blocker side
- Thule Hold down kit
- Thule Tension rafters

Product references Thule Omnistor Caravan Style

PRODUCT REF.	CASSETTE	FABRIC	LENGTH	FABRIC LENGTH	PROJECTION	NET WEIGHT
307828	white	03 Blue Sky	2.30m	2.10m	2.20m	7.5kg
307829	white	04 Alaska Grey	2.30m	2.10m	2.20m	7.5kg
307830	white	03 Blue Sky	2.60m	2.40m	2.20m	8.5kg
307831	white	04 Alaska Grey	2.60m	2.40m	2.20m	8.5kg
307832	white	03 Blue Sky	3.00m	2.80m	2.30m	9.5kg
307833	white	04 Alaska Grey	3.00m	2.80m	2.30m	9.5kg
307834	white	03 Blue Sky	3.50m	3.30m	2.30m	11kg
307835	white	04 Alaska Grey	3.50m	3.30m	2.30m	11kg
307836	white	03 Blue Sky	4.00m	3.80m	2.30m	13kg
307837	white	04 Alaska Grey	4.00m	3.80m	2.30m	13kg
307838	white	03 Blue Sky	4.50m	4.30m	2.30m	14.5kg
307839	white	04 Alaska Grey	4.50m	4.30m	2.30m	14.5kg



Spare parts Thule Omnistor Caravan Style



THULE Omnistor Caravan Style

3A 602

	ART.NR.	DESCRIPTION
1	1500602184	RAFTER ARM ASSY 2,30/2.60 M
	1500602185	RAFTER ARM ASSY 3.00/4.50 M
3	1500601808	ROLLER TUBE CAR STYLE - 2,30M
	1500601737	ROLLER TUBE CAR STYLE 2.60M
	1500600046	ROLLER TUBE CAR STYLE 3.00M
	1500601809	ROLLER TUBE CAR STYLE - 3,50M
	1500601810	ROLLER TUBE CAR STYLE - 4,00M
	1500601470	ROLLER TUBE CAR STYLE 4.50M
4	1500600062	FABRIC 2.30M CAR STYLE 03 BL SK
	1500600063	FABRIC 2.30M CAR STYLE 04 AL GR
	1500600064	FABRIC 2.60M CAR STYLE 03 BL SK
	1500600065	FABRIC 2.60M CAR STYLE 04 AL GR
	1500600066	FABRIC 3.00M CAR STYLE 03 BL SK
	1500600067	FABRIC 3.00M CAR STYLE 04 AL GR
	1500600069	FABRIC 3.50M CAR STYLE 03 BL SK
	1500600070	FABRIC 3.50M CAR STYLE 04 AL GR
	1500600071	FABRIC 4.00M CAR STYLE 03 BL SK
	1500600072	FABRIC 4.00M CAR STYLE 04 AL GR
	1500600073	FABRIC 4.50M CAR STYLE 03 BL SK
	1500600074	FABRIC 4.50M CAR STYLE 04 AL GR
5	308240	TENSION RFT 2.30M CAR STYLE



	ART.NR.	DESCRIPTION
6	1500601173	L+R ENDCAP ROLL.TUBE CAR STYLE
7	1500601174	TENSION ARM GUARD CAR STYLE 2PCS
8	1500601177	CARAVAN RAIL BLOCKER SET
9	1500601193	COUNT.PCE R.TUBE CAR STYLE 1.90M
	1500601811	COUNT PC TUBE CAR STYLE 2,60M
	1500601194	COUNT.PCE R.TUBE CAR STYLE 3.50M
	1500601195	COUNT.PCE R.TUBE CAR STYLE 4.00M
	1500601812	COUNT.PCE R.TUBE CAR STYLE 4,50M
10	1500602182	SUPPORT ARM 2,30/2,60 M
	1500602183	SUPPORT ARM 3,00/4,50M



Thule Safari Panorama

High comfort, clever innovations

Information

Length from 3.00m up to 6.00m
 Mounting height (A) from 2.30m up to 2.60m
 Mounting height = between bottom of main housing and ground
 Available for following Thule Omnistor awnings:


- + 8000/5800
- + 5003
- + 5002/5500
- + 9200
- + 6200
- + 6900/6802
- + 6002/6502

Colours black, silver and white

Not for vehicles with curved walls

Optional sets of curtains (dark blue or dark grey) are available


Weight (net) 3.00m Medium: 27.60kg
 6.00m X-Large: 34kg



Specs

- Awning tent with a high quality canopy in a timeless design (also in details)
 - + Special tent fabric : 100% polyester "Airtex"
 - + One colour combination fits the different Thule awning fabric finishes
- Easy installation, user friendly
 - + Front panel with integrated left and right door
 - + Large panoramic windows can be completely removed
 - + Side windows are equipped with mosquito mesh
 - + Aeration on both sides
 - + Fully modular system
- High sturdiness and extremely high stability:
 - + Clamping profile ensures mounting and connection of the side panel to the awning fabric.
 - + A double rubber flap attached to the mast profile ensures full sealing with the vehicle wall.
 - + Diagonal support between the mast and clamping profile.
- Complete with wind slip and luxury bag

Front Combinations



Product references Thule Safari Panorama

	Height Sides	Mounting Height A	Lenght (m)						
			3.00m	3.50m	4.00m	4.50m	5.00m	5.50m	6.00m
5003*	Medium	2,30m - 2,44m	306810	306811	306812	306813			
	Large	2,45m - 2,59m	306814	306815	306816	306817			
6002**	Medium	2,30m - 2,44m	306828	306830	306832	306833			
	Large	2,45m - 2,59m	306834	306836	306838	306839			
6900	Medium	2,30m - 2,44m			306840	306841	306842	306843	
	Large	2,45m - 2,59m			306845	306846	306847	306848	
8000	Medium	2,30m - 2,44m			306818	306819	306820	306821	306822
	Large	2,45m - 2,59m			306823	306824	306825	306826	306827
9200	Medium	2,30m - 2,44m			306850	306851	306852	306853	306854
	Large	2,45m - 2,59m			306855	306856	306857	306858	306859

* The 5003 Panorama tent fits the 5002 awning in combination with a transformation kit.

** The 6002 Panorama tent fits the 6200 awning in combination with a transformation kit.

ART.NR.	DESCRIPTION
309623	transformation kit 5002
306802	transformation kit 6200
309605	curtains grey 3.00m-3.50m
309606	curtains blue 3.00m-3.50m
309608	curtains grey 4.00m-5.00m
309609	curtains blue 4.00m-5.00m
309886	curtains grey 5.50m-6.00m
309887	curtains blue 5.50m-6.00m





Customer information

Customer name: _____
Company name: _____

Order number: _____
Date: _____

1. Awning type?

Wall mounted

☐ 5002*/5500

☐ 5003

☐ 8000/5800*

☐ *Transformation kit for 5002, 5500 and 5800
309623

☐ **Transformation kit for 6200
306802

Roof mounted

☐ 6002/6502

☐ 6900/6802

☐ 6200**

☐ 9200

2. Length of your awning?

☐ 3.00m

☐ 3.50m

☐ 4.00m

☐ 4.50m

☐ 5.00m

☐ 5.50m

☐ 6.00m

3. Mounting height of your awning?

This is measured from the ground to the underside of the awning box.

☐ M 2.30m - 2.44m
☐ L 2.45m - 2.60m

Accessories

Curtain set: choose your colour

Dark Grey

☐

Dark Blue

☐

☐ Thule Hold Down Side Strap Kit: avoid awning and tent lift from sudden gusts of wind. Set of 2 straps.
307916


Thule Safari Residence G2

A real living room in the outdoors

Information

- Length from 3.00m up to 6.00m
- Mounting height (A) 2.15m up to 3.10m
- The Safari-Residence is available for following Thule Omnistor awnings:
 - + Thule Omnistor 8000
 - + Thule Omnistor 5003
 - + Thule Omnistor 6200 - 9200
 - + Thule Omnistor 6900 - 6002
 - + Thule Omnistor 4900
 - + Thule Omnistor 6502-6800
 - + Also available for 5002, 5500 and 5800 by adding a 'Transformation kit' (ref. 309623)
- Not for vehicles with curved walls
- Mounting height = between bottom of main housing and ground
- Colours:
 - 03 - Blue Sky
 - 04 - Alaska Grey
 - 23 - Standard Grey
 - 31 - Mystic Grey
 - 32 - Sapphire Blue

Optional sets of curtains are available (blue or grey)



Specs

- Extremely high stability :
 - + Clamping profile ensures mounting and connection of the side panel to the awning fabric.
 - + A double rubber flap attached to the mast profile ensures full sealing with the vehicle wall.
 - + Diagonal support between the mast and clamping profile.
 - + Double profile ensures wind tight sealing between front and side panels.
- User friendly
 - + Side windows fully open, whilst remaining screened by a mosquito mesh.
 - + Mud flaps can be folded inside or outside of the Thule Safari Residence and can be tensioned.
 - + The front is available with doors on the left or right hand side.
 - + The front panel rolls up completely. The window at the front does not open separately.
 - + Modular construction, the front panel is slid into the lead rail of the awning.
- High quality fabric (400gr/m2)
 - + Solid weld connections of the fabric for optimum wind and water tightness.
- Timeless and elegant design
 - + Large window surfaces for greater incidence of light and an open feeling of spaciousness.
 - + The colour of the awning fabric can be continued in the front panel of the awning tent, whereas the side panels come in standard grey.

Front Combinations



Related products

- Luxury storage bags (#307891)
 - for storing your Safari Residence easily, you can order a set of solid luxury Safari storage bags as an option.
 - made from high quality polyester fabric
 - the set contains 1 large bag (20x30x120cm) and 1 smaller bag (20x20x120cm)



- Wind slip

	Length (m)								
	3.00	3.25	3.50	3.75	4.00	4.50	5.00	5.50	6.00
Art. Nr.	309613	309614	309615	309616	309617	309618	309619	309620	309621

- Curtains, 65% polyester - 35% viscose


		Length awning			
		3.00 m - 3.25 m	3.50 m - 4.00 m	4.50 m - 5.00 m	5.50 m - 6.00 m
Art. Nr.	Grey	309602	309605	309608	309611
	Blue	309603	309606	309609	309612

- Hold down strap kit (307916)
- Transformation kit (309623)

Dimensions

1. STANDARD SIDES

	A (mounting height)	H	Weight
Small	2.15 m - 2.29 m	± 30 cm	21 kg
Medium	2.30 m - 2.44 m	± 40 cm	22 kg
Large	2.45 m - 2.59 m	± 60 cm	23 kg
X-Large	2.60 m - 2.74 m	± 50 cm	24 kg
XX-Large	2.75 m - 2.89 m	± 50 cm	25 kg
XXX-Large	2.90 m - 3.10 m	± 60 cm	26 kg



Height	Mounting		Type awning						
sides	height		4900	5003	8000		6002/6200	6900	9200
			Projection						
			2.50	2.50	2.50	2.75	2.50	2.75	3.00
S	2.15 m - 2.29 m	Art. Nr.	309001	309002	309003	309004	309005	309006	
M	2.30 m - 2.44 m	Art. Nr.	309011	309012	309013	309014	309015	309016	306765
L	2.45 m - 2.59 m	Art. Nr.	309021	309022	309023	309024	309025	309026	306766
XL	2.60 m - 2.74 m	Art. Nr.	309031	309032	309033	309034	309035	309036	306767
XXL	2.75 m - 2.89 m	Art. Nr.	309041	309042	309043	309044	309045	309046	306768
3XL	2.90 m - 3.10 m	Art. Nr.	309051	309052	309053	309054	309055	309056	306769



2. SPECIAL SIDES (in combination with XL front)

Height	Mounting		Type awning		Weight
sides	height		5003	8000	
			Projection		
			2.50	2.75	
M	2.30 m - 2.44 m	Art. Nr.	306474		22 kg
L	2.45 m - 2.59 m		306475	306476	23 kg

3. STANDARD FRONT

	A (mounting height)	Weight
S / M / L	2.15 m - 2.59 m	from 5.5kg up to 14.4kg
X-Large	2.60 m - 2.74 m	from 5.9kg up to 10.8kg
XXL / 3XL	2.75 m - 3.10 m	from 6.5kg up to 11.8kg

	Fabric colour	Door opening	Length (m)								
			3.00	3.25	3.50	3.75	4.00	4.50	5.00	5.50	6.00
S / M / L (2.15M - 2.59M)	#03	L	309060	309120	309180	309240	309300	309360	309420	309480	309540
		R	309061	309121	309181	309241	309301	309361	309421	309481	309541
	#04	L	309062	309122	309182	309242	309302	309362	309422	309482	309542
		R	309063	309123	309183	309243	309303	309363	309423	309483	309543
	#23	L	309064	309124	309184	309244	309304	309364	309424	309484	309544
		R	309065	309125	309185	309245	309305	309365	309425	309485	309545
	#31	L	309066	309126	309186	309246	309306	309366	309426	309486	309546
		R	309067	309127	309187	309247	309307	309367	309427	309487	309547
	#32	L	309068	309128	309188	309248	309308	309368	309428	309488	309548
		R	309069	309129	309189	309249	309309	309369	309429	309489	309549

XL (2.60M - 2.74M)	#03	L	309080	309140	309200	309260	309320	309380	309440	309500	309560
		R	309081	309141	309201	309261	309321	309381	309441	309501	309561
	#04	L	309082	309142	309202	309262	309322	309382	309442	309502	309562
		R	309083	309143	309203	309263	309323	309383	309443	309503	309563
	#23	L	309084	309144	309204	309264	309324	309384	309444	309504	309564
		R	309085	309145	309205	309265	309325	309385	309445	309505	309565
	#31	L	309086	309146	309206	309266	309326	309386	309446	309506	309566
		R	309087	309147	309207	309267	309327	309387	309447	309507	309567
	#32	L	309088	309148	309208	309268	309328	309388	309448	309508	309568
		R	309089	309149	309209	309269	309329	309389	309449	309509	309569

XXL / 3XL (2.75 - 3.10M)	#03	L	309100	309160	309220	309280	309340	309400	309460	309520	309580
		R	309101	309161	309221	309281	309341	309401	309461	309521	309581
	#04	L	309102	309162	309222	309282	309342	309402	309462	309522	309582
		R	309103	309163	309223	309283	309343	309403	309463	309523	309583
	#23	L	309104	309164	309224	309284	309344	309404	309464	309524	309584
		R	309105	309165	309225	309285	309345	309405	309465	309525	309585
	#31	L	309106	309166	309226	309286	309346	309406	309466	309526	309586
		R	309107	309167	309227	309287	309347	309407	309467	309527	309587
	#32	L	309108	309168	309228	309288	309348	309408	309468	309528	309588
		R	309109	309169	309229	309289	309349	309409	309469	309529	309589





Customer information

Customer name: _____
Company name: _____

Order number: _____
Date: _____

1. Awning type?

Wall mounted

☐ 4900

☐ 5002*/5500*

☐ 5003

☐ 8000/5800*

Roof mounted

☐ 6002/6502

☐ 6900/6802

☐ 6200**

☐ 9200

2. Length of your awning?

3.00m	3.25m	3.50m	3.75m	4.00m	4.50m	5.00m	5.50m	6.00m
☐	☐	☐	☐	☐	☐	☐	☐	☐

3. Mounting height of your awning?

This is measured from the ground to the underside of the awning box.

☐ S	2.15m - 2.29m
☐ M	2.30m - 2.44m
☐ L	2.45m - 2.59m
☐ XL	2.60m - 2.74m
☐ XXL	2.75m - 2.89m
☐ XXXL	2.90m - 3.10m

Side panel set

☐ order a Side panel set (mounting profiles incl.)
☐ do not order a Side panel set

Front panel

☐ do not order a Front panel

4. Choose the colour in your front panel

#03 Blue Sky 	#04 Alaska Grey 	#31 Mystic Grey 	#32 Sapphire Blue 	#23 Standard Grey
☐	☐	☐	☐	☐

5. Choose the door position in the front panel

☐ Left ☐ Right

Accessories

Curtain set: choose your colour

Dark Grey

Dark Blue

☐ Thule Wind Slip: to cover and close the space under your vehicle (mounting rail not included).

☐ Thule Luxury Storage Bags: set of 2 carry bags for easy storage of the Safari Residence.
50 0000 20

☐ Thule PVC Cleaner: easy to use spray bottle, ideal for cleaning PVC awning and tent fabric.
21 0007 00

☐ Thule Hold Down Side Strap Kit: avoid awning and tent lift from sudden gusts of wind. Set of 2 straps.
50 0000 52


☐ *Transformation kit for 5002, 5500 and 5800
309623

☐ **Transformation kit for 6200.
306802




Tents







Spare parts Safari Residence



THULE Safari Residence SRS600-00



THULE Safari Residence SRS601-00



THULE Safari Residence

SRS602-00

	ART.NR.	DESCRIPTION
1	1500601178	BUCKLE 16MM WHITE - 5 PCS
2	1500600119	WINDOW TUBE ASSY
3	1500601169	TENT PEG HALF ROUND - 10PCS
4	1500601171	GROUNDSHEET PEG - 10PCS
5	1500601167	MULTI POSITION RUBBER 20CM - 5PCS
6	1500602154	ELASTIC BAND 8CM - 5PCS
7	1500601182	NUT KNOB M6 GREY SAFARI RESIDENCE - 3PCS
8	1500601181	COVER CLAMP PROFILE 2L+2R
9	1500602155	END PIECE TENSION RAFTER CLAMP
10	1500601161	CURTAIN HOLDER - 12PCS
11	1500602029	CONNECTING PROFILE FRONT AND SIDE PANEL - 1,00M
12	1500600139	CLOSING PROFILE MAST L= 1140 MM
13	1500600138	SUPPORT PROFILE SAFARI RESIDENCE
14	1500602033	FOOT PIECE MAST SAFARI RESIDENCE 06 2PCS
15	1500601400	FIXATION SYSTEM MAST RESIDENCE
16	1500601189	END PIECE MAST SAFARI RESIDENCE 8000
17	1500601179	END PIECE MAST SAFARI RESIDENCE
18	1500601187	MAST HOLDER SAFARI RESIDENCE S6+8000
19	1500601682	POSIT. PIECE + TR HOLDER 5003
20	1500601180	POSITIONING BLOCK + TENSION RAFTER HOUSING S5
21	1500601188	POSITIONING BLOCK + TENSION RAFTER HOUSING 8000



	ART.NR.	DESCRIPTION
22	1500601184	POSITIONING BLOCK + TENSION RAFTER HOUSING S6
23	1500602156	INSERT LR 4900
24	1500601683	INSERT LR 5003 + END PIECE TR CLAMP
25	1500601183	END PIECE TENSION RAFTER CLAMP + INSERT SR S5
26	1500601186	END PIECE TENSION RAFTER CLAMP + INSERT SR 8000
27	1500601185	END PIECE TENSION RAFTER CLAMP + INSERT SR S6
28	1500602034	SUCTION PAD VW RESIDENCE ASSY
29	1500602035	BELT HOOKS VW RESIDENCE
30	1500602157	CLAMPING PROFILE 5 SERIES - 2M50 - LEFT
31	1500602158	CLAMPING PROFILE 5 SERIES - 2M50 - RIGHT
32	1500602159	CLAMPING PROFILE 6 SERIES - 2M50 - LEFT
33	1500602160	CLAMPING PROFILE 6 SERIES - 2M50 - RIGHT
34	1500602161	CLAMPING PROFILE 6 SERIES - 2M75 - LEFT
35	1500602162	CLAMPING PROFILE 6 SERIES - 2M75 - RIGHT
36	1500602163	CLAMPING PROFILE 8000 - 2M75 - LEFT
37	1500602164	CLAMPING PROFILE 8000 - 2M75 - RIGHT
38	1500602165	MAST PROFILE - LEFT
39	1500602166	MAST PROFILE - RIGHT




Thule Safari Style

Enjoy the view

Information

- Length starting from a length of 3.00 m
- Mounting heights between 2.20 and 2.60 m
Mounting height = between bottom of main housing and ground
- Weight minimum 15.5 kg – maximum 19 kg
- The Safari-Style is available for following Thule Omnistor awnings:
+ Omnistor Caravan Style
- Not for vehicles with curved walls
- Colour: Grey RAL 7035
- Curtains are included (dark grey RAL 7031)
- 100% polyester



Specs

- Made from extremely light weight grey polyester. Mud flaps in PVC
- Modern design
- Large windows giving a panoramic view.
- Two wide doors front left and front right.
- Constant air circulation. Three sealable ventilation holes that come standard with mosquito mesh.
- Modular construction, the front panel is slid into the lead rail of the awning.
- PVC clamping profile ensures mounting and connection of the side panel to the awning canvas.
- The side panel joins up to the vehicle by pressing the foam band.
- A double profile ensures the windtight sealing between front and side panels
- UV-resistant and fungus-resistant
- The storage bags, wind slip and curtains are all included


Related products

- Hold Down Side Strap Kit (#307916)




Dimensions

	A (mountingheight)	H	Weight
Medium	2.20 m - 2.39 m	± 40 cm	6 kg
Large	2.40 m - 2.60 m	± 60 cm	6 kg



308664	3.00x 2.30m - medium 2.20-2.39 height
308665	3.50x 2.30m - medium 2.20-2.39 height
308666	4.00x 2.30m - medium 2.20-2.39 height
308667	4.50x 2.30m - medium 2.20-2.39 height
308668	3.00x 2.30m - large 2.40-2.69 height
308669	3.50x 2.30m - large 2.40-2.69 height
308670	4.00x 2.30m - large 2.40-2.69 height
308671	4.50x 2.30m - large 2.40-2.69 height

Spare parts Thule Safari Style


	ART.NR.	DESCRIPTION
1500601774	1500601774	CLAMP PROFILE 850 MM
1500601775	1500601775	CLAMP PROFILE MID 265 MM
1500601776	1500601776	U-PROFILE 900 MM
07 4607	1500602029	CONNECTING PROF.PANEL - 1,00M
07 6600	1500602030	GROUND PIN MAST SAF.ROOM
514045 00	1500600116	MAST 2.80M WITH PIN SAFARIROOM
551007 00	1500601167	LADDER RUBBERRING 20CM-5PCS SR
551009 00	1500601169	TENTPEG HALFROUND-10PCS SR
551010 00	1500601170	MULTI POS. ELAST.+S-HOOK 4PCS
551011 00	1500601171	GROUNDSHEETPEG - 10 PCS

