



Find out more at **swiftgroup.co.uk**

Brochures Ų Layouts 🦵 Dealers 📎 Videos 💽 Social 📑 😏 🙆

This brochure does not constitute an offer by Swift Group Limited (Swift). Swift reserves the right to alter specifications and prices at any time as materials and conditions demand. Distributors and dealers sell Swift products on their own account and not as agents of Swift. Accordingly, they have no authority to bind Swift or to make any representation or undertaking whatsoever on behalf of Swift. All props are for photographic purposes only and are not included in the specification. Issued October 2016.











www.swiftgroup.co.uk



STEP INTO A RANGE THAT SUITS YOU

 $\bigcirc \bigcirc$ THE SWIFT DIFFERENCE US Where the head meets the heart Our Innovations Built by Swift

1 THE SWIFT EXPERIENCE Country, coast and freedom

92 VALUE ADDED PARTNERSHIPS Bringing you the best

Committed to providing exceptional value for money, Swift Group continue to make impressive increases in specification and user-friendly technologies, delivering even greater performance.

With six exciting ranges there has never been a more compelling time to choose a model from the Swift Group.







Completely redesigned, the Escape is one of the UK's best selling motorhome ranges.



29

BESSACARR Inside and out the Bessacarr is still the best in its class with a proud heritage.





43 The Rio offers coachbuilt luxury in the size of a panel van.





55 BOLERO The Bolero features eye-catching style inside and out.



KON-TIKI

Kon-tiki is supremely stylish and spacious with a full luxury specification.



AUTOCRUISE SELECT

The new Autocruise Select range is incredibly versatile with more choice.

WHERE THE HEAD MEETS THE HEART

Your head says you need a motorhome that's durable, functional, comfortable, safe and secure. Your heart wants great design and a great choice. With Swift Group you can have the best of both worlds with the backing of a company established over 50 years.



DURABILITY

- Unique SMART Plus construction system on coachbuilt models
- Rigorous safety testing at Millbrook and cold chamber testing down to minus 15°C and beyond puts prototypes through conditions most products will never have to experience in a lifetime, this is all part of the Swift ethos to deliver the best product possible to you
- · New balanced panel side walls with GRP outer and inner skins. GRP is more impact resistant than aluminium and can be easily repaired, ensuring long lasting good looks and securing your investment for the future
- · Assured build construction with a manufacturer backed, free 10 year bodyshell warranty as standard on all coachbuilt motorhomes





FUNCTIONALITY

- · Significant advancements in design and storage that optimise your living and sleeping space giving greater comfort
- A host of money saving developments including improved fuel efficiency and use of low energy lighting
- Truma dual fuel heating or Alde heating
- Swift Command system, developed with Sargent Electrical, on all ranges
- Use of Computational Fluid Dynamics to help shape the bodyshell for better fuel consumption



SARGENT

COMFORT

★ /// *

- · Grade III classification of thermal insulation for all year round comfort
- Sprung beech slats for comfortable seating and sleeping
- Regency 100% bleach cleanable carpets designed to repel everyday spills, stains and dirt
- · Exclusive Duvalay Duvalite mattresses on fixed beds with memory fibre technology

duvalay



- · All Swift Group products are certified by the National Caravan Council to ensure they are both legal and safe
- All Swift Group motorhomes have European Whole Vehicle Type Approval to ensure compliance with strict weight, dimension and safety requirements
- Security includes a Thatcham Category 6 approved pro-active tracker as part of the Swift Command system (Subject to annual subscription)





STYLE AND CHOICE

- Modern desirable looks inside and out
- · Models from entry level to top of the range luxury cater for a wide range of budgets
- Choice of motorhome vehicle weights starting at 3.3 tonnes

ESTABLISHED FOR **OVER 50 YEARS**

- · Experienced company with over 50 years of manufacturing knowledge and dedicated long serving craftsmen
- Europe's No1 manufacturer of Caravans, Motorhomes and Holiday Homes
- Swift Group undertakes what is probably the most extensive research and testing programme in the industry to ensure the design team can create products that set the industry standard for style, value and practicality
- Recycling waste and reducing carbon emissions is a fundamental part of the Swift ethos and initiatives are always underway to achieve further improvements wherever possible
- At the forefront of product design with exceptional style, inside and out, just wander into any Swift Group dealership to see for yourself

DEDICATED CUSTOMER CARE

- · We believe our after sales and customer care are the best in the industry - check out our customer testimonials at swiftgroup.co.uk/swift-group/testimonials
- Swift Connect A multi million pound investment programme in online technology enables dealers not only to order online, including spare parts, but also to check product availability and delivery dates
- Swift Talk Swift Group's own dedicated social media site is the industry's most popular social networking site with over 17,000 members. Swift Group staff monitor the forum and answer questions daily, providing invaluable help and support where they can to customers. A number of key suppliers and dealers are also active Swift Talk forum members too

≯ SwittTalk Social Network for Caravan and Motorhome Enthusiast

 Connect Direct - Connect Direct is our exclusive after sales service for the ultimate in customer care. It is an online system, which provides each owner with a personal profile, with the ability to make the experience of owning their motorhome even more unique. It is now available on all 2017 models.



INTOSMART CONSTRUCTION



STRONG

The Strong timberless body frame uses 'PURe', a tough, hard polyurethane based product, that is totally impervious to water and has been proven through use.



MODERN

The SMART construction system uses Modern materials and has been developed to ensure the exterior profiles maintain the Modern desirable looks our motorhomes are renowned for.

(Z

AERODYNAMIC

We continue to lead the way in Aerodynamics using Computational Fluid Dynamics to help shape the bodyshell for better fuel consumption.

As the UK's leading leisure vehicle manufacturer, the Swift Group undertakes what is probably the most extensive research and testing program in the industry and we are constantly looking at new and better ways to construct our products. SMART is the basis of our intelligent construction system that is used across our entire coachbuilt motorhome ranges.

Enhanced for the new season, SMART Plus takes the proven technology which provides a Strong timberless body frame with Modern desirable looks and a leading Aerodynamic shape that is highly Resilient to moisture, all wrapped up in a motorhome that has undergone the most comprehensive Testing. For 2017 new balanced panel side walls with GRP outer and inner skins are added. With the GRP outer to the sandwich floor and hail resistant GRP roof, the full outer bodyshell of the motorhome is now GRP making it even more resilient.

Carefully developed, SMART construction was only introduced once we were satisfied that it was truly fit for purpose.

Computer numerically controlled (CNC) cutting is used in the manufacturing process to provide accuracy and consistency time after time, to produce a high quality engineered product designed to give you a lifetime of SMILES



SMART Plus features on all coachbuilt motorhomes



escape

RESILIENT WITH NEW GRP SIDE WALLS

New balanced panel side walls with GRP outer and inner skins. GRP is more impact resistant than aluminium and can be easily repaired, ensuring long lasting good looks, securing your investment for the future.

All fixings are made into the 'PURe material to a pre-defined depth. 'PURe' is totally impervious to water and has no veins. This means there is no passage for water from the outer skin to the inner wallboard, making the motorhome highly Resilient to moisture.



TESTED

Extensive safety and durability Testing at the Millbrook track, and cold chamber Testing down to minus 15°C and beyond puts prototypes through conditions most products will never have to experience in a lifetime; all part of the Swift ethos to deliver the best products to you.



FLOOR CONSTRUCTION

'Sandwich' floor construction with ply upper, high rigidity Styrofoam core and GRP outer skin to provide greater durability from the elements.



SARGENT

TEL INTOMORE CONTROL

At the Swift Group we're continually looking for ways to enhance your enjoyment of the outdoors. Swift Command is a real innovation designed to make your touring experience even more carefree.

Now available across the entire range, this convenient technology makes it easy to manage, monitor and control your onboard systems leaving you free to enjoy your precious leisure time.

Head to the Apple or Android store and searc for 'Swift Command'.



Google pla

The perfect tool for touring, Swift Command technology includes a smart LCD control panel that has

There is also an exciting, free downloadable 'app' that links to the Swift Command unit, so you can be in control wherever you are with the convenience of your mobile device.

Access the clever onboard interface provides European coverage and when nearby with Bluetooth or via your internet connection when remote. Track system levels like power, temperature, humidity and monitor the location of your vehicle.

you informed of functions such as battery levels, frost alerts and

For even greater peace of mind you can subscribe to the newly incorporated Thatcham Category 6 approved pro-active tracker to add extra security to your vehicle.

Swift Command Tracker by Sargent is monitored by an approved monitoring centre which operates 24 hours a day 7 days a week and direct police liaison. This system is ready for use, all you need to do is visiting www.swiftcommand.co.uk or calling Sargent on 01482 881655.



£95 PER ANNUM



onboard with easily adjustable lighting settings.





LOCATION AND REMOTE FEATURES

Connect to your leisure vehicle from anywhere to view its

Conveniently control and monitor your onboard services when away from your vehicle.

WATER

Keep an eye on your pr<u>ecious</u> water levels so you know in good time when to top-up.



HEATING

Activate whilst out exploring and enjoy the warmth when you



STE: **INTOCONNECT**

WHAT IS CONNECT DIRECT?

Connect Direct is an online system which personalises each customer's experience of owning their motorhome. The system is now available across the entire

HOW DOES IT WORK?

Once you have logged on and created your profile, you will be able to access a whole host of information, specific to your motorhome. In addition you will be experience. able to have a direct line into the retail team, with the launch of a live chat facility.

Should a problem occur, you will be able to report a fault to us directly, enabling us to react

guickly and work together with your dealer to take the problem away from you the owner and resolve the issue as quickly as possible.

Product upgrades and notifications will be sent via Connect Direct keeping you up to date over the coming years. This online system provides a direct route for you into the Swift Group, and enables us to provide you with pro-active Customer Service support, enhancing your

Connect Direct is in addition to the traditional methods of contacting us.

The key benefits of Connect Direct are:

- Access to information 24/7 Ability to report faults directly
- Product upgrades and notifications
- · Live chat direct into our experienced retail team
- Upload service history records
- Service history reminders





DESIGNED AND ENGINEERED

With a wide range of backgrounds including the automotive and interior design sector, our degree gualified engineers and designers draw from a wide range of influences to style our future products. They have the use of computer aided design and 3D rendering to create and analyse ideas before a prototype is even built. The latest 3D CAD software uses data to drive the CNC machines in the factory to create highly accurate toolings for construction.



CUSTOMER

SERVICE

REPAIRS

TECHNICAL

...

CUSTOMER

CHAT

BUILT BY SWIFT

Swift Group's design team is widely recognised as the most innovative and creative within our industry, often leading the future design of touring vehicles.

AERODYNAMICS

Swift Group work with a leading company, who are also consultants to the Formula 1 industry, to use Computational Fluid Dynamics (CFD) to study the aerodynamics of their product design. A full 3D simulation study shows the airflow and drag and can be used to help shape the bodyshells for better fuel efficiency.

RIGOROUS TESTING

Everything is designed using sophisticated software and data gathered from physical testing at the Millbrook proving ground including cold chamber testing down to minus 15°C and beyond. Swift Group are able to simulate how components, fixtures and fastenings will react under certain conditions allowing build optimisation. This results in well engineered robust and durable products.

EXCLUSIVES

Swift Group work closely to build partnerships with their suppliers to bring exclusive features to their products. These include the following features on top of our innovations:

M K

- Ultra comfortable Duvalay mattress on all fixed beds
- Clever stain resisting SwiftShield fabric















NOT YOUR 6_3 AVERAGE TRIP TO THE COUNTRY

Walle up to the sounds of nature, feel the morning dew on your feet, hold a cup of tea in your hand as you experience the sunrise over the hills and the sunlight streaming through the trees.







Morning breakfast made from the fresh local produce of the farm shop down the road. a bacon sandwich has never tasted so good. The days are full of possibilities; walking in bright green fields with sheep and cows, birds soaring high on the thermals and not a care in life, just anticipation of what is round the corner. Kids can be kids, running and playing, swimming in lakes, skimming stones, riding bikes, climbing trees and paddling canoes.

It's all about remembering the smiles on everyone's faces.

Live it. Experience it. Breathe it.





Adventure is allowing the unexpected to happen to you. Exploration is experiencing what you have not experienced before. How can there be any adventure, any exploration, if you let someone else - above all, a travel byreay arrange everything before-hand?" Richard Adlington, Death of a Hero.



















GET SOCIAL WITH SWIFT Social Network for Motorhome Enthusiasts

FIND US ON SOCIAL NETWORKS THEREIS NO PLACE LIKE THE COAST 20-0]

Seagulls soaring, the sound of the waves lapping at the shore, sand between your toes and the fresh sea air, it's the simple things in life that bring the most joy.

Bucket and spade in hand, building sand castles, collecting shells and soaking up the sun on the beach with an ice cream or candy floss: it's what the seaside is all about.

With coastal parks a stone's throw away from seaside adventures you can enjoy a prime holiday location with all the comforts of home. Imagine the kids playing happily with new friends while you relax nearby and even the dog can come too.

As the end of the day draws to a close, you get to relax in the comfort of your own motorhome, head refreshed from the days activities and ready for tomorrow's adventure.

With a Swift Motorhome you have the freedom to roam at your pace, in comfort and style. You can be spontaneous or carefully plan your break away to create precious memories and tales to treasure for a lifetime.





The ocean stirs the heart, inspires the imagination and brings eternal joy to the soul.







IDENTIFIED OF CONTRACT OF CONTRACTOR OF





Escape range, Swift's best selling single coachbuilt motorhome range, and the results are stunning. Its new streamlined low profile exterior, fully revised interior and new model line-up are set to redefine the entry-level coachbuilt sector.

With newly enhanced SMART Plus construction and an expanded choice

2017 marks the complete redesign of the of eight layouts, it's easy to see why this great value motorhome is so widely chosen by those looking for their first new motorhome or just great value.

> Attractive pricing combined with great new features and enhanced styling are sure to make this season's Escape even more desirable.











STEP INTOTHE NEW STYLE

The new panoramic sunroof, which comes as part of the great value Comfort Pack, allows plenty of natural light into the interior where new 'Nova' soft furnishings in shades of warm grey and sky blue are paired with 'Aralie Sen' woodgrain.

Matt white high level lockers feature chrome positive locker catches for safe and secure storage. Adding to the quality feel are new pleated cassette blinds to the windows.

Flexible seating and sleeping arrangements feature Swift's exclusive AirWave seating with a unique construction that expertly blends comfort and support. Fixed beds, including the new drop down bed, are topped with the ultra comfortable Duvalay Duvalite mattress, again exclusive as standard equipment to the Swift Group.











STEP INTOMORE OPTIONS

Most models feature a new L-shaped kitchen area with handy worktop extension and tall slimline Dometic fridge opposite, making a great working space for feeding a hungry family. Plentiful hot water is provided by the Truma Combi heating system.

Boosting specification levels further is the new Swift Command control system with optional Thatcham Category 6 approved pro-active tracker and enhanced Comfort Pack that features new reversing sensors. You can also specify a drop down bed and an additional travel seat on selected models.







ESCAPE FEATURES

Chassis-Cab

- Fiat chassis cab with daytime running lights
- New Fiat Euro 6 130bhp, 2.3 litre engine
- Dashboard design with fully integrated factory-fit DAB Radio/ MP3 player with Bluetooth and switch-off timing adjustable up to 3 hours
- · Integrated radio aerial within electric wing mirrors
- Cab battery isolation switch to prevent discharge in storage
- Electrically operated and tinted cab windows
- Remote central locking of cab doors and immobiliser with rolling code
- Thermal cab window covers
- ABS brakes with EBD (electronic brake force distribution)
- Variable power steering
- · Adjustable steering wheel position
- Driver's airbag
- Headlamp height adjustment
- Captains chairs with twin armrests and integrated headrest
- Central cup holder with slot for full width tablet and wall pocket for smart phone with USB port for charging
- Door pockets with bottle holders
- Driver and passenger seats with:
 Position, height and rake adjustment
 Swivels (except 622)
- Two armrests
- Fully upholstered covers
- Base surrounds
- Cab carpet (removable)
- Spare wheel on under slung carrier (614, 622 & 664)
- (Fix & Go on 674, 684, 685, 694 & 695) • 12V power socket and USB socket
- Dash mounted tablet holder
- _ . ._ . . _ .

Body and Exterior Equipment

- All New streamlined low profile look
 European Whole Vehicle Type Approval ensures compliance
- with strict weight, dimensions and safety regulations
- Enhanced SMART Plus construction with full GRP bodyshell

 Strong, moisture proof 'PURe' Polyurethane timberless
 framed body shell with HD polystyrene insulation core
 New Balanced panel 32mm sandwich side walls with GRP
 outer and inner skin
- 'Sandwich' floor construction with GRP outer skin, ply upper and high rigidity Styrofoam core (44mm on 614, 622 & 664, 70mm on 674, 684, 685, 694 & 695)
- New 31mm 'sandwich' construction hail resistant exterior GRP roof, fully bonded for extra strength and flatness
- New Full height closed mould GRP rear panel
- New GRP front low line pod
- New White extruded skirts link with new full GRP rear panel
- New Dynamic graphics coordinated with white cab
- New Exclusive LED rear light clusters
- New LED marker lights
- Low energy LED awning light

- High-level brake lightFull wheel trims
- Main habitation door with 2 point locking system and
- integrated door retainer
- Single key for all habitation doors
 New AL-KO extra-long wheelbase chassis for 674, 684, 685,
- 694 & 695
- Exterior access locker door 622, 664, 674 & 694 models
- 'Garage' door 614, 684 & 695 models only
- Double glazed screen printed opening windows with
- night-latch ventilation
- Compartment for 1 x 7kg and 1 x 13kg gas bottles
- Gas regulator suitable for butane or propane
 Crash sensing mono regulator for en-route use of heating
- Crash sensing monoregulator for enroute use of nearing
 Low level ventilation away from step well to reduce road noise
- Heavy duty chassis extensions ready for optional
- homologated towbar
- Bike rack fixing rails fitted to the rear
- Bike locking point on rear cross member

Living Area

- New 'Nova' soft furnishing scheme with two scatter cushions
- 'Aralie Sen' woodgrain with contemporary colouring
 New Matt white overhead lockers with push button chrome
- handles
- Lap and diagonal seat belts on all designated passenger seats
- High resilience foam in seats and backrests (150mm/6")
- Seat tops with beech slats, spring-assisted for easy access (except travelling seats)
- New Manual drop-down beds (614, 685 & 695 optional on 674, 684 & 694)
- New Swift AirWave foam bedding for greater seating and sleeping comfort
- French Oak effect, high impact, scratch resistant floor lino
- Exclusive 'Duvalay Duvalite' fixed bed mattress with lightweight memory fibre technology - hypoallergenic, excellent pressure relief, dustmite resistant and 100% recyclable (664, 684 & 694 and drop down beds on
- 614, 685 & 695)
- Removable carpets
- Heki rooflight in lounge area with flyscreen and adjustable
 pleated blind
- New Pleated cassette blinds and flyscreens on all windows
- Removable entrance mat
- Smoke alarm
- Carbon monoxide alarm

Kitchen

- Dometic 80 litre manual selection fridge with 230V, gas and 12V operation (622 & 664)
 New Dometic 138 litre slimline fridge in 614, 674, 684, 685,
- 694 & 695
 Combination thermostatic oven and grill with
 electronic ignition

- 3 burner gas hob with electronic ignition
- Microwave oven
- Granite effect moulded kitchen sink
- Kitchen work top extension flap (except 614 & 664)
- New L-shaped sink unit with work top extension and cutlery
- drawers on 674, 684, 685, 694 & 695
- Drawer storage under oven (model specific)
 Removable drainer and food grade nylon chopping board
- nestle together for easy storage in dedicated location
- LED strip lighting in china locker
- Vector chrome effect mixer tap
 Kitchen roof light with flyscreen and blind

Washroom

- New Washroom design with vanity unit, sink and improved lighting
- Ecocamel Orbit shower head with on/off button for a powerful shower that uses less water
- 35mm thick entrance door with domestic style mortice lock

Ultra low energy lighting system:

Three chrome 230V sockets

25 metre mains hook-up cable

with Comfort Pack)

- New Cruise control

- Cab air-conditioning

- Passenger air bag

- Status 570 TV aerial

Winter Pack with:

- Fridge vent covers

684 & 694 models

Thule awning (factory fit)

or 55R ECE)

- New Reversing sensors

Waste water tank heater

- Under floor waste pipe insulation

'SwiftShield' stain resistant, easy-clean fabric

Thule Elite G2 two cycle rack (dealer fit)

3650kg MTPLM upgrade for 614, 622 & 664 models

Pleated windscreen blind

- New over-locker LED ambient lighting

300 Watt charger/transformer for 12V supply

Special Value Comfort Pack consisting of:

- New Panoramic opening sunroof

- Easy action concertina door flyscreen

· 80 amp-hour leisure battery housed below drivers seat

Comfort-Matic automatic gearbox with new Fiat Euro 6

130bhp, 2.3 litre engine with ESP (only available in conjunction

· Fifth seat belt option with new manual drop-down bed on 674,

3700kg MTPLM upgrade for 674, 684, 685, 694 & 695 models

Detachable tow bar and electrics (conforming to 94/20/EC

TV station with 230V and 12V sockets, aerial socket

- LED spotlights

Ontions

01. New Streamline low profile overcab pod with optional panoramic

02. New LED road lighting including exclusive LED rear light clusters

03. Dashboard design with fully integrated factory-fit DAB Radio/

MP3 player with Bluetooth, switch off timing adjustable

04. Captains chairs with integrated headrest, wider backrest,

05. Cab battery isolation switch to prevent discharge in storage

locking and door retainer (concertina door flyscreen part of

07. New Manual drop down bed in 614, 685 & 695 - optional in 674,

08. New Swift AirWave bedding for greater seating and sleeping

09. Seat bases with beech slats, spring assisted for easy access

10. New Kitchen layouts with combination thermostatic oven and

grill with electronic ignition and slimline Dometic fridges in

13. Dual fuel heating with Truma Combi 4 1.8kW electric/4kW

for en-route use (Combi 6 in 674, 684, 685, 694 & 695)

gas/3.8kW combined and Truma 'Crash sensing Mono' regulator

14. Positive catches on all overhead locker doors for secure storage

15. Ultra low energy lighting system with LED spot and ceiling lights

memory fibre technology - hypoallergenic, excellent pressure

16. Exclusive 'Duvalay Duvalite' fixed bed mattress with lightweight

relief, dustmite resistant and 100% recyclable

Visit swiftgroup.co.uk to...

Configure your Escape

Find a dealer

12. New Pleated cassette blinds and flyscreens

06. Seitz high specification entrance door with secure 2-point

better side support and improved seat comfort

opening sunroof

up to 3 hours

Comfort Pack)

(except traveling seats)

selected models

11. Microwave oven

on the move

684 & 694

comfort

- and handle
- Thetford cassette toilet with electric flush and 18 litre wheeled holding tank
- Overhead towel locker (model specific)
- Vector chrome effect mixer tap

heating and water heating

and accumulator

Electrical

- Rooflight with flyscreen (except 664 which has side window)
- High gloss white washroom wallboard

Heating and Plumbing

- Grade 3 classification (EN 1646-1) for heating and thermal insulation (for sub-zero ambient temperatures)
 Dual fuel heating with Truma Combi 4 1.8kW electric/4kW gas/3.8kW combined (Combi 6 1.8kW electric/6kW gas/5.8kW combined in 674, 684, 685, 694 & 695)
- Digital programmable controller for heating and hot water
 Truma 'Crash sensing Mono' regulator for en-route use of

100 litre internal fresh water tank with level sensor

New electronic fresh and waste water dump values

New Swift Command control system with Thatcham Category

6 approved pro-active tracker (subject to annual subscription)

- New Swift Command Intelligent power supply unit with LCD

control panel: Functions include battery selection, battery

limiter (settable between 5 amps & 16 amps), solar panel

- Swift Command App allows certain functions to be

controlled/monitored remotely

charging levels, heating controls and Bluetooth connection

Mains consumer unit with mains isolators and 12V fuse board

state meter, lighting and water pump circuit controls, internal & external temperature, internal humidity levels, 230V load


68 litre waste water tank with level sensor


Pressurised fresh water system with self-priming pump



ESCAPE SPECIFICATIONS

614 ก็ก็ก็ก็กี่ สีสีสัสส์ 622 ก็ก็ก่ สีสี 664 ก็ก็ก็ก็กี่ สีสีสัสส์ 674† ก็ก็ก็ก็ก็






ÅÅÅÅ

ØØ


Ð

		VVV				LL úr		
	Standard	Optional	Standard	Optional	Standard	Optional	Standard	Optional
Fiat MultiJet Diesel Engine	130	130 Auto	130	130 Auto	130	130 Auto	130	130 Auto
Engine Capacity	2.	3ltr	2.	3ltr	2.3	Bltr	2.3ltr	
Engine Power	96kW @	3600rpm	96kW @	3600rpm	96kW @	3600rpm	96kW @ 3600rpm	
Engine Torque	320Nm @) 1800rpm	320Nm @) 1800rpm	320Nm @	1800rpm	320Nm @ 1800rpm	
Roof Profile	Lov	/-line	Lov	v-line	Low	-line	Low-line	
Wheel Base	3.80m	/ 12' 6"	3.45m	1/11'4"	3.80m	/ 12'6"	4.65m	/ 15'3"
Seat Belts (inc. driver)		4		2	4	4	4 (o	pt 5)
Berths (Sleeping Positions)		4		2	4	4	4 (o	pt 6)
Overall Length (No Ladder)**	6.72m	1/22'1"	6.29m	n / 20'8"	6.72m	/ 22'1"	7.41m	/ 24'4"
Overall Body Width (Mirrors folded)	2.31r	2.31m / 7'7"		n / 7'7"	2.31m	ו / 7'7"	2.31m/7'7"	
Overall Height**	2.88m / 9'5"		2.88m / 9'5"		2.88m / 9'5"		2.88m / 9'5"	
Optional Awning	Thule 6200 3.5m		Thule 6200 3.0m		Thule 6200 3.5m		Thule 6200 4.25m	
Maximum Technical Permissible Laden Mass (A)	3500kg		3500kg		3500kg		3500kg	
Mass in Running Order (B)	2947kg	2964kg	2760kg *	2777kg *	2835kg	2852kg	2900kg *	2917kg *
Maximum User Payload (A-B)	553kg	536kg	740kg *	723kg *	665kg	648kg	600kg *	583kg *
Essential Habitation Equipment		kg		kg	0			kg
Thermal Insulation Grade	TH	IREE	THREE		THREE		TH	REE
Recommended Maximum Trailer Weight*	160	00kg	1600kg		1600kg		1600kg	
Gross Train Weight	510	00kg	5100kg		5100kg		5100kg	
BED SIZES								
Front Double	2.09m x 1.39m / 1.0	3m / 6'10" x 4'7" / 3'5"			2.09m x 1.23m / 0.9	2m / 6'9" x 4'0" / 3'0"	2.09m x 1.39m / 1.03	3m / 6'10" x 4'7" / 3'5"
Front Nearside Single								
Front Offside Single								
Rear Double			2.08m x 1.69	m / 6'10" x 5'7"	1.87m x 1.26	m / 6'2" x 4'2"	2.06m x 1.83	m / 6'9" x 6'0"
Rear Nearside Single			1.75m x 0.68	3m / 5'9" x 2'3"			1.83m x 0.68	m / 6'0" x 2'3"
Rear Offside Single			1.86m x 0.68	3m / 6'1" x 2'3"			1.91m x 0.68	m / 6'3" x 2'3"
Rear Bunk Upper								
Rear Bunk Lower								
Front drop down bed	1.93m x1.27	'm / 6'4" x 4'2"					1.93m x1.27m /	6'4" x 4'2" (option)



† Optional 5th belt and drop down bed spec

An additional belted travelling seat and drop down bed can be added to the 674, 684 & 694:



Note: The mass of the additional passenger must be taken into consideration when loading the vehicle

Notes

- 1. The Maximum User Payload includes:
- a) the conventional load (this is the allowance for passengers)
- b) essential habitation equipment (items and fluids required for safe and proper functioning of habitation equipment)
- c) optional equipment (items available from the manufacturer over and above the standard specification)
- d) personal effects (those items not covered by the above)
- The Mass in Running Order is the mass of the unladen vehicle including a 75kg allowance for the driver plus engine coolants and 90% of the fuel tank capacity and 1 x 6kg Calor Lite LPG cylinder.

The MRO is calculated with the fresh water tank empty. If you travel with water in the fresh water tank then the payload will reduce accordingly.

- Please take care to ensure that you have allowed for the masses of all items you intend to carry in the motor caravan, e.g. passengers, optional equipment, essential habitation equipment and personal effects, such as clothing, food, pets, bicycles, sailboards, sports equipment etc.
- Warning under no circumstances should the maximum technical permissible laden mass of this motor caravan be exceeded.
- Estimated
- ** For optional roof ladder add 125mm to length and 40mm to height on low-line.
- # Please note that the additional weight of the tow bar and trailer nose weight increases the rear axle loading of the motor home so care should be taken that the rear axle load is not exceeded when towing. To ensure adequate road holding, the load on the front axle, under all conditions, must not be less than 40% or more than 70% of the total weight. Care must be taken when distributing loads. The loadings and weights above are maximums and must not be exceeded under any circumstances.

กู้กู้กู้กู้กู้กู้ **สุมุ**หู่สุมุห์ 694†

ពុំពុំពុំ

<u>ÅÅÅÅÅ</u> 695

ก็ก้ก๊ก๊ก๊ก๊ก ห้ห้ห้ห้ห้


AA


R

₽

õ







Optional	Standard	Optional	Standard	Optional		
130 Auto	130	130 Auto	130	130 Auto		
Bltr	2.3			2.3ltr		
3600rpm	96kW @ 3		96kW @3			
1800rpm	320Nm @		320Nm @	•		
-line	Low		Low			
/ 15'3"	4.30m	/ 14'1"	4.65m	/ 15'3"		
5	4 (or	ot 5)	5	5		
6	4 (op	ot 6)	6	3		
/ 22'8"	7.41m	/ 24'4"	6.92m	/ 22'8"		
ו/ 7'7"	2.31m	/ 7'7"	2.31m	י / 7'7"		
n / 9'5"	2.88m	/ 9'5"	2.88m / 9'5"			
.00 3.5m	Thule 620	00 4.25m	Thule 6200 3.0m			
Okg	3500kg		3500kg			
2912kg	2880kg *	2897kg *	2940kg *	2957kg *		
588kg	620kg *	603kg *	560kg *	543kg *		
٨g	OF	g	Okg			
REE	TH	REE	THREE			
0kg	160	0kg	1600kg			
Okg	510	Okg	5100kg			
					L	
m / 6'11" x 4'7" / 3'5"	2.09m x 1.39 / 1.03r	n/6'10" x 4'7" / 3'5"	2.11m x 1.39 / 1.06r	m / 6'11" x 4'7" / 3'5"		
					1	
m / 6'9" x 4'6"	1.83m x 1.33	m / 6'0" x 4'4"			1	
			1.95m x 0.76	m / 6'5" x 2'6"		
			1.89m x 0.73			
m / 6'3" x 4'2"	1.93m x1.27m / 6	"4" x 4'2" (option)	1.93m x 1.27m / 6'4" x 4'2"			
		i i j = (option)	1.00117 1.27117 04 7.42			



STEP INTOTHE BESSACARR

The classic Bessacarr brand is a true icon of luxury and high performance. The Bessacarr range not only looks stunning from the outside with its str

The latest enhanced SMART Plus construction with balanced panel GRP side walls and a new easy to use, intelligent interface for its onboard technologies called Swift Command, bring a modern twist to this much loved brand. The Bessacarr range not only looks stunning from the outside with its striking low profile overcab and gloss white sides with British racing green and silver graphics; it also exudes luxury inside to transcend all others in its class.









STEP INTO A MODERN CLASSIC

Classic styling with Smoked Oak inserts to the gloss upper locker doors combine with 'Moonlight' rich dark brown and cream soft furnishings to give a 'boutique hotel' feel, whilst new Alde heating ensures your Bessacarr is a motorhome for all seasons.

A wide panoramic sunroof creates a light-filled, warm interior and luxury full width curtains are perfect for privacy, day or night. For luxury at bedtime all fixed beds, including drop down beds, are fitted with the exclusive Duvalay Duvalite mattress, with memory fibre technology.

Three models have the option of changing the front travelling dinette into a parallel front lounge, ideal for couples.







STEP INTOMORE REFINEMENT

You can control the onboard ambience thanks to energy efficient LEDs and dimmable spotlights.

Further refinements include a well equipped kitchen with Omnivent, bronze dash trim, vanity mirror lighting, wardrobe lighting and map pockets/wall pads. The luxurious standard features are continued outside with a reversing camera for easy manoeuvring, gloss white cab mirror covers and a roll-out awning.

Powered by the new Fiat Euro 6 2.3 litre, 130bhp turbo diesel engine, all models have a 6 speed manual gearbox with an automatic option. Cab airconditioning, cruise control and a Status 570 TV aerial is available with the keenly priced Lux pack.







BESSACARR FEATURES

Chassis-Cab

- Fiat chassis cab LED davtime running lights
- · Stylish black bezel to headlight and black front grille
- Stylish black skid plate
- New Fiat Euro 6 130bhp, 2.3 litre engine
- Dashboard design with fully integrated factory-fit DAB Radio/ MP3 player with Bluetooth, switch-off timing adjustable up to
- 3 hours and wing mirror antenna for better reception
- · Cab battery isolation switch to prevent discharge in storage
- Driver and passenger airbags
- Concertina windscreen blind and side window blinds
- · White cab wing mirror covers
- New Bronze dashboard trims
- Cab carpet (removable)
- Uprated front suspension with higher ride height and comfortable handling
- Captains chairs with twin armrests and integrated headrest
- Driver and passenger seats with: - Swivels (except 462 & 496)
- Position, height and rake adjustment (no height adjustment on passenger seat in 462 & 496)
- Two armrests
- Fully upholstered covers
- Base surrounds
- ABS brakes
- EBD (electronic brake force distribution)
- Immobiliser with rolling code
- Variable power steering
- Key fob operated remote central locking of cab doors and entrance door
- Electrically operated and tinted cab windows
- Electrically adjusted and heated wing mirrors fitted with direction indicators
- Headlamp height adjustment
- Adjustable steering wheel position
- Central cup holder with slot for full width tablet and wall pocket for smart phone with USB port for charging
- 12V socket and USB sockets
- Tablet holder (dash mounted)

Body and Exterior equipment

- European Whole Vehicle Type Approval ensures compliance with strict weight, dimensions and safety regulations
- Enhanced SMART Plus construction
- Strong, moisture proof 'PURe' Polyurethane timberless framed body shell with HD polystyrene insulation core New Balanced panel 31mm sandwich side walls with GRP
- outer and inner skin - 'Sandwich' floor construction with GRP outer skin. ply upper
- and high rigidity Styrofoam core - 31mm 'sandwich' construction hail resistant exterior GRP
- roof, fully bonded for extra strength and flatness (low-line models only)
- Full height closed mould GRP rear panel

- GRP exterior (integrated models only) Streamlined low profile look
- GRP pod with large panoramic opening skyview window (motorised in integrated models - 424, 462 & 496)

New Curved 32mm 'sandwich' roof with HD polystyrene

insulation core, interior polypropylene honeycomb board and

- Front marker lights Seitz C8 flush fitting windows
- Five low-line models with a sleek low-line profile housing smart moulded fascia for the sunroof with side pockets
- Three integrated models with curved roof line
- 424 & 496 models have manually operated two position bed
- High-level for storage in roof line
- Mid-level to allow sleeping underneath
- Exclusive LED rear light clusters
- External white gloss corner cappings
- New Dynamic graphics coordinated with white cab
- White extruded skirts link with GRP rear panel
- Gloss white finished front bumper
- 16" wheels with full wheel trims
- AL-KO low line AMC long wheel base chassis for 494 & 496
- Low energy LED exterior light
- High-level brake light
- · Seitz high specification entrance door with secure 2-point locking, window, integral flyscreen, door retainer and bin
- Single key for all habitation doors
- · Step well with light for easy access
- Service door for underseat/bed storage van specific (412, 442, 454, 462, 484, 494 & 496)
- Large exterior access door (424 & 484) Provision for 2 x 13kg gas bottles (2 x 7kg in 424) with fitted
- butane/propane regulator and propane hose Low level ventilation positioned to reduce road noise
- Heavy duty rear chassis members ready for optional towbar
- · Spare wheel on under slung carrier
- Reversing camera*
- Recessed full length roll out awning
- Bike rack fixing rails fitted to the rear
- Bike locking point on rear cross member

Living Area

- New 'Moonlight' soft furnishing scheme with two scatter cushions
- Upholstered map/wall pocket
- · 'Aralie Sen' woodgrain with contemporary colouring and
- luxury high gloss upper locker doors with Smoked Oak inlays
- Chrome effect handles throughout
- Push-button locks on overhead locker doors
- Swift Group 'spaceframe' locker construction
- Travel lock for TV brackets where fitted
- Exclusive 'Duvalay Duvalite' fixed bed mattress with lightweight memory fibre technology - hypoallergenic, excellent pressure relief, dustmite resistant and 100% recyclable
- Wardrobe lighting
- · Lounge seat and bed tops with gas spring hinge supports for easy access

- Pleated cassette blinds with flyscreens on all windows Concertina action door flyscreen
- Sectioned removable carpets for flexibility
- French Oak effect, high impact, scratch resistant floor lino

New Alde circulation pump with 5 speed settings

heating and water heating

sensor (94 litre in 462)

(pump not supplied)

- Fridge vent covers

Winter Pack fitted as standard with:

- Fresh and waste water tank heaters

- Under floor waste pipe insulation

controlled/monitored remotely

charger/transformer

(2nd battery not supplied)

- Dimmable LED spotlights

25 metre mains hook-up cable

co-ax link to outside connector

100W solar panel (40W on 424)

Special value Lux Pack with:

Cab air-conditioning

- Status 570 TV aerial

Options

with Lux Pack)

Cruise control

or 55R ECE)

Minimum of 4 x 230V chrome sockets

Over-locker LED ambient lighting

- Adjustable LED cab reading lights

Power supply for satellite dish installation

Enhanced ultra low energy lighting system:

Truma 'Crash sensing Mono' regulator for en-route use of

90 litre under-floor, insulated fresh water tank with level

· Pressurised fresh water system with self-priming pump

68 litre waste water tank with level sensor (60 litre in 462)

12V exterior power point for pump filling of water tank

Butane/propane regulator and connection hose for propane

6 approved pro-active tracker (subject to annual subscription)

- New Swift Command Intelligent power supply unit with LCD

control panel; Functions include battery selection, battery

& external temperature, internal humidity levels, 230V load

charging levels, heating controls and Bluetooth connection

Mains 230V supply via easy-access consumer unit to sockets,

fridge, microwave oven, heater, water heater and battery

100 Amp-hour (Dir 2006/66/EC) leisure battery in underfloor

(sealed 80 Amp-hour battery under front driver's seat on 424)

25 Amp charger/transformer for leisure batteries

compartment. Space for 2nd battery except 424.

- Low-level night lights (operable when travelling)

TV station with flatscreen bracket 230V, 12V supply and

Comfort-Matic automatic gearbox with Fiat Euro 6 130bhp.

2.3 litre engine now with ESP (only available in conjunction

Detachable tow bar and electrics (conforming to 94/20/EC)

Lounge layout options available for 454, 484 and 494

'SwiftShield' stain resistant, easy-clean fabric

Thule Elite G2 two cycle rack (dealer fit)

limiter (settable between 5 amps & 16 amps), solar panel

- Swift Command App allows certain functions to be

state meter, lighting and water pump circuit controls, internal

01. Fiat chassis cab with new Euro 6 130bhp. 2.3 litre engine

03. Streamlined low profile look with wider, lower body shell,

panoramic opening sunroof and full length roll out awning

07. Fixing bars for rear mounted optional dealer fit Thule Elite G2

08. Dashboard design with fully integrated factory-fit Radio/MP3

09. Captains chairs with integrated headrest, wider backrest,

better side support and improved seat comfort

player with Bluetooth, switch-off timing adjustable up to 3 hours

10. Manual drop down bed in 424 and 496 models. Electronic lift-up

12. New Alde radiator central heating with daily programming and

14. Ultra low energy lighting with LED over-locker ambient lighting.

16. Exclusive 'Duvalay Duvalite' fixed bed mattress with lightweight

* Dependent on model, visibility through the rear camera may be

reduced when bicycles are carried on optional bike carrier.

Visit swiftgroup.co.uk to...

Configure your Bessacarr

Find a dealer

memory fibre technology - hypoallergenic, excellent pressure

LED spot and down lighters, low level night lights and adjustable

13. Omnivent, three speed two way roof fan (except 424)

relief, dustmite resistant and 100% recyclable

bed above garage in 484 for easy access and creation of extra

02. Davtime LED running lights

04. 16" wheels with full trims

06. Reversing camera*

two cycle rack

garage space

- Fridae vent covers

LCD touch screen control

LED cab reading lights

15. Upholstered map/wall pockets

05. Exclusive LED rear light clusters

and mirror antenna for better reception

11. Winter Pack fitted as standard with:

- Fresh and waste water tank heaters

- Under floor waste pipe insulation

- · Lap and diagonal seat belts on all designated nassenger seats
- Ergonomically shaped rear travelling seats in 424, 454, 464, 484, 494 & 496 with safety frame supports
- Electronically operated lift-up bed above garage in 484 for easy access and creation of extra garage space
- Bed mattresses and lounge bench seat cushions supported by beech slats for extra comfort
- Seat backrest ventilation boards
- Dedicated storage locations for all tables
- Midi-Heki skylight with flynet and adjustable blind (except 412) Electrical 424, 442 & 454) New Swift Command control system with Thatcham Category
- Mini-Heki clear roof light with pleated flyscreen and blind
- Domestic style mortice locks on washroom doors
- Smoke alarm
- · Carbon monoxide alarm

Granite-look GRP kitchen sink

· Vector chrome effect mixer tap

Vector chrome effect mixer tap

Acrylic splash back with LED lighting

Kitchen

Washroom

and handle

Mini LED down lights

Heating and Plumbing

3kW settings

- Dometic 8-Series, 96 or 112 litre automatic energy selection fridge with removable freezer compartment (138 litre Dometic slimline fridge for 424)
- New Exclusive Dometic CU600 oven, designed for motorhome use with improved performance and noise reduction, separate grill and dual fuel hob with 800W electric hot plate, electronic ignition and flame failure protection Built-in microwave oven with digital controls

Omnivent, three speed, two way roof fan (except 424)

Removable drainer and food grade nylon chopping board

nestle together for easy storage in dedicated location

Separate lined shower cubicle (except 484 & 496 where

32mm thick entrance door with domestic style mortice lock

Thetford C260 cassette toilet with electric flush and 18 litre

Multi-directional roof light with pleated flyscreen and blind

Grade 3 classification (EN 1646-1) for heating and thermal

New Alde dual fuel radiator central heating and water heating

with daily programming, LCD control panel with 1kW, 2kW or

wheeled tank (Thetford C402 bench seat toilet on 484 & 496)

folding doors create dry area for toilet, towels etc.)

Ecocamel Orbit shower head with on/off button

Lower vanity cupboard with built-in washbasin

Bathroom mirror lighting (except 424, 484 & 496)

insulation (for sub-zero ambient temperatures)

for a powerful shower that uses less water

(trigger shower head in 484 & 496)



BESSACARR **SPECIFICATIONS**

	ĥĥ	ÅÅ	424	ពុំពុំពុំ	<u>ÅÅÅÅÅ</u>	442	
--	----	----	-----	-----------	--------------	-----	--


AA

2


6

ពុំពុំពុំ <u>ÅÅÅÅÅ</u> 454

454




412



ÅÅ

ŶΫ

			<u> </u>				
	Standard	Optional	Standard	Optional	Standard	Optional	
Fiat MultiJet Diesel Engine	130	130 Auto	130	130 Auto	130	130 Auto	
Engine Capacity	2.3	tr	2.3	lltr	2.3	2.3ltr	
Engine Power	96kW@3	600rpm	96kW@	3600rpm	96kW @	96kW @ 3600rpm	
Engine Torque	320Nm @	1800rpm	320Nm @	1800rpm	320Nm @	1800rpm	
Roof Profile	Low-		Integ	rated	Low	line	
Wheel Base	3.00m/	9'10"	3.80m	/ 12'6"	4.04m	/ 13'3"	
Seat belts (inc. driver)	2		2	ŀ		2	
Berths (Sleeping Positions)	2		4			2	
Overall Length (Excluding Ladder)**	5.98m/	19'7"	5.99m /	19'8" *	7.36m	/ 24'2"	
Overall Width (Mirrors Folded)	2.38m / 7'10"		2.38m / 7'10"		2.38m / 7'10"		
Overall Height**	2.82m / 9'3"		2.82m / 9'3"		2.82m / 9'3"		
Standard Awning	Thule 4900 2.6m		Thule 4900 2.6m		Thule 4900 4.0m		
Maximum Technical Permissible Laden Mass (A)		3500kg		3500kg		3500kg	
Mass in Running Order (B)	2885kg *	2902kg *	2990kg *	3007kg *	3085kg *	3102kg *	
Maximum User Payload (A-B)	615kg *	598kg *	510kg *	493kg *	415kg *	398kg *	
Essential Habitation Equipment	Ok	5	Okg		Okg		
Thermal Grade Insulation	THR		THREE		THREE		
Maximum Recommended Trailer Weight*	1600	-	1600kg †		1600kg		
Gross Train Weight*	5100	lkg	5100kg		510	l0kg	
BED SIZES							
Front Double	2.01m x 1.30n		2.09m x 1.50m / 1.04	m / 6'9" x 4'11" / 3'5"	2.01m x 1.42		
Or Front Nearside Single	1.87m x 0.68m / 6'2" x 2'2"				1.87m x 0.68		
Front Offside Single	1.87m x 0.68m / 6'2" x 2'2"				1.87m x 0.68	m / 6'2" x 2'2"	
Rear Double							
Rear Nearside Single							
Rear Offside Single							
Drop Down Bed			1.90m x 1.27m / 6'2" x 4'2"				



Standard	Optional				
130	130 Auto				
2.3	Bltr				
96kW@	3600rpm				
320Nm @	1800rpm				
Low	-line				
4.04m	/ 13'3"				
4					
4					
7.08m	/ 23'3"				
2.38m / 7'10"					
2.82m / 9'3"					
Thule 4900 3.5m					
350	Okg				
3080kg *	3097kg *				
420kg *	403kg *				
Oł	g				
THF	REE				
160	Okg				
510	Okg				
2.09m x 1.23m / 1.0	4m / 6'9" x 4'0" / 3'5"				
1.91m x 1.27	m / 6'3" x 4'2"				

454 LOUNGE	ពុំប៉ុប៉ុប៉	ÅÅ	462	ĥĥ	ÅÅ	Not 1. 1		
		Contract of the second se				2. 1 2. 1 3. 1 4. 1 4. 1 1		
Standard 130	Option		Standard 130	Optio 130 A		* 1		
130 2.3ltr					ulo	# F		
2.5m 96kW @ 3600rpm			2.3ltr 96kW @ 36l	96kW @ 3600rpm				
320Nm @ 18			320Nm @ 1800rpm					
Low-line			Low-line					
4.04m/13	3'3"		3.45m / 11'4"					
2			2					
4			2					
7.08m / 23	3'3"		6.53m / 21'5" *					
2.38m / 7'			2.38m/7			6		
2.82m/9			2.82m / 9'3"					
Thule 4900			Thule 4900 3.0m					
3500kg		. +	3500k	•		۱ ۱		
3045kg *	3062kg	-	3000kg * 500kg *	3017	-			
455kg * Okg	438kg		500kg * Okg	483k	y	i		
THREE			THREE	-				
1600kg			1600kg					
5100kg			5100kg					
				-				
2.09m x 1.23m / 1.04m / 6'9" x 4'0" / 3'5"								
1.91m x 1.27m /	6'3" x 4'2"		2.02m x 1.86m /	6'11" x 6'1"				
			1.82m x 0.64m	6'0" x 2'1"				
			1.82m x 0.64m	6'0" x 2'1"				

otes

- The Maximum User Payload includes:
- a) the conventional load (this is the allowance for passengers)
- b) essential habitation equipment (items and fluids required for safe and proper functioning of habitation equipment)
- c) optional equipment (items available from the manufacturer over and above the standard specification)


d) personal effects (those items not covered by the above)

The Mass in Running Order is the mass of the unladen vehicle including a 75kg allowance for the driver plus engine coolants and 90% of the fuel tank capacity and 1 x 6kg Calor Lite LPG cylinder.

The MRO is calculated with the fresh water tank empty. If you travel with water in the fresh water tank then the payload will reduce accordingly.

- Please take care to ensure that you have allowed for the masses of all items you intend to carry in the motor caravan, e.g. passengers, optional equipment, essential habitation equipment and personal effects, such as clothing, food, pets, bicycles, sailboards, sports equipment etc.
- Warning under no circumstances should the maximum technical permissible laden mass of this motor caravan be exceeded.
- Estimated
- * For optional roof ladder add 125mm to length and 40mm to height on low-line.
- Please note that the additional weight of the tow bar and trailer nose weight increases the rear axle loading of the motor home so care should be taken that the rear axle load is not exceeded when towing. To ensure adequate road holding, the load on the front axle, under all conditions, must not be less than 40% or more than 70% of the total weight. Care must be taken when distributing loads. The loadings and weights above are maximums and must not be exceeded under any circumstances.
- With this vehicle configuration it will be necessary to reduce the payload carried inside the van when towing to ensure that the MTPLM and maximum axle loads are not exceeded.
- The maximum trailer weight is limited by the gross train weight which must not be exceeded. For example if the vehicle is at the maximum MTPLM of 3700kg, then the maximum trailer weight possible is 1800kg. Reducing the weight of the vehicle by removing payload, will allow you to increase the trailer weight up to a maximum of 2000kg.

Fit Multi-Lese Engine Engine TorpetStandard OptionalStandard OptionalOptional OptionalStandard OptionalSt	BESSACARR SPECIFICATIONS CONTINUED	484	ทุ่มู่มู่มู่ ผู้ผู้ผู้ผู้	484 LOUNGE		494	ทู่บุ่มู่ มู่มู่มู่	494 LOUNGE	ทุ มมู่มู่ มู่ มู่มู่มู่ มู่ มู่
Fat Multi-Net level finge Gapacity 130 <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th>									
Engine Capacity 2.3 ir 3.2 ir <									Optional
Engine Provie 96KW ⊜ 300 mp 96KW ⊕ 300 pn <	-							130	
$ \begin{array}{ c c c c c } \label{eq:heads} \begin{tabular}{ c c } \begin{tabular} c c c \begin{tabular}{ c c } \begin{tabular}{ c c } tab$								06	
Rof Profile ILow-inc	-						-		
Whee Base 4.04m / 13 ³ 4.04m / 13 ³ 4.44m / 148 ⁿ 4.44m / 148 ⁿ Seat bets (inc, drive) 4 2 4 2 2 3 2 3 3 2 3	- · · ·						· ·	520	· ·
Seat beits (inc. driver) 4 1<									
Berths (Sleeping Positions) 4 A A A A Overall Leight (Excluding Ladder) ⁴ 7.08m / 23 ⁻⁺ 7.08m / 23 ⁻⁺ 7.75m / 25 ⁺⁻ 7.75m / 25 ⁺									
Óveral Length [£xcluding Ladder]** $7.0 \mbox{m}/233^{*}$ $7.0 \mbox{m}/233^{*}$ $7.0 \mbox{m}/235^{*}$ $7.7 \mbox{m}/255^{*}$ $7.7 \mbox/m/255^{*}$ $7.7 \mbox/m$		4	4				4		
Overall Height** $2.82 + y^3$ · · · · · · · · · · · · · · · · · · ·		7.08m/	/ 23'3" *	7.08m/	23'3"*	7.75	m / 25'5"		7.75m / 25'5"
Standard AwningThule 490 3.5mThule 490 3.5mThule 490 4.5mThule 490 4.5mMaximum Technical Permissible Lader Mass (A) $3303 \ 303 \ 300 \ 3$	Overall Width (Mirrors Folded)	2.38m	/ 7'10"			2.38m / 7'10"			2.38m / 7'10"
Maximum Technical Permissible Laden Mass (A) 3305Vg* 3307Vg* 3097Vg* 3097Vg* 3195Vg* 3212Vg* 3160Vg* 3177Vg* 3177Vg* Maximum User Payload (A-B) 395Kg* 378Kg* 3070Kg* 3097Kg* 3195Kg* 3195Kg* 3212Vg* 3177Vg* 3177Vg* </th <td>Overall Height**</td> <td>2.82m</td> <td>n / 9'3"</td> <td colspan="2"></td> <td colspan="2">2.76m / 9'1"</td> <td></td> <td>2.76m/9'1"</td>	Overall Height**	2.82m	n / 9'3"			2.76m / 9'1"			2.76m/9'1"
$ \begin{array}{ c c c c } Mass in Running Order (B) & 3105kg * & 3122kg * & 3070kg * & 3007kg * & 3007kg * & 3195kg * & 3212kg * & 3105kg * & 3177kg * & 327kg * & 438kg * & & & & & & & & & & & & & & & & & & $	Standard Awning	Thule 49	900 3.5m					Т	hule 4900 4.5m
$ \begin{array}{ c c c } \begin{tabular}{c c c } \hline \begin{tabular}{c c c c } \hline \begin{tabular}{c c c } \hline \ \begin{tabular}{c c c } \hline \ \begin{tabular}{c c c } \hline \ \begin{tabular}{c c c } \hline \begin{tabular}{c c c c } \hline \ \begin{tabular}{c c c c c } \hline \hline \ \begin{tabular}{c c c c c c } \hline \hline \ \begin{tabular}{c c c c c c } \hline \hline \ \begin{tabular}{c c c c c } \hline \hline \ \begin{tabular}{c c c c c } \hline \hline \ \begin{tabular}{c c c c c } \hline \hline \ \ \begin{tabular}{c c c c c } \hline \hline \ \ \begin{tabular}{c c c c c c c c } \hline \hline \ \begin{tabular}{c c c c c c c c c } \hline \hline \ \begin{tabular}{c c c c c c c c } \hline \hline \ \begin{tabular}{c c c c c c c c } \hline \hline \ \begin{tabular}{c c c c c c c c c c c c c c c c c c c $	Maximum Technical Permissible Laden Mass (A)	350	10kg	3500	Okg				3500kg
Essential Habitation EquipmentOkgOkgOkgOkgThermal Grade InsulationTHREETHREETHREETHREEMaximum Recommended Trailer Weight*1600kg †1600kg †2000kg ‡2000kg ‡Gross Train Weight*5100kg5100kg5100kg5500kg5500kgGross Train Weight*5100kg2.09m x 1.23m / 1.04m / 6'9" x 4'0" / 3'5"2.09m x 1.23m / 1.04m / 6'9" x 4'0" / 3'5"2.09m x 1.23m / 1.04m / 6'9" x 4'0" / 3'5"Or Front Nearside Single2.09m x 1.23m / 1.04m / 6'9" x 4'0" / 3'5"2.09m x 1.23m / 1.04m / 6'9" x 4'0" / 3'5"2.09m x 1.23m / 1.04m / 6'9" x 4'0" / 3'5"Or Front Nearside Single	Mass in Running Order (B)	3105kg *	3122kg *	3070kg *	3087kg *	3195kg *	3212kg *	3160kg *	3177kg *
Thermal Grade InsultationTHREETHREETHREETHREEMaximum Recommended Trailer Weight*1600kg †1600kg †2000kg ‡2000kg ‡Gross Train Weight*5100kg5100kg5500kg5500kg5500kgEED SIZESE2.09m x 1.23m / 1.04m / 69° x 40° / 35°2.09m x 1.23m / 1.04m / 69° x 40° / 35°2.09m x 1.23m / 1.04m / 69° x 40° / 35°Or Front Double2.09m x 1.23m / 1.04m / 69° x 40° / 35°2.09m x 1.23m / 1.04m / 69° x 40° / 35°2.09m x 1.23m / 1.04m / 69° x 40° / 35°Or Front Nearside SingleEEEEEFront Offside Single1.99m x 1.30m / 66° x 4'3°1.95m x 1.33m / 65° x 4'4°1.95m x 1.33m / 65° x 4'4°Rear Double1.99m x 1.30m / 66° x 4'3°1.99m x 1.30m / 66° x 4'3°1.95m x 1.33m / 65° x 4'4°Rear Offside SingleEEEEERear Offside SingleEEEEERear Offside SingleEEEEERear Offside SingleEEE <th>Maximum User Payload (A-B)</th> <th>395kg *</th> <th>378kg *</th> <th>430kg *</th> <th>413kg *</th> <th>505kg *</th> <th>488kg *</th> <th>340kg *</th> <th>323kg *</th>	Maximum User Payload (A-B)	395kg *	378kg *	430kg *	413kg *	505kg *	488kg *	340kg *	323kg *
Maximum Recommended Trailer Weight1600kg†1600kg†2000kg‡2000kg‡Gross Train Weight5100kg5100kg5100kg5100kgBED SIZESCommended Trailer Weight2.09m x 1.23m / 1.04m / 69" x 40" / 35"2.09m x 1.23m / 1.04m / 69" x 40" / 35"2.09m x 1.23m / 1.04m / 69" x 40" / 35"Or Front Double2.09m x 1.23m / 1.04m / 69" x 40" / 35"2.09m x 1.23m / 1.04m / 69" x 40" / 35"2.09m x 1.23m / 1.04m / 69" x 40" / 35"2.09m x 1.23m / 1.04m / 69" x 40" / 35"Or Front Nearside SingleEndoteEndoteEndoteEndote2.09m x 1.23m / 1.04m / 69" x 40" / 35"Rear Nearside Single1.99m x 1.30m / 66" x 43"1.99m x 1.30m / 66" x 43"1.95m x 1.33m / 65" x 44"1.95m x 1.33m / 65" x 44"Rear Offside SingleEndoteEndoteEndoteEndoteEndoteRear Offside SingleEndoteEndoteEndoteEndoteRear Offside SingleEndoteEndoteEndoteEndote<	Essential Habitation Equipment	OF	kg	Ok	g				Okg
Gross Train Weight 5100kg 500kg 5500kg BED SIZES Common C									
BED SIZES Common Co	Maximum Recommended Trailer Weight*		0.	1600	kg†	20	00kg‡		2000kg ‡
Front Double 2.09m x 1.23m / 1.04m / 69" x 40" / 35" 2.09m x 1.23m / 1.04m / 69" x 40" / 35" 2.09m x 1.23m / 1.04m / 69" x 40" / 35" Or Front Nearside Single		510	l0kg	5100)kg	55	500kg		5500kg
Or Front Nearside Single Image: Constraint of the single Image: Constraint of the single Rear Double 1.99m x 1.30m / 6'6" x 4'3" 1.99m x 1.30m / 6'5" x 4'4" Rear Nearside Single 1.99m x 1.30m / 6'6" x 4'3" 1.95m x 1.33m / 6'5" x 4'4" Rear Offside Single 1.95m x 1.30m / 6'6" x 4'3" 1.95m x 1.33m / 6'5" x 4'4"	BED SIZES								
Front Offside Single 1.99m x 1.30m / 6'6" x 4'3" 1.99m x 1.30m / 6'6" x 4'3" 1.95m x 1.33m / 6'5" x 4'4" Rear Nearside Single 1 1 1 1 Rear Offside Single 1 1 1 1		2.09m x 1.23m / 1.0	4m / 6'9" x 4'0" / 3'5"	2.09m x 1.23m / 1.04	4m / 6'9" x 4'0" / 3'5"	2.09m x 1.23m / 1	.04m / 6'9" x 4'0" / 3'5"	2.09m x 1.23	m / 1.04m / 6'9" x 4'0" / 3'5"
Rear Double 1.99m x 1.30m / 6'6" x 4'3" 1.99m x 1.30m / 6'6" x 4'3" 1.95m x 1.33m / 6'5" x 4'4" Rear Nearside Single	-								
Rear Nearside Single Rear Offside Single	-								
Rear Offside Single		1.99m x 1.30	m / 6'6" x 4'3"	1.99m x 1.30r	n / 6'6" x 4'3"	1.95m x 1.3	33m / 6'5" x 4'4"	1.95m	x 1.33m / 6'5" x 4'4"
	-								
Drop Down Bed	-								
	Drop Down Bed								



ÅÅ

496

THREE 2000kg ‡ 6000kg

2.09m x 1.80m / 1.21m / 6'9" x 5'11" / 4'0"

1.80m x 0.92m / 5'11" x 3'0" 2.02m x 1.63m / 6'11" x 5'3" 1.81m x 0.64m / 5'9" x 2'2" 1.63m x 0.64m / 5'3" x 2'2" 1.96m x 1.33m / 6'4" x 4'3"

Notes

- 1. The Maximum User Payload includes:
- a) the conventional load (this is the allowance for passengers)
- b) essential habitation equipment (items and fluids required for safe and proper functioning of habitation equipment)
- c) optional equipment (items available from the manufacturer over and above the standard specification)

d) personal effects (those items not covered by the above)

 The Mass in Running Order is the mass of the unladen vehicle including a 75kg allowance for the driver plus engine coolants and 90% of the fuel tank capacity and 1 x 6kg Calor Lite LPG cylinder.

The MRO is calculated with the fresh water tank empty. If you travel with water in the fresh water tank then the payload will reduce accordingly.

- Please take care to ensure that you have allowed for the masses of all items you intend to carry in the motor caravan, e.g. passengers, optional equipment, essential habitation equipment and personal effects, such as clothing, food, pets, bicycles, sailboards, sports equipment etc.
- Warning under no circumstances should the maximum technical permissible laden mass of this motor caravan be exceeded.
- * Estimated
- ** For optional roof ladder add 125mm to length and 40mm to height on low-line.
- # Please note that the additional weight of the tow bar and trailer nose weight increases the rear axle loading of the motor home so care should be taken that the rear axle load is not exceeded when towing. To ensure adequate road holding, the load on the front axle, under all conditions, must not be less than 40% or more than 70% of the total weight. Care must be taken when distributing loads. The loadings and weights above are maximums and must not be exceeded under any circumstances.
- † With this vehicle configuration it will be necessary to reduce the payload carried inside the van when towing to ensure that the MTPLM and maximum axle loads are not exceeded.
- [‡] The maximum trailer weight is limited by the gross train weight which must not be exceeded. For example if the vehicle is at the maximum MTPLM of 3700kg, then the maximum trailer weight possible is 1800kg. Reducing the weight of the vehicle by removing payload, will allow you to increase the trailer weight up to a maximum of 2000kg.



<section-header>






Swift's exclusive Black Edition Range welcomes a new member in the form of the sporty compact Rio for the new season. Now in black metallic and featuring new Black Edition graphics the cab is home to a new Euro 6 130bhp 2.3 litre engine.

With the agile dimensions of a panel va and the home comforts of coachbuilt luxury, the Rio is an innovative range that offers four models, two of which feature an ingenious lift-up rear tailgate. Weighing in at 3.5 tonnes they can be driven on a standard car licence.

With a more durable build courtesy of enhanced SMART Plus construction, incorporating new balanced panel GRP side walls, the Rio is set for adventure.












STEP INTOHIGH TECH SPACE

Bringing modern technology with an 'App' interface is the new Swift Command system which makes it even easier to monitor and control onboard services.

Lighting throughout is LED with dimmable under locker spotlights and overlocker lights in the rear lounge (model specific) and there is a stepwell light for safer access. There are even low-level night-lights that operate when travelling and an illuminated kitchen splash back.

The ingenious lift-up rear tailgate models give you easy access to the generous inter-seat storage area for housing your leisure and sporting gear.





SWIFT

RIO FEATURES

Chassis-Cab

Fiat chassis cab

- New Black metallic cab and Black Edition graphics
- LED daytime running lights
- New Fiat Euro 6 130bhp, 2.3 litre engine
- Dashboard design with fully integrated factory-fit DAB Radio/MP3 player with Bluetooth, switch-off timing adjustable • 16" wheels with full wheel trims
- up to 3 hours and wing mirror antenna for better reception · Cab battery isolation switch to prevent discharge in storage
- Driver and passenger airbags
- Concertina windscreen blind and side window blinds
- Cab carpet (removable)
- · Captains chairs with twin armrests and integrated headrest
- Driver and passenger seats:
- Swivels
- Position, height and rake adjustment
- Two armrests
- Fully upholstered covers
- Base surrounds
- ABS brakes
- EBD (electronic brake force distribution)
- Immobiliser with rolling code
- Variable power steering
- . Key fob operated remote central locking of cab doors and entrance door
- Electric operated and tinted cab windows
- · Electrically adjusted and heated wing mirrors fitted with direction indicators
- Headlamp height adjustment
- Adjustable steering wheel position
- Central cup holder with slot for full width tablet and wall pocket for smart phone with USB port for charging
- 12V socket and USB socket
- Tablet holder (dash mounted)

Body and Exterior Equipment

- European Whole Vehicle Type Approval ensures compliance with strict weight, dimensions and safety regulations
- Enhanced SMART Plus construction with full GRP bodyshell: - Strong, moisture proof 'PURe' Polyurethane timberless framed body shell with HD polystyrene insulation core - New Balanced panel 32mm sandwich side walls with GRP outer and inner skin
- 'Sandwich' floor construction with GRP outer skin, ply upper and high rigidity Styrofoam core
- 31mm 'sandwich' construction hail resistant exterior GRP roof with HD polystyrene insulation core and moulded front to create streamlined front curvature
- Full height closed mould GRP rear panel
- Compact narrow bodyshell 2000mm internal width and 1947mm interior height
- GRP front low-line pod with panoramic opening sunroof
- Styled front marker lights
- Seitz C8 flush fitting windows

- central locking and electrically operated step (320 & 340 only) Exclusive LED rear light clusters
- New Dynamic graphics coordinated with Black cab
- White extruded skirts with end caps
- Front bumper finished in body colour
- Low energy LED exterior awning light
- High-level brake light
- · Seitz high specification entrance door with secure 2-point locking, window, integral flyscreen, door retainer and bin
- Single key for all habitation doors
- Step well with light for easy access Provision for 2 x 7kg gas bottles with fitted butane/propane
- regulator and propane hose · Heavy-duty rear chassis members ready for optional towbar
- (in lieu of rear step) Spare wheel on under slung carrier
- Bike rack fixing rails fitted to the rear (on 310 & 325 only)
 - Bike locking point on chassis member

Living Area

- New 'Cordone' soft furnishing with two scatter cushions
- 'Aralie Sen' woodgrain with contemporary colouring
- Luxury high gloss upper locker doors with Smoked Oak inlays
- Chrome effect handles throughout
- Push-button locks on overhead locker doors
- Travel lock for TV brackets where fitted
- · Lounge seat and bed tops with gas spring hinge supports for easy access
- Manually operated drop down bed on 325 & 340 models (325 to allow increase in garage capacity) · Exclusive 'Duvalay Duvalite' fixed bed mattress with
- lightweight memory fibre technology hypoallergenic, excellent pressure relief, dustmite resistant and 100% recyclable on manually operated height beds - 325 & 340 models
- · Cassette pleated flyscreens and blinds on all windows
- · Concertina action door flyscreen
- · Sectioned removable carpets for flexibility
- · French Oak effect, high impact, scratch resistant floor lino
- · Lap and diagonal seat belts on all designated passenger seats (325 & 340)
- Ergonomically shaped rear travelling seats in Cordone fabric with safety frame supports
- Bed mattresses and lounge bench seat cushions supported by beech slats for extra comfort
- Seat backrest ventilation boards
- · Dedicated storage locations for tables
- Midi-Heki skylight with flynet and adjustable blind (not 310)
- Mini-Heki clear roof light with pleated flyscreen and blind Domestic style mortice locks on washroom doors
- Black branded speakers
- Bed-mounted luggage retaining hoops (320 & 340)
- Smoke alarm
- Carbon monoxide alarm

Full GRP rear panel incorporating lift-up tailgate with window. Kitchen

 Dometic 8-Series, 110 litre automatic energy selection fridge with removable freezer compartment (138 litres Dometic Slimline fridge for 310)

25 Amp charger/transformer for leisure batteries

Minimum of 3 x 230V chrome sockets

- Adjustable LED cab reading lights

Power supply for satellite dish installation

- Dimmable LED spotlights

25 metre mains hook-up cable

ax link to outside connector

Special value Lux Pack with:

- Cab air-conditioning

- Status 570 TV aerial

Full length roll-out awning

'SwiftShield' stain resistant, easy-clean fabric

Tow bar (requires removal of rear step on 320 & 340)

Thule Elite G2 two cycle rack (except 320 & 340) (dealer fit)

*Dependent on model, visibility through optional rear camera

may be reduced when bicycles are carried on the optional bike

Cruise control

Reversing camera*

100W solar panel

Options

carrier

Lux Pack)

Enhanced ultra low energy lighting system;

- Dimmable over-locker LED ambient lighting

- Low-level night lights (operable when travelling)

driver's cab seat

80 Amp-hour sealed (Dir 2006/66/EC) leisure battery under

TV station with flatscreen bracket 230V. 12V supply and co-

Comfort-Matic automatic gearbox with new Fiat Euro 6

130bhp, 2.3 litre engine (only available in conjunction with

- New Exclusive Dometic CU600 oven, designed for motorhome use with improved performance and noise reduction, separate grill and dual fuel hob with 800W electric hot plate, electronic ignition and flame failure protection
- Built-in microwave oven with digital controls
- Granite-look GRP kitchen sink
- Removable drainer and food grade nylon chopping board nestle together for easy storage in dedicated location Vector chrome effect mixer tap
- Acrylic splash back with LED lighting

Washroom

- · Fixed washbasin with vanity cupboard
- Thetford cassette toilet with electric flush
- Multi-directional roof light with flyscreen
- 32mm thick entrance door with domestic style mortice lock and handle
- Mini LED down lights

Heating and Plumbing

(pump not supplied)

- Fridge vent covers

Electrical

- Grade 3 classification (EN 1646-1) for heating and thermal insulation (for sub-zero ambient temperatures) Dual fuel heating with Truma Combi 4 1.8kW electric/4kW gas/3.8kW combined with digital control
- Digital programmable controller for heating and hot water
- Truma 'Crash sensing Mono' regulator for en-route use of heating and water heating
- Pressurised fresh water system with self-priming pump
- · 86 litre insulated fresh water tank with level sensor
- 68 litre waste water tank with level sensor

Winter Pack fitted as standard with:

- Fresh and waste water tank heaters

- Under floor waste pipe insulation

controlled/monitored remotely

charger/transformer

 Butane/propane regulator and connection hose for propane 12V exterior power point for pump filling of water tank

New Swift Command control system with Thatcham Category

6 approved pro-active tracker (subject to annual subscription)

- New Swift Command Intelligent power supply unit with LCD

state meter, lighting and water pump circuit controls, internal

control panel; Functions include battery selection, battery

& external temperature, internal humidity levels, 230V load

charging levels, heating controls and Bluetooth connection

Mains 230V supply via easy-access consumer unit to sockets.

fridge, microwave oven, heater, water heater and battery

limiter (settable between 5 amps & 16 amps), solar panel

- Swift Command App allows certain functions to be



01. New Black metallic Fiat cab with Black Edition graphics and LED

02. Compact narrow bodyshell 2000mm internal width and

08. Dashboard design with fully integrated factory-fit DAB

up to 3 hours and mirror antenna for better reception

09. Captains chairs with integrated headrest, wider backrest,

10. Manually operated drop down bed on 325 & 340 models with

exclusive 'Duvalay Duvalite' mattress (325 to allow increase in

12. New Exclusive Dometic CU600 oven, designed for motorhome

gas/3.8kW combined with digital controller for heating and

ambient lighting, dimmable LED spotlights, low level night

to 'Aralie Sen' locker doors with positive catches for secure

15. Seat bases with space frame construction, providing space for

16. Fixing bars for rear mounted optional Thule Elite G2 two cycle

Visit swiftgroup.co.uk to...

Configure your Rio

Find a dealer

rack on 310 & 325 and bike locking point on chassis member

lights and adjustable LED cab reading lights. Smoked Oak inlay

use with improved performance and noise reduction

13. Dual fuel heating with Truma Combi 4 1.8kW electric/4kW

14. Ultra low energy lighting with dimmable LED over-locker

better side support and improved seat comfort

03. Aerodynamic low-line pod with panoramic opening sunroof

04. Full GRP rear panel with structural integrated steel frame to lift

up tailgate with window and central locking (320 & 340 only)

Radio/MP3 player with Bluetooth, switch-off timing adjustable

davtime running lights

1947mm interior height

06. 16" wheels with full trims

garage capacity)

- Fridge vent covers

storage on the move

hot water

larger items

(dealer fit option)

07. Exclusive LED rear light clusters

11. Winter Pack fitted as standard with:

- Fresh and waste water tank heaters

- Under floor waste pipe insulation

05. Luggage retaining hoops (320 & 340 only)































RIO **SPECIFICATIONS**

310

ØĞ

豪

[]

ØØ

320		

BB

BB

衾

4


()

10

325


ÅÅÅÅ

340




BB

(~



• • • •	<u>₩ > a</u>				Garage	without the state of the state	
	Standard	Optional	Standard	Optional	Standard	Optional	
Fiat MultiJet Diesel Engine	130	130 Auto	130	130 Auto	130	130 Auto	
Engine Capacity	2.	Bltr	2	.3ltr	2.3	Bltr	
Engine Power	96kW @	3600rpm	96kW @) 3600rpm	96kW@3	3600rpm	
Engine Torque	320Nm @) 1800rpm	320Nm (@ 1800rpm	320Nm @	1800rpm	
Roof Profile	Low	-line	Lo	w-line	Low	-line	
Wheel Base	3.80m	/ 12'6"	4.04r	n / 13'3"	3.80m	/ 12'6"	
Seat belts (inc. driver)		2		2	4	1	
Berths (Sleeping Positions)	:	2		2	2	2	
Overall Length	5.99m	5.99m / 19'8"		6.40m / 21'0"		5.99m / 19'8"	
Overall Width (Mirrors Folded)	2.26r	2.26m / 7'5"		2.26m / 7'5"		2.26m / 7'5"	
Overall Height		2.78m / 9'1"		2.78m/9'1"		ı/9'1"	
Optional Awning		900 2.6m	Thule 4900 3m		Thule 4900 2.6m		
Maximum Technical Permissible Laden Mass (A))0kg	3500kg		350	-	
Mass in Running Order (B)	2804kg	2821kg	2905kg	2922kg	2838kg	2855kg	
Maximum User Payload (A-B)	696kg	679kg	595kg	578kg	662kg	645kg	
Essential Habitation Equipment		kg	Okg		Okg		
Thermal Grade Insulation		REE	THREE		THREE		
Maximum Recommended Trailer Weight*)0kg	2000kg		2000kg		
Gross Train Weight*	550)0kg	55	00kg	550	0kg	
BED SIZES							
Front Double	1.91m x 1.47m /1.0	3m / 6'3" x 4'10" /3'5"					
Rear Double				0m / 6'4" x 4'7"			
Rear Nearside Single			1.80m x 0.70m / 5'11" x 2'4"				
Rear Offside Single			1.84m x 0.7	0m / 6'0" x 2'4"			
Drop Down Bed					1.84m x 1.33	m / 6'0" x 4'4"	



Standard	Optional			
130	130 Auto			
2.3	Bltr			
96kW @ 3	3600rpm			
320Nm @	1800rpm			
Low	-line			
4.04m	/ 13'3"			
4				
4				
6.40m / 21'0"				
2.26m / 7'5"				
2.78m / 9'1"				
Thule 4	900 3m			
350	Okg			
2986kg	3003kg			
514kg	497kg			
Oł	g			
THE	REE			
200	Okg			
5500kg				
1.93m x 1.26	m / 6'4" x 4'2"			

1.86m x 1.23m / 6'1" x 4'0"

Notes

- 1. The Maximum User Payload includes:
- a) the conventional load (this is the allowance for passengers)
- b) essential habitation equipment (items and fluids required for safe and proper functioning of habitation equipment)
- c) optional equipment (items available from the manufacturer over and above the standard specification)
- d) personal effects (those items not covered by the above)
- 2. The Mass in Running Order is the mass of the unladen vehicle including a 75kg allowance for the driver plus engine coolants and 90% of the fuel tank capacity and 1 x 6kg Calor Lite LPG cylinder.

The MRO is calculated with the fresh water tank empty. If you travel with water in the fresh water tank then the payload will reduce accordingly.

- 3. Please take care to ensure that you have allowed for the masses of all items you intend to carry in the motor caravan, e.g. passengers, optional equipment, essential habitation equipment and personal effects, such as clothing, food, pets, bicycles, sailboards, sports equipment etc.
- 4. Warning under no circumstances should the maximum technical permissible laden mass of this motor caravan be exceeded.
- # Please note that the additional weight of the tow bar and trailer nose weight increases the rear axle loading of the motor home so care should be taken that the rear axle load is not exceeded when towing. To ensure adequate road holding, the load on the front axle, under all conditions, must not be less than 40% or more than 70% of the total weight. Care must be taken when distributing loads. The loadings and weights above are maximums and must not be exceeded under any circumstances.



SWIFT BOLERO





One look at the 'Black Edition' Bolero PART OF THE BLACK EDITION RANGE and we think you will agree it's simply stunning inside and out.

> Tirelessly innovating on their award winning technology, enhanced SMART Plus construction features new balanced adds upgrades that include cab panel side walls having both GRP outer and inner skins to create a full GRP bodyshell.

Both 130bhp and 150bhp Euro 6 engines are available with Fiat's Comfort-Matic automatic gearbox for the ultimate in driving comfort and performance.

ATTAC & 1414

SWIFT

The specially priced Vogue pack air-conditioning, cruise control, a twin-view reversing camera and Status 570 TV aerial.













STEP INTOTHE DETAIL

Stepping into the Bolero you will appreciate the attention to detail of the stunning interior. Oyster Grey curved upper locker doors with gloss 'Aralie Sen' inlay, updated 'Ritz' part SwiftShield soft furnishings and soft fabric wrapped edged furniture gives a luxurious feel.

The three toning fabrics enhance the sculptured seat cushions which provide improved comfort and durability. In three of the models you can change the travelling dinette for a cosy parallel front lounge. The powerful Alde central heating system will keep you warm and moulded seat backrest ventilation boards improve the heat circulation.

For luxury at bedtime, all fixed beds are fitted with the exclusive Duvalay Duvalite mattress, containing lightweight memory fibre technology.













STEP INTOLEADING EDGE DESIGN

The enhanced Swift Command control system features a new option to subscribe to a Thatcham Category 6 approved pro-active tracker for greater peace of mind.

The leading edge design continues with FENIX NTM[®] kitchen worktops which are resistant to scratches, hygienic and easy to clean and the exclusive Dometic CU600 oven with improved performance and noise reduction. There is also efficient, dimmable LED lighting, 100W solar panel and 'Ecocamel Orbit' shower head with on/off water conservation button.







BOLERO FEATURES

Chassis-Cab

- Fiat chassis cab
- LED davtime running lights
- Black metallic cab and Black Edition graphics
- New Fiat Euro 6 130bhp, 2.3 litre engine (684FB) • New Fiat Euro 6 150bhp, 2.3 litre engine
- (714SB, 724FB & 744PR)
- Dashboard design with fully integrated factory-fit DAB Radio/MP3 player with Bluetooth, switch-off timing adjustable up to 3 hours and mirror antenna for better reception
- Techno silver dash trim
- Steering wheel controls
- · Cab battery isolation switch to prevent discharge in storage
- Driver and passenger airbags
- Concertina windscreen blind and side window blinds
- Cab carpet (removable)
- · Captains chairs with twin armrests and integrated headrest
- Driver and passenger seats both with: - Swivels
- Height and rake adjustment
- Two armrests
- Fully upholstered covers
- Base surrounds · High-level instrument cluster with chrome trims
- ABS brakes
- EBD (electronic brake force distribution)
- Immobiliser with rolling code
- Variable power steering
- · Key fob operated remote central locking of cab doors and entrance door
- · Electric operated and tinted cab windows Electrically adjusted and heated wing mirrors fitted with direction indicators
- Headlamp height adjustment
- Adjustable steering wheel position
- Central cup holder with slot for full width tablet and wall
- pocket for smart phone with USB port for charging
- 12V power sockets & USB socket
- Dash mounted tablet holder

Body and Exterior Equipment

- European Whole Vehicle Type Approval ensures compliance with strict weight, dimensions and safety regulations
- Enhanced SMART Plus construction with full GRP bodyshell: - Strong, moisture proof 'PURe' Polyurethane timberless framed body shell with HD polystyrene insulation core - Balanced panel 31mm sandwich side walls with GRP outer and inner skin
- 'Sandwich' floor construction with GRP outer skin, ply upper and high rigidity Styrofoam core
- 31mm 'sandwich' construction hail resistant exterior GRP roof with high density (HD) polystyrene insulation core and GRP inner skin
- Full height closed mould GRP rear panel
- · Fiat/AL-KO low line chassis with wide track

- GRP pod with large panoramic opening sky view window and adjustable pleated blind
- GRP inner and outer skins to side walls finished in white with strong window-line Black Edition graphics
- Rear panel with high-level brake light and camera housing

16" alloy wheels (2 different styles - one for light chassis

684FB and one for the Maxi chassis 714SB, 724FB & 744PR)

- Exclusive LED rear light clusters
- Front bumpers finished in body colour
- Full length recessed awning
- · Integrated longitudinal roof bars (load carrying cross bars and
- ladder optional) White extruded skirts and link with GRP rear panel
- Gloss white external corner cappings
- LED front and rear marker lights
- · Seitz high specification entrance door with secure 2-point
- locking, window, integral flyscreen, door retainer, bin and step well light for easy access
- Seitz C8 flush fitting windows
- Service door for underseat/bed storage
- Side exterior locker 684FB, 714SB & 724FB
- LED awning light
- Large gas locker for two 13kg gas bottles with fitted butane/ propane regulator and propane hose
- BBQ point
- · Heavy duty rear chassis members ready for optional towbar
- Spare wheel and tyre
- · Bike rack fixing rails fitted to the rear Bike locking point on AL-KO extension

Living Area

- . New 'Ritz' part SwiftShield furnishing scheme with
- two bolster cushions 'Aralie Sen' woodgrain with contemporary colouring
- · 'Oyster Grey' curved upper locker doors with gloss
- 'Aralie Sen' accents
- Soft fabric wrapped edged furniture moulds for seating
- Exclusive 'Duvalay Duvalite' fixed bed mattress with lightweight memory fibre technology - hypoallergenic, excellent pressure relief, dustmite resistant and 100% recyclable
- Cassette flyscreens and pleated blinds on all windows
- Concertina action door flyscreen
- Chrome entrance doorway grab-handle with LED lights
- Removable carpets in living area
- · French Oak effect, high impact, scratch resistant floor lino
- Push-button locks on overhead locker doors
- Swift Group 'spaceframe' locker construction
- Ergonomically shaped rear travelling seats (684FB, 714SB, 724FB & 744PR)
- Sculptured seat cushions for improved comfort and durability
- Lounge bench seat cushions supported by beech slats for extra comfort
- Moulded seat backrest ventilation boards to improve
- heat convection
- Dining table with dedicated storage location

- Travel lock for TV brackets where fitted
- Midi-Heki skylight with flynet and adjustable blind

Winter Pack fitted as standard:

- Fridge vent winter covers

Bluetooth connection

monitored remotely

charger/transformer

Electrical

subscription)

Fresh/waste water tank heaters

- Under floor waste pipe insulation

Enhanced Swift Command control system with Thatcham

Category 6 approved pro-active tracker (subject to annual

- Swift Command intelligent power supply unit with LCD

control panel; functions include vehicle/leisure battery

selection, battery state meter, lighting and water pump

circuit controls, internal & external temperature, internal

Mains 230V supply via easy-access consumer unit to

25 Amp charger/transformer for leisure batteries

Minimum of 5 mains chrome 230V sockets

- Dimmable LED spotlights and downlighters

Low-level night lights (operable when travelling)

Ultra low energy lighting system:

- Adjustable LED cab reading lights

· Power supply for satellite dish installation

- over-locker LED lighting

25 metre mains hook-up cable

ax link to outside connector

conjunction with Vogue Pack)

Special value Vogue Pack with:

100W solar panel

Voque Pack)

or 55R ECE)

Roof rack and Ladder

- Cab air-conditioning

- Status 570 TV aerial

Cruise control

scheme

Options

sockets, fridge, microwave oven, combi boiler and battery

compartment (space for 2nd battery, battery not supplied)

TV station with flatscreen bracket 230V, 12V supply and co-

· Comfort-Matic automatic gearbox with 150bhp with ESP,

2.3 litre engine in 714SB, 724FB & 744PR (only available in

Comfort-Matic automatic gearbox with 130bhp with ESP,

New 'Winchester Stone' full leather soft furnishing

'Lounge' layout options for 684FB, 714SB & 724FB

Thule Elite G2 two cvcle rack (dealer fit)

2.3 litre engine in 684FB (only available in conjunction with

Detachable tow bar and electrics (conforming to 94/20/EC)

Twin view colour reversing camera allowing use en-route*

humidity levels, 230V load limiter (settable between 5 Amps

& 16 Amps), solar panel charging levels, heating controls and

- Swift Command App allows many functions to be controlled/

- Domestic style mortice locks on washroom
- Removable step well mat
- Black branded speakers
- Smoke alarm
- Carbon monoxide alarm

Kitchen

Washroom

- · Contrasting furniture doors with chrome accents Dometic 8-Series 190 litre fridge/freezer with automatic energy selection (110 litres on 744PR)
- Mini-Heki skylight with flynet and adjustable blind
- Built-in microwave oven with digital controls
- Printed back-lit acrylic splash back
- Innovative FENIX NTM[®] kitchen worktops (resistant to scratches, enhanced antibacterial properties and easy to clean) with fold down flaps and underslung stainless steel sink
- Removable drainer and food grade nylon chopping board nestle together for easy storage in dedicated location
- Vector chrome effect mixer tap

shower that uses less water

Shower bi-fold door

Swivel spout vanity taps

Overhead storage locker

Towel radiator in 714SB & 724FB

Skylight with flyscreen

Heating and Plumbing

3kW settings

concol

Vanity sink unit

Decorative inlay on washroom door

Shower cubicle or fully lined shower area

 Exclusive Dometic CU600 oven, designed for motorhome use 100 Amp-hour (Dir 2006/66/EC) leisure battery in storage with improved performance and noise reduction, separate grill and dual fuel hob with 800W electric, electronic ignition and flame failure protection

Ecocamel Orbit shower head with on/off button for a powerful

Grade 3 classification (EN 1646-1) for heating and thermal

Alde dual fuel radiator central heating and water heating

with daily programming, LCD control panel with 1kW, 2kW or

Truma 'Crash Sensor Mono' regulator for en-route operation

94 litre under-floor, insulated fresh water tank with level

Pressurised fresh water system with self-priming pump

12V exterior power point for pump filling of water tank

New Electronic drain valves for fresh and waste water tanks

insulation (for sub-zero ambient temperatures)

Alde circulation pump with 5 speed settings

Heated towel radiator in 714SB & 724EB

· 100 litre waste water tank with level sensor

Waste pipes insulated for winter use

(pump not supplied)

with connection hose for propane

Soft close doors & drawers (model specific)



01. Black metallic Fiat cab with Black Edition graphics and LED

02. GRP pod with large panoramic opening sky view window

05. Fixing bars for rear mounted optional dealer fit Thule Elite G2

two cycle rack and bike locking point on AL-KO extension

06. Dashboard design with Techno silver dash trim, fully integrated

07. 16" alloy wheels (two different styles - Maxi chassis style shown)

10. Modern, curved upper locker doors with gloss 'Aralie Sen'

11. FENIX NTM® kitchen worktops (resistant to scratches, hygienic

12. Exclusive Dometic CU600 oven (improved efficiency and noise

13. Ultra low energy lighting with LED over locker ambient lighting,

14. Alde radiator central heating with daily programming and LCD

15. Dometic 8-Series 190 litre fridge/freezer with automatic energy

selection (110 litres on 744PR and 96 litres on 612EK)

* Dependent on model, visibility through the rear camera may

Visit swiftgroup.co.uk to...

Configure your Bolero

Find a deale

be reduced when bicycles are carried on optional bike carrier.

16. Exclusive 'Duvalay Duvalite' fixed bed mattress

LED spot lights and adjustable LED cab reading lights

factory-fit DAB Radio/MP3 player with Bluetooth

03. Soft fabric wrapped furniture edges to seating

davtime running lights

04. Exclusive LED rear light clusters

08. Winter Pack fitted as standard with:

- Fridge vent covers

and easy to clean)

touch screen control

09. 100W solar panel

accents

reduction)

- Fresh and waste water tank heaters

- Under floor waste pipe insulation





























BOLERO 684FB LOUNGE 714SB LOUNGE ถู่ถู่ถู่ถู่ หู้หู้หู้หู้ ពុំពុំពុំពុំ ភ្នំភ្នំភ្នំភ្នុំ กู้กู้กู้กู้ หู้หู้หู้หู้ ÅÅ 684FB 714SB 724FB SPECIFICATIONS ØŎ AA AN AB AB AA BÔ BĂ AA AR 06 (3 O 6 be 6 (0) -Q-Standard Optional Standard Optional Standard Optional Standard Optional Standard Optional Fiat MultiJet Diesel Engine 130 130 Auto 130 130 Auto 150 150 Auto 150 150 Auto 150 150 Auto **Engine Capacity** 2.3ltr 2.3ltr 2.3ltr 2.3ltr 2.3ltr Engine Power 96kW @ 3600rpm 96kW @ 3600rpm 110kW @ 3600rpm 110kW @ 3600rpm 110kW @ 3600rpm **Engine Torque** 320Nm @ 1800rpm 320Nm @ 1800rpm 380Nm @ 1500rpm 380Nm @ 1500rpm 380Nm @ 1500rpm Roof Profile Low-line Low-line Low-line Low-line Low-line Wheel Base 4.04m / 13'3" 4.04m / 13'3" 4.40m / 14'5" 4.40m / 14'5" 4.40m / 14'5" Seat belts (inc. driver) 4 2 4 2 4 Berths (Sleeping Positions) 4 4 4 4 4 7.09m / 23'3" 7.77m/25'6" 7.77m / 25'6" 7.77m / 25'6" Overall Length (Excluding Ladder)** 7.09m / 23'3" Overall Width (Mirrors Folded) 2.38m/7'10" 2.38m/7'10" 2.38m/7'10" 2.38m/7'10" 2.38m/7'10" Overall Height 2.79m/9'2" 2.79m/9'2" 2.79m/9'2" 2.79m/9'2" 2.79m / 9'2" Thule 4900 3.5m Thule 4900 3.5m Thule 4900 4.5m Thule 4900 4.5m Thule 4900 4.5m Standard Awning Maximum Technical Permissible Laden Mass (A) 3700kg 3500kg 4250kg 4250kg 4250kg Mass in Running Order (B) 3165kg 3182kg 3110kg 3127kg 3295kg 3312kg 3235kg 3252kg 3280kg 3297kg 535kg 518kg 390kg 373kg 955kg 938kg 1015kg 998kg 970kg 953kg Maximum User Payload (A-B) Essential Habitation Equipment 0kg 0kg 0kg 0kg 0kg Thermal Grade Insulation THREE THREE THREE THREE THREE Maximum Recommended Trailer Weight* 2000kg‡ 2000kg 2000kg‡ 2000kg‡ 2000kg‡ Gross Train Weight* 5500kg 5500kg 6000kg 6000kg 6000kg BED SIZES Front Double 2.01m x 1.21m/1.04m / 6'7" x 4'0/3'5" 2.01m x 1.21m/1.04m / 6'7" x 4'0/3'5" 2.01m x 1.21m/1.04m / 6'7" x 4'0"/3'5" 2.01m x 1.21m/1.04m / 6'7" x 4'0"/3'5" 2.01m x 1.21m/1.04m / 6'7" x 4'0"/3'5" Front Nearside Single Front Offside Single 1.91m x 1.27m / 6'3" x 4'2" 1.91m x 1.27m / 6'3" x 4'2" Rear Double 1.85m x 1.30m / 6'1" x 4'3" Rear Nearside Single 1.91m x 0.71m / 6'3" x 2'4" 1.91m x 0.71m / 6'3" x 2'4" **Rear Offside Single** 1.95m x 0.71m / 6'5" x 2'4" 1.95m x 0.71m / 6'5" x 2'4"

724FB Lounge	ពុំពុំពុំពុំ	ព ័កំ fff	744PR	ĥĥĥĥ	<mark>គំគំគំគំ</mark>		
Standard		otional	Standard	-	otional		
150	2.3ltr	i0 Auto	150	15 2.3ltr	0 Auto		
110kW @ 3600rpm			110k	N @ 3600rpm			
	n @ 1500rpm		380Nm @ 1500rpm				
1	Low-line		Low-line				
4.4	40m / 14'5"		4.70m / 15'5"				
	2		4				
	4		4				
	7m / 25'6"			07m/26'6"			
	88m / 7'10" 79m / 9'2"		2.38m / 7'10" 2.79m / 9'2"				
	e 4900 4.5m		Thule 4900 4.5m				
	4250kg		4250kg				
3260kg	Ű	277kg	3390kg	Ű	107kg		
990kg	9	73kg	860kg	8	43kg		
	Okg			Okg			
	THREE			THREE			
2000kg ‡			2000kg ‡				
	6000kg			6000kg			
2.01m x 1.21m/	/1.04m / 6'7":	x 4'0"/3'5"	2.01m x 1.51m/	1.04m / 6'7" x	4'11"/3'5"		
1.85m x 1	.30m / 6'1" x	4'3"	2.01m x 1	1.85m / 6'7" x	6'1"		
			1.85m x (0.68m / 6'1" x	2'3"		
			1.85m x (0.68m / 6'1" x	2'3"		

724FB LOUNGE

Notes

- 1. The Maximum User Payload includes
- a) the conventional load (this is the allowance for passengers)
- b) essential habitation equipment (items and fluids required for safe and proper functioning of habitation equipment)
- c) optional equipment (items available from the manufacturer over and above the standard specification)
- d) personal effects (those items not covered by the above)
- 2. The Mass in Running Order is the mass of the unladen vehicle including a 75kg allowance for the driver plus engine coolants and 90% of the fuel tank capacity and 1 x 6kg Calor Lite LPG cylinder.

The MRO is calculated with the fresh water tank empty. If you travel with water in the fresh water tank then the payload will reduce accordingly.

- 3. Please take care to ensure that you have allowed for the masses of all items you intend to carry in the motor caravan, e.g. passengers, optional equipment, essential habitation equipment and personal effects, such as clothing, food, pets, bicycles, sailboards, sports equipment etc.
- 4. Warning under no circumstances should the maximum technical permissible laden mass of this motor caravan be exceeded.
- ** For optional roof ladder add 100mm.
- # Please note that the additional weight of the tow bar and trailer nose weight increases the rear axle loading of the motor home so care should be taken that the rear axle load is not exceeded when towing. To ensure adequate road holding, the load on the front axle, under all conditions, must not be less than 40% or more than 70% of the total weight. Care must be taken when distributing loads. The loadings and weights above are maximums and must not be exceeded under any circumstances.
- ‡ The maximum trailer weight is limited by the Gross Train Weight which must not be exceeded. For example, if the vehicle is at the maximum MTPLM of 4250kg, then the maximum trailer weight possible is 1750kg. Reducing the weight of the vehicle by removing payload, will allow you to increase the trailer weight up to a maximum of 2000kg.



OTHE SWIFT KON-TIKI

PART OF THE BLACK EDITION RANGE

Synonymous with impressive style and high standards, this top range enjoys an enviable combination of comfort, practicality and design innovation.

Soft furnishings and interior finishes are more opulent for the new season and its 'Black Edition' status gives the ultimate in specification as standard.

And now with enhanced SMART Plus construction, your investment is even better protected. The tough wearing GRP skin boasts better dent resistance and is more easily repaired and restored to a high-quality finish. 1











-


STEP INTOMAXIMUM COMFORT

Carefully designed and cleverly detailed the spacious interiors provide the maximum in comfort and practicality.

Whether you're relaxing or entertaining the carefully chosen 'Carabu' soft furnishing scheme features SwiftShield, a stain resistant fabric that keeps its good looks. For added luxury, there is also a full leather option.

To create the perfect ambience at night, the interior can be lit with overlocker lighting, dimmable spots and the feature lit kitchen splashback which all use energy efficient LEDs. New zonal control of the Alde heating lets you get the temperature just right.

For luxury at bedtime, all fixed beds are fitted with the exclusive Duvalay Duvalite mattress, containing lightweight yet sumptuously comfortable memory fibre technology.









STEP INTOFIVE STAR TRAVEL

Fully equipped, the Kon-tiki comes with a five star specification.

The kitchen work surface is crowned with HI-MACS® natural acrylic stone, a non-porous, dirt-repellent surface and an exclusive Dometic CU600 oven has improved performance and noise reduction.

The enhanced Swift Command control system features a new Thatcham Category 6 approved proactive tracker option to keep your investment safe.

Kon-tiki models come with almost everything as standard, leaving only engine, new air suspension, fabric, tow bar and roof rack options.









KON-TIKI FEATURES

Chassis-	Cab

Fiat chassis cab

- Black metallic cab and Black Edition graphics
- · Front bumper finished in body colour
- · LED daytime running lights
- New Fiat Euro 6 150bhp, 2.3 litre engine Dashboard design with fully integrated factory-fit DAB Radio/MP3 player with Bluetooth, switch-off timing adjustable
- up to 3 hours and mirror antenna for better reception High-level instrument cluster with chrome trims
- Bronze dashboard trim
- · Cab battery isolation switch to prevent discharge in storage
- Cab air-conditioning
- Cruise control
- Leather steering wheel and gear knob
- Steering wheel controls
- Driver and passenger airbags
- · Concertina windscreen blind and side window blinds
- Captains chairs with twin armrests and integrated headrest
- Driver and passenger seats both with:
- Swivels
- Height and rake adjustment
- Two armrests
- Fully upholstered covers - Base surrounds
- ABS brakes
- EBD (electronic brake force distribution)
- Immobiliser with rolling code
- Variable power steering
- Electric operated and tinted cab windows
- Electrically adjusted and heated wing mirrors fitted with direction indicators
- Headlamp height adjustment
- Adjustable steering wheel position
- · Central cup holder with slot for full width tablet and wall pocket for smart phone with USB port for charging
- 12V socket and USB socket Dash mounted tablet holder
- Body and Exterior Equipment
- European Whole Vehicle Type Approval ensures compliance with strict weight, dimensions and safety regulations
- Enhanced SMART Plus construction with full GRP bodyshell: - Strong, moisture proof 'PURe' Polyurethane timberless framed body shell with HD polystyrene insulation core - New Balanced panel 31mm sandwich side walls with GRP
- outer and inner skin - 'Sandwich' floor construction with GRP outer skin, ply upper
- and high rigidity Styrofoam core
- with high density (HD) polystyrene insulation core & GRP inner skin
- Full height closed mould GRP rear panel
- Fiat/AL-KO double floor, wide track chassis housing water tanks, plumbing, heating ducts and underfloor storage trav(s)
- Low-line models with 'Skyview' panoramic opening roof-window

- gas strut assisted over-cab bed Exterior access doors supported with gas struts for ease of operation Pull-out underfloor pannier locker for water hose and electric cable reels Stylish 16" alloy wheels
 - Seitz high specification entrance door with secure 2-point locking, window, integral flyscreen, door retainer, bin and step well light

High-line models with large A-Class style aluminium framed.

- · Flush fitting aluminium-framed double glazed opening windows Two opening windows in high-line overcab area
- Two Midi-Heki skylights with flynet and adjustable blinds (one on single axle models)
- LED exterior awning light (two on the twin axle models)
- Compartment for two 13kg gas bottles with fitted Truma 'Crash
- Sensor Mono' butane/propane regulator and propane hose
- Twin view colour reversing camera allowing use en-route*
- Rear panel with high-level brake light
- Full length recessed awning
 - Integrated longitudinal roof bars (load carrying cross bars and ladder optional)
 - Strong extruded aluminium skirts
 - Key fob operated remote central locking of cab doors and entrance door BBQ point

 - External shower point
 - Spare wheel on under slung carrier (stored in garage in 635 & 679)
 - · Heavy duty rear chassis members ready for optional towbar
- Bike rack fixing rails fitted to the rear
 - Bike locking point fixed to rear cross member

Living Area

- 'Carabu' part SwiftShield soft furnishing scheme with scatter cushions and bolsters 'Aralie Sen' woodgrain with contemporary colouring
- Gloss finish locker doors with Hessian colour inlav and chrome handles
- · Chrome push-button locks on overhead locker doors · Ergonomically shaped rear travelling seats
- Two-position front seating arrangement providing L-shape lounge or two forward facing travelling seats (635, 669 & 679) Exclusive 'Duvalay Duvalite' fixed bed mattress with lightweight
- memory fibre technology hypoallergenic, excellent pressure relief, dustmite resistant and 100% recyclable Adjustable swivel-arm coffee table (except 649)
- Black branded speakers
- Moulded over-cab base with storage recesses in high-line models
- 36mm 'sandwich' construction hail resistant exterior GRP roof
 Moulded over-cab storage lockers in low-line models · Swift Group 'spaceframe' locker construction Removable aluminium ladder to the over-cab bed in
 - high-line models Lounge seat and bed tops with sprung support for easy access
 - Bed mattresses and lounge bench seat cushions supported by
 - beech slats for extra comfort
 - · Seat backrest ventilation boards

- · Free-standing table with dedicated storage location Travel lock for TV brackets where fitted
- · Domestic style mortice locks on washroom and wardrobe doors
- · Cassette flyscreens and pleated blinds on all windows Luxury curtain tabards

125 litre underfloor, insulated heated fresh water tank with

strong window-line Black Edition graphics

graphics and LED daytime running lights

08. 120W solar panel for greater independence

09. Exterior BBQ and shower point

stainless steel underslung sink

selection (110 Litre on 649)

06.16" alloy wheels

cable reels

reduction

03. Fiat chassis cab in black metallic finish with Black Edition

04. Fixing bars for rear mounted optional dealer fit Thule Elite G2

05. Dashboard design with fully integrated factory-fit DAB Radio/

07. Pull out under floor pannier locker for water hose and electric

3 hours and wing mirror antenna for better reception

10. Twin view colour reversing camera allowing en-route use*

11. High gloss 'Aralie Sen' woodgrain finish locker doors with

lighting system with dimmable interior lights

Hessian colour inlay and chrome handles plus ultra low energy

screen control, new zonal control, towel radiator and Alde heat

memory fibre technology - hypoallergenic, excellent pressure

* Dependent on model, visibility through the rear camera may be

reduced when bicycles are carried on optional bike carrier.

Visit swiftgroup.co.uk to...

Configure your Kon-tiki

Find a dealer

exchange unit for en-route heating without use of gas

relief, dustmite resistant and 100% recyclable

two cycle rack and bike locking point on rear cross member

MP3 player with Bluetooth, switch-off timing adjustable up to

100 litre heated waste water tank with level sensor

Large bore rigid waste pipes insulated for winter use

Pressurised fresh water system with self-priming pump

· Enhanced Swift Command control system with Thatcham

Category 6 approved pro-active tracker (subject to annual

- Swift Command intelligent power supply unit with LCD control

battery state meter, lighting and water pump circuit controls,

internal & external temperature, internal humidity levels, 230V

load limiter (settable between 5 Amps & 16 Amps), solar panel

charging levels, heating controls and Bluetooth connection

- Swift Command App allows many functions to be controlled/

Two 100 Amp-hour (Dir 2006/66/EC) leisure batteries in

cab area and one in the garage where applicable)

Two TV stations, at least one suitable for 19" TV

25 Amp charger/transformer for leisure batteries

Roof and cable preparation for satellite dish installation

engine with Comfort-Matic auto gearbox with ESP

New Winchester full leather soft furnishing scheme

Upgrade from new Fiat Euro 6 150MJ to new Fiat Euro 6 150MJ

Upgrade to new Fiat Euro 6 180bhp, manual 2.3 litre engine

Comfort-Matic automatic gearbox and upgrade to new Fiat

New Premium air suspension from AL-KO - increase in ride

Detachable tow bar and electrics (conforming to 94/20/EC or

Euro 6 180bhp, 2.3 litre engine with ESP (649, 669 & 679 only)

Minimum of 9 mains 230V chrome sockets (including two in

Dedicated cupboard space for satellite de-coder with mains

Mains 230V supply via easy-access eve-level consumer unit

to sockets, fridge, microwave oven, combi boiler and battery

panel; functions include vehicle/leisure battery selection.

12V exterior power point for pump filling of water tank

level sensor

Electrical

subscription)

(pump not supplied)

monitored remotely

underfloor compartment

230V and 12V sockets

charger/transformer

- Low-level night lights

120W solar panels

Status 570 TV aerial

(625 & 635 only)

55R ECE)

Roof rack and ladder

'Lounge' option on 625 and 635

(649, 669 & 679 only)

- Dimmable interior lights

25 metre mains hook-up cable

· Ultra low energy lighting system:

- LED strip lighting over lockers

- LED spotlights with downlighters

- Adjustable LED cab reading lights

Lighting in underfloor storage travs

comfort with automatic self-levelling

Thule Elite G2 two cycle rack (dealer fit)

- Concertina action door flyscreen
- · Sectioned removable carpets for flexibility · French Oak effect, high impact, scratch resistant floor lino
- Removable step well mat
- · Chrome entrance doorway grab-handle with LED lights Smoke alarm
- Carbon monoxide alarm

Kitchen

- Beige 'Hessian' effect kitchen cabinets
- 190 litre Dometic 8-Series automatic energy selection fridge/freezer (110 litre in 649)
- Built-in microwave oven with digital controls in stainless
- steel surround Exclusive Dometic CU600 oven, designed for motorhome use with improved performance and noise reduction, separate grill and dual kitchen extractor fan
- HI-MACS[®] natural acrylic stone solid kitchen work surface and stainless steel underslung sink
- Removable drainer and food grade nylon chopping board nestle together for easy storage in dedicated location

Shower bi-fold door retained on track for improved access

Thetford C260 swivel cassette toilet with electric flush

· Grade 3 classification (EN 1646-1) for heating and thermal

heater, waste pipe insulation and fridge vent covers

. En-route heating system utilising engine output to run

radiators, providing cost free on road heating

· Winter Pack fitted as standard with fresh and waste water tank

Alde dual fuel radiator central heating and water heating with

daily programming, LCD control panel with 1kW, 2kW or

insulation (for sub-zero ambient temperatures)

- · Vector chrome kitchen mixer tap
- Printed back-lit acrylic splash back
- Pull-out storage baskets
- Crockery storage tray with moulded pockets and

shower that uses less water

Etched mirror with lights

Overhead storage locker

Shower room radiator

Heating and Plumbing

3kW settings

New Zonal control of Alde heating

Skylight with flyscreen

- retaining straps
- · Soft-close drawers for smooth operation

Washroom

Shower mat

 Fully lined separate shower cubicle Ecocamel Orbit shower head with on/off button for a powerful

· Lower cupboard with built-in washbasin

· Vector chrome finish brass vanity mixer tap



KON-TIKI Specifications	625	กู้กู้กู้กู้ ผู้ผู้ผู้ผู้	625 LOUNGE	ពុំពុំពុំ	635	ทู่บู่บู่มู่ ผู้ผู้ผู้ผู้	635 LOUNGE	ทู่บู่บู่ปู่ ผู้ผู้	649
	Standard	Optional	Standard	Optional	Standard	Optional	Standard	Optional	Standard
Fiat MultiJet Diesel Engine	150	150 Auto	150	150 Auto	150	150 Auto	150	150 Auto	150
Engine Capacity	2287cc	2287cc	2287cc	2287cc	2287cc	2287cc	2287cc	2287cc	2287cc
Engine Power Engine Torque	110kW@3600rpm 380Nm@1500rpm	110kW@3600rpm 380Nm@1500rpm	110kW@3600rpm 380Nm@1500rpm		110kW@3600rpm 380Nm@1500rpm	110kW@3600rpm 380Nm@1500rpm	110kW@3600rpm 380Nm@1500rpm	110kW@3600rpm 380Nm@1500rpm	110kW@3600rpm 380Nm@1500rpm
Roof Profile	-	w-line	. .	w-line	. .	v-line	. .	w-line	Solumersoorphi
Wheel Base		m / 15'1"	4.60m / 15'1"			n / 15'1"		n / 15'1"	4.60m
Seat belts (inc. driver)		4		2		4	2		
Berths (Sleeping Positions)		4		4		4	4		
Overall Length (Excluding Ladder)**	8.06r	n / 26'5"	8.06	m / 26'5"	8.06m	n / 26'5"	8.06n	n / 26'5"	1
Overall Width (Mirrors Folded)	2.35	m / 7'8"	2.35	im / 7'8"	2.35r	m / 7'8"	2.35	m / 7'8"	
Overall Height**	2.98	m / 9'9"	2.98	8m / 9'9"	2.98m / 9'9"		2.98m / 9'9"		
Standard Awning	Fiamma	F45L 5.0m	Fiamma	F45L 5.0m	Fiamma F45L 5.0m		Fiamma	F45L 5.0m	Fiar
Maximum Technical Permissible Laden Mass (A)		50kg		250kg		50kg		50kg	
Mass in Running Order (B)	3716kg	3733kg	3861kg	3698kg	3704kg	3721kg	3669kg	3686kg	4185kg
Maximum User Payload (A-B) Essential Habitation Equipment	534kg	517kg	569kg	552kg	546kg	529kg	581kg	564kg	815kg
Thermal Grade Insulation		Okg		Okg)kg)kg	
Maximum Recommended Trailer Weight*		HREE < 2000kg ‡	THREE		THREE 1750kg < 2000kg ‡			IREE	10
Gross Train Weight	-	< 2000kg + 100kg	-	1750kg < 2000kg ‡ 6000kg		< 2000kg + 00kg	1750kg < 2000kg ‡ 6000kg		10
BED SIZES		loong	00	Joong	000	oong	00	oong	
Front Double	2.08m x 1 17	m / 6'10" x 3'10"	2.08m x 1 17	'm / 6'10" x 3'10"	2.04m x 0.96	6m / 6'8" x 3'2"	2.04m x 0.9	6m / 6'8" x 3'2"	2.09m x
Front Offside Single									2.000
Ū									
Rear Double	1.86m x 1.3	0m / 6'1" x 4'3"	1.86m x 1.3	0m / 6'1" x 4'3"	2.03m x 1.23	3m / 6'8" x 4'0"	2.03m x 1.23	3m / 6'8" x 4'0"	2.08m x
Rear Double Rear Single Offside	1.86m x 1.3	0m / 6'1" x 4'3"	1.86m x 1.3	0m / 6'1" x 4'3"		3m / 6'8" x 4'0" Dm / 6'2" x 2'4"		3m / 6'8" x 4'0" 0m / 6'2" x 2'4"	2.08m x 1.86m x
	1.86m x 1.3	0m / 6'1" x 4'3"	1.86m x 1.3	:0m / 6'1" x 4'3"	1.87m x 0.70		1.87m x 0.70		



		ពុំពុំពុំពុំ	ที่ที่ที่ที่	679†	ពុំពុំ	ำก่ ห้ต้ห้ห้				
lard		Optional		Standard	-	ional				
) 'cc	180	2999cc	180 Auto	150 2287cc	180	180 Auto 99cc				
600rpm	13	299900 31kW@3500)rom	110kW@3600rpm)3500rpm				
500rpm		00Nm@1500		380Nm@1500rpm 400Nm@1500rpm						
p	Low-lir	-		eee all and a second	Low-line	,				
4.60	m / 15'1" - (4.6	60m / 15'1" - 0.8m / 2	2'7"				
	4				4					
	4				4					
	8.56m/2	8'1"			8.56m / 28'1"					
	2.35m/				2.35m/7'8"					
	2.98m/9			2.98m / 9'9"						
F	iamma F45				Fiamma F45L 5.5m	l internet in the second s				
	5000k	-			5000kg					
ikg	4025k	-	4042kg	4110kg	4110kg	4127kg				
kg	975kg		958kg	890kg	890kg	873kg				
	0kg THRE	=			0kg THREE					
	1000kg < 1			1000kg < 1600kg						
	6000kg < 1	-		6000kg						
	00000	э 								
2.08m	n x 1.38m /	6'10" x 4'6"		2.08	3m x 1.38m / 6'10" >	< 4'6"				
1.86r	n x 1.30m	/ 6'1" x 4'3"		2.0	4m x 1.30m / 6'8" x	4'3"				

† Optional High Line Spec

For High-line overcab option the following specifications changes apply:



Berths (sleeping positions)	+ 2
Mass in Running Order	+ 60kg
Maximum User Payload	- 60kg
Overcab Bed	1.91m x 1.37m / 6'3" x 4'6"
Overall Height	3.08m/10'1"

All other specification as table

Notes

- 1. The Maximum User Payload includes:
- a) the conventional load (this is the allowance for passengers)
- b) essential habitation equipment (items and fluids required for safe and proper functioning of habitation equipment)
- c) optional equipment (items available from the manufacturer over and above the standard specification)

d) personal effects (those items not covered by the above)

- The Mass in Running Order is the mass of the unladen vehicle including a 75kg allowance for the driver plus engine coolants and 90% of the fuel tank capacity and 1 x 6kg Calor Lite LPG cylinder. The MRO is calculated with the fresh water tank empty. If you travel with water in the fresh water tank then the payload will reduce accordingly.
- Please take care to ensure that you have allowed for the masses of all items you intend to carry in the motor caravan, e.g. passengers, optional equipment, essential habitation equipment and personal effects, such as clothing, food, pets, bicycles, sailboards, sports equipment etc.
- 4. Warning under no circumstances should the maximum technical permissible laden mass of this motor caravan be exceeded.
- ** For optional roof ladder add 120mm to length and 100mm to height on low-line.
- # Please note that the additional weight of the tow bar and trailer nose weight increases the rear axle loading of the motor home so care should be taken that the rear axle load is not exceeded when towing. To ensure adequate road holding, the load on the front axle, under all conditions, must not be less than 40% or more than 70% of the total weight. Care must be taken when distributing loads. The loadings and weights above are maximums and must not be exceeded under any circumstances. The maximum trailer weight is limited by the Gross Train Weight which must not be exceeded. For example, if the vehicle is at the maximum MTPLM of 5000kg, then the maximum trailer weight possible is 1000kg. Reducing the weight of the vehicle by removing payload, will allow you to increase the trailer weight up to a maximum of 1600kg.
- # Maximum trailer nose weight limited to 40kg



AUTOCRUISE



The Autocruise van conversion range has This allows you to upgrade the base been transformed for 2017 with a greater model to create the specification that's level of customisation available.

Renamed Autocruise Select, you now have the power to choose from a variety of expertly designed, tailor-made packs and a selection of individual options.

right for you, be it related to the driving of the motorhome or the living luxury.

NUTOCRUISE

186 19

Whether you need a vehicle for everyday use, sport, relaxing holidays or business, the Autocruise Select van conversion range is incredibly versatile.









STEP INTOMORE FLEXIBILITY

The new flexible Autocruise Select range starts with a well equipped base vehicle with new 2.0 litre Euro 6 115bhp engine and 6 speed gearbox to which a range of options can be added.

All the essentials are included with electric windows, driver and passenger seats which swivel, factory fit integrated radio/ MP3 player and key fob central locking. In the living area there is practical floor vinyl, comfortable seating and table, 2 burner hob, 50L Waeco electric fridge, sink, fully fitted washroom, and blown air heating with a 4kW gas only Truma combi boiler.

An exciting addition is the new Swift Command system with the option to subscribe to a Thatcham Category 6 approved pro-active tracker.










STEP INTOCUSTOM MADE

Whether you want superior levels of luxury or an enhanced driving experience you have a choice of four new upgrade packs. Full of stylish and practical enhancements these great options allow you to create a truly custom experience.

In addition you can select individual options to upgrade the engine to the Fiat Euro 6 130bhp, 2.3 litre engine with or without the Comfort-Matic automatic gearbox, add an awning and upgrade the soft furnishings. You can also add a forward facing travelling seat option in the Select 144, 164 and 184 models.







AUTOCRUISE SELECT FEATURES

Base Specification:

Panel Van

- Fiat Ducato panel van
- European Whole Vehicle Type Approval ensures compliance with strict weight, dimension and safety regulations
- Body insulated with high performance 3M's 'Thinsulate'
- Fiat Ducato 2.0 litre new Euro 6 115bhp engine with 6-speed gearbox as standard
- Long wheel base 3.3 tonnes 122 & 144
- Extra long wheel base 3.5 tonnes 164 & 184
- White cab with standard matt black bumper
- Steel wheels
- Dashboard design with fully integrated factory-fit Radio/MP3 player with Bluetooth, switch-off timing adjustable up to 3 hours and roof mounted aerial
- LED side entrance light
- Driver airbags
- Driver and passenger chairs with headrest, wider backrest, better side support, improved seat comfort and cab seat swivel
- Height adjustable drivers seat
- Electrically operated and tinted cab windows
- · Key fob operated remote central locking
- Rain diverter over side entrance door
- ABS brakes
- EBD (electronic brake force distribution)
- Immobiliser with rolling code
- Variable power steering
- Headlamp height adjustment
- Adjustable steering wheel position
- Central cup holder with slot for full width tablet
- Two 12V sockets in cab
- Fix 'n' Go puncture repair kit
- Tablet holder

Living Area

- 'Aralie Sen' woodgrain with contemporary colouring, matt white upper locker doors and chrome push button handles
- 'Graceland' fabric scheme
- Savoy' fabric wall covering with stain resistant finish
- French Oak effect, high impact, scratch resistant floor lino
- Thermally insulated quilted fabric covers for windscreen and cab side windows
- Double glazed windows with cassette blinds and flyscreens
- Mini Heki clear rooflights to front and rear with flyscreen and blind
- Main table with dedicated storage location
- One nearside rear window
- Gas strut lounge seat lid support in 122 & 184 for easy
- access
- Smoke alarm
- Carbon monoxide alarm

Kitchen

- Combination 2 burner hob with stainless steel sink and split glass lid
 50 litre Waeco compressor fridge
- Chrome effect mixer tap

Washroom

- Mirrored vanity cupboard and fold-away washbasin (122)
 Mirrored vanity cupboard and fixed washbasin
- (144, 164 & 184) • Vector chrome effect mixer tap
- Shower mixer with retainer
- Thetford cassette toilet with electric flush
- Large bore underslung rigid waste pipes
- Multi-directional rooflight with flyscreen

Heating and Plumbing

- Blown air heating with 4 kW gas only Truma combi boiler
- Grade 3 classification (EN 1646-1) for heating and thermal
- insulation (for sub-zero ambient temperatures)
- High capacity internal water pump
- Gas bottle capacity 2 x 7kg; butane/propane regulator (except 184 - 1 x 4.5kg plus 1 x 7kg)
- Standard Truma regulator

Electrical

- New Swift Command control system with Thatcham Category 6 approved pro-active tracker (subject to annual subscription)
- New Swift Command Intelligent power supply unit with LCD control panel; functions include battery selection, battery state meter, lighting and water pump circuit controls, internal & external temperature, internal humidity levels, 230V load limiter (settable between 5 amps & 16 amps), solar panel charging levels, heating controls and Bluetooth connection
- Swift Command App allows certain functions to be controlled/monitored remotely
- Fully protected mains electric system
- 230V sockets in kitchen
- 25 Amp charger/transformer
- Ultra low energy lighting system:
- Dimmable LED spotlights
- 100 Ah sealed (Dir 2006/66/EC) accommodation battery
- 25 metre mains hook-up cable
 - 40W solar panel and regulator
 - Electric side-entrance step

gas/3.8kW combined

heating and water heating

- Midi-Heki skylight at the rear replaces Mini-Heki
- Loose fit carpets
- Pleated cab blinds (front and side blinds)

Luxury Pack (in addition to Living Pack)

TV aerial and dedicated TV bracket

LED swan neck cab reading lights

Pack Upgrade Options:

Driver and passenger airbags

Height adjustable passenger seat

Black cab trims (light bezels, grill & skid plate)

Vogue Pack (in addition to Driver's Pack)*

· Metallic silver paint and body coloured bumper

Vogue graphics upgrade (on top of Driver's Pack)

'Aralie Sen' woodgrain locker doors with Smoked Oak

Additional furniture trim details to window sills &

· Fresh & waste water tanks with tank fill socket

New Winter Pack (tank heaters, pipe insulation)

Interior formed decor panels to sliding & rear doors

Dual fuel heating with Truma Combi 4 1.8kW electric/4kW

Truma 'Crash Sensor Mono' regulator for en-route use of

models when the Voque pack is selected

Soft furnishing and cab seat cover upgrade (Edison scheme)

* Separate 3.5 tonne chassis upgrade is required on 122 & 144

· Captains chairs with integrated headrest and two armrests

Drivers Pack

Cruise control

Cab seat covers

Body coloured bumper

Battery shut-off switch

Electric & heated wing mirrors

LED daytime running lights

DAB radio and bluetooth

Steering wheel controls

Silver (Techno) dash Kit

Additional rear window

woodgrain accents

control panel fascia

Reversing sensors

Living Pack

16" allov wheels (15" on 115bhp)

Graphics upgrade

Cab air-conditioning

- Flyscreen to sliding entrance door
- Additional free-standing table (except 164)
- Table extension and sink flap with hinge (model specific)
- Waste bin, magazine nets & coat hooks (model specific)
- Mini-grill in sink unit
- Branded rear speakers in roof

Pack Configurations Possible:

		CAB	
HABITATION	Standard Cab	Drivers pack	Drivers and Vogue Pack
Standard	1		
Living Pack	1	1	1
Living and Luxury Pack		1	1

Additional Options:

Engine/Chassis Options

- New Fiat Euro 6 130bhp, 2.3 litre engine
- Comfort-Matic automatic gearbox with new Fiat Euro 6 130bhp, 2.3 litre engine now with ESP
- 3500kg Gross Vehicle Weight Upgrade (GVW) for 122 & 144)

Travelling Seat (Select 144, 164 & 184)

 Forward facing travelling seat frame and under chassis brackets (3500kg GVW upgrade required on the Select 144 when Living and Luxury Pack are selected)

Pull-Out Awning

Thule Omnistor awning and brackets

Bedding Upgrade

Leather and 'Swiftshield' soft furnishing scheme
Edison soft furnishing scheme (only in conjunction with Drivers Pack, standard in Vogue Pack)

01. Fiat panel van in white with daytime running lights

- 02. Metallic silver paint with body coloured bumpers and LED daytime running lights (Vogue Pack)
- 03. 16" alloy wheels (15" on 115bhp) (Vogue Pack)

06. Key fob operated remote central locking

flyscreens

(Living Pack)

08. Graceland fabric scheme

standard in Vogue Pack)

15. 50 litre Waeco compressor fridge

16. Mini grill in sink unit (Luxury Pack)

10. Dimmable LED spotlights

 Dashboard design with fully integrated factory-fit Radio/MP3 player with Bluetooth, switch-off timing adjustable up to 3 hours and roof mounted aerial (DAB and Bluetooth part of Vogue Pack)
 Captains chairs with integrated headrest, wider backrest, better

side support and improved seat comfort (Drivers pack)

08. Edison fabric scheme (only in conjunction with Drivers Pack,

12. 'Aralie Sen' high gloss locker doors with Smoked Oak inlay

13. Blown air heating with 4kW gas only Truma combi boiler

14. 2 burner hob with stainless steel sink with split glass lid

Visit swiftgroup.co.uk to...

Find a dealer

Configure your Autocruise Select

(upgrade to dual fuel heating with Truma Combi 4 1.8kW

electric/4kW gas/3.8kW combined as part of Living Pack)

07. Double glazed opening windows with cassette blinds &

11. Matt white locker doors and overlocker lighting


































ÅÅ	144	ÅΫ́	ÅÅ	144 TRAVEL	ĥ	ทู่มู่ นูนุนุน	16	4	ពុំពុំ	ĦĦ	164 TRAVEL	ĥĥĥ	ÅÅÅÅ	184	ΪÎ	ÅÅ	184 TRAVEL	ĥĥ		
						Objon .							Option I							
h	S S			5			G			R										
						Ĩ.	1													
							ų													
al O	Standard	Optional	Optional	Standard	Optional	Optional			Optional	Optional	Standard	Optional	Optional	Standard	Optional	Optional	Standard	Option		
	115 2.0ltr	130 2.3ltr	130 Auto 2.3ltr	115 2.0ltr	130 2.3ltr	130 Auto 2.3ltr		115 2.0ltr	130 2.3ltr	130 Auto 2.3ltr	115 2.0ltr	130 2.3ltr	130 Auto 2.3ltr	115 2.0ltr	130 2.3ltr	130 Auto 2.3ltr	115 2.0ltr	130 2.3lt		
	69kW @ 3600rpm	2.5iu 96kW @ 360		69kW @ 3600rpm		2.5iu 3600rpm	69kV	2.010 N @ 3600rpm	2.5iu 96kW @3		69kW @ 3600rpm	2.3iu 96kW @ 3		69kW @ 3600rpm		2.5iu 3600rpm	2.00 69kW @ 3600rpm			
	192Nm @ 1800rpm	320Nm @ 18		192Nm @ 1800rpm		a) 1800rpm		lm @ 1800rpm	•		192Nm @ 1800rpm			192Nm @ 1800rpm	-	9 1800rpm	192Nm @ 1800rpm			
		Ducato 33L			Ducato 33L			Duca	ato 35L		Du	ucato 35L		Du	ucato 35L		D	ucato 35L		
		4.04m / 13' 3"			4.04m / 13' 3"			4.04n	m/13'3"		4.04	4m / 13' 3"		4.0	4m / 13' 3"		4.	04m / 13' 3		
		2			4				2			4			2			4		
		2			3				2			3			2			4		
		6.00m / 19'8"		6.00m / 19'8"				1/20'11"			Sm / 20' 11"			6m/20'11"			6m / 20' 11			
		2.26m / 7' 5"			2.26m / 7' 5"				2.26m / 7' 5"		2.26m / 7' 5" 2.72m / 8' 11"		2.26m / 7' 5" 2.72m / 8' 11"			2.26m / 7' 5" 2.72m / 8' 11"			2.26m / 7' 5"	
		2.72m / 8' 11" Thule 6200 3.5m			2.72m / 8' 11" Thule 6200 3.5m				n / 8' 1 1" 6200 3.5m			2.72m78 11" Thule 6200 3.5m			/2m/8 11" ile 6200 3.5m			2.72m / 8' 11" Thule 6200 3.5m		
		3300kg **			3300kg **				5200 3.511 500kg			3500kg			3500kg		mu	3500kg		
*	2685kg	2715kg *	2732kg *	2765kg *	2795 kg*	2812kg *			2735kg *	2752kg*	2785kg *	2815kg *	2832kg *	2760kg	2790kg *	2807kg*	2840kg*	2870kg		
	615kg	585kg *	568kg *	535kg *	505kg *	488kg *		-	765kg *	748kg *	715kg *	685kg *	668kg*	740kg	710kg *	693kg *	660kg *	630kg		
		Okg			0kg				0kg			Okg			0kg			0kg		
		THREE			THREE			TI	HREE			THREE			THREE			THREE		
					· · · · · · · · · · · · · · · · · · ·															
																		1.22m / 5'9		
		n x 1.35m / 6'0" x 4'5"			90m / 0.54m / 5'7" x 3m x 1.35m / 6'0" x 4			1.85m x 1.3			1.70m x 0.90m / 0).54m / 5'7" x 2 .30m / 6'1" x 4			.20m / 6'1" x 3		1.70m x 0.90m /			



122

AUTOCRUISE SELECT SPECIFICATIONS

	Standard	Optional	Optional	Standard	Optional	Optional	Standard	Optional	Optional	
Fiat MultiJet Diesel Engine	115	130	130 Auto	115	130	130 Auto	115	130	130 Auto	
Engine Capacity	2.0ltr	2.3ltr	2.3ltr	2.0ltr	2.3ltr	2.3ltr	2.0ltr	2.3ltr	2.3ltr	
Engine Power	69kW @ 3600rpm	96kW @	3600rpm	69kW @ 3600rpm	96kW @	3600rpm	69kW @ 3600rpm	96kW @	3600rpm	
Engine Torque	192Nm @ 1800rpm	320Nm @	1800rpm	192Nm @ 1800rpm	320Nm @	1800rpm	192Nm @ 1800rpm	320Nm @) 1800rpm	
Chassis		Ducato 33L			Ducato 33L			Ducato 33L		
Wheel Base		4.04m / 13' 3"			4.04m / 13' 3"			4.04m / 13' 3"		
Seat Belts (inc. driver)		2			2			4		
Berths (Sleeping Positions)		2			2		3			
Overall Length (No Ladder)		6.00m / 19' 8"			6.00m / 19' 8"		6.00m / 19' 8"			
Overall Body Width (Mirrors folded)		2.26m / 7' 5"			2.26m / 7' 5"		2.26m / 7' 5"			
Overall Height		2.72m/8'11"			2.72m/8'11"		2.72m/8'11"			
Standard Awning		Thule 6200 3.5m			Thule 6200 3.5m		Thule 6200 3.5m			
Maximum Technical Permissible Laden Mass (A)		3300kg **			3300kg **			3300kg **		
Mass in Running Order (B)	2715kg	2745kg *	2762kg *	2685kg	2715kg *	2732kg *	2765kg *	2795 kg*	2812kg *	
Maximum User Payload (A-B)	585kg	555kg *	538 kg *	615kg	585kg *	568kg *	535kg *	505kg *	488kg *	
Essential Habitation Equipment		0kg			0kg			0kg		
Thermal Insulation Grade		THREE			THREE			THREE		
BED SIZES										
Front Double										
Front Offside Single							1.70m x 0.9	90m / 0.54m / 5'7" x	2'11" / 1'9"	
Rear Double	-	6m x 1.88m / 6'1" x 6		1.8	3m x 1.35m / 6'0" x 4	1'5"	1.83m x 1.35m / 6'0" x 4'5"			
Rear Single Offside	-	8m x 0.65m / 6'2" x 2								
Rear Single Nearside	1.8	8m x 0.65m / 6'2" x 2	2'2"							

ពុំពុំ

 Θ

QQ

General Notes

- 1. The Maximum User Payload includes:
- a) the conventional load (this is the allowance for passengers)
- b) essential habitation equipment (items and fluids required for safe and proper functioning of habitation equipment)
- c) optional equipment (items available from the manufacturer over and above the standard specification)
- d) personal effects (those items not covered by the above)
- 2. The Mass in Running Order is the mass of the unladen vehicle including a 75kg allowance for the driver plus engine coolants and 90% of the fuel tank capacity and 1 x 6kg Calor Lite LPG cylinder.

The MRO is calculated with the fresh water tank empty. If you travel with water in the fresh water tank then the payload will reduce accordingly.

- 3. Please take care to ensure that you have allowed for the masses of all items you intend to carry in the motor caravan, e.g. passengers, optional equipment, essential habitation equipment and personal effects, such as clothing, food, pets, bicycles, sailboards, sports equipment etc.
- 4. Warning under no circumstances should the maximum technical permissible laden mass of this motor caravan be exceeded.
- Estimated

Upgrade Pack Option Weights and Notes

Drivers Pack	10kg
Drivers and Vogue Pack	45kg
Living Pack	43kg
Living and Luxury Pack	110kg

- ** 3500kg chassis upgrade required on 122, 144 & 144 Travel when Vogue Pack selected. 3500kg chassis upgrade required on 144 Travel when Living and Luxury Pack are selected.
- 1. The payload that can be carried will reduce by the mass of the options selected.
- 2. The option of an increase in the MTPLM on the Select 122, 144 & 144 Travel will increase the payload by 200kg (3300kg to 3500kg). The MRO will remain the same. For any further additional specification see the option weights to calculate the final MRO.

eg. On the Select 122, 144 & 144 Travel the payload will increase by 155kg when selecting the Drivers and Vogue pack as the MTPLM increases by 200kg. (200kg less 45kg = 155kg)

3. Please note that the mass of the passengers is included in the payload and therefore this must be taken into consideration when loading a vehicle with the 'Travel' option.

FABRIC OPTIONS

It is possible to select alternative fabric options within certain ranges.



SwiftShield upholstery scheme SwiftShield fabric has a soft suede type feel and has been treated during manufacturing to resist stains. It is very easy to clean and just requires a soft cloth dampened with water to remove most stains. SwiftShield is exclusive to Swift Group, you can find out more on Swift TV. www.swiftty.co.uk



Pebble (976) and Cocoa (936) SwiftShield Optional in Escape and Rio

Latte (908) and Cocoa (936) SwiftShield Optional in Bessacarr




'Winchester Leather' upholstery scheme Optional in Bolero and Kon-tiki

VALUE ADDED PARTNERS



Duvalay Duvalite is an innovative mattress made with lightweight memory fibre technology. This hypoallergenic fibre remains as comfortable as memory foam but has many other benefits. Helping eliminate heat retention it gives superior temperature harmony, excellent pressure relief and is durable and resilient. It is resistant to dust mites and is 100% recyclable. Being ultra lightweight it also contributes to significant weight savings.







'Edison' upholstery scheme Optional in Autocruise

Leather and Stone (960) SwiftShield upholstery scheme Optional in Autocruise



Truma

Swift Group work in partnership with Truma and Alde, the manufacturers of the heating systems installed in our motorhomes. This partnership sees both teams challenging each other to deliver the best kit/equipment at the best price for the motorhome ranges. Truma and Alde also carry out cold chamber testing of the products to prove they meet the Grade 3 standard for heating and insulation.





Swift recommend Oyster satellite TV and broadband. Your favourite TV channels at home and on the continent at the touch of a button. Permanently mounted dishes fold away neatly when travelling then raise and locate the satellite signal automatically seconds after activation. Made in Germany. 3 year warranty and UK service centre.

Dometic

Fitted exclusively for Swift Group in all 2017 coachbuilt models is the new Dometic CU600 oven. This has improved oven performance including: reduced cooking time, improved cooking uniformity, improved grill performance and a sleeker design.



All Swift Group coachbuilt motorhomes are now fitted as standard with fixing bars on the rear panel designed to take an optional Thule rear mounted two cycle rack.

CHOSEN CHARITY



Swift Group are proud to support a charity local to them called the Daisy Appeal. The Daisy appeal is giving loved ones faster, more accurate, diagnosis of three of the region's biggest killers - cancer, heart disease, and dementia.

The Charity's aim is to provide a world-class PET-CT scanning facility which will provide a comprehensive clinical service alongside an ambitious clinical research programme exploring new applications of imaging techniques.

Currently in the UK, most PET-CT scanning is carried out on cancer patients. However, it has great potential in various heart, neurological and other diseases. Many of these will necessitate the use of short halflife radioactive 'markers' which will need to be manufactured on site. Hence the requirement of a purpose built cyclotron, radiochemistry and radiopharmacy facility.

For every caravan, motorhome and holiday home sold, Swift Group make a donation to the Daisy Appeal, helping them to reach their goal of becoming the UK's number one PET-CT service.

To find out more visit www.daisyappeal.org