










## // Centro Stile Mobilvetta V CONCEPT V-concept

We came up with the V-Concept with the desire to highlight all the elements that have always distinguished the Mobilvetta brand. Craftsmanship, design, style and elegance combined beneath the distinctive Mobilvetta V. The V Concept is to be found in the design of the wall units in continuity with the ceiling panels of the modern Yachts, in the armrests of the V-Sofa and in the upstands of the tops for kitchen and bathroom.




















ELEMENTS OF THE


#### DESIGN



































# MOTORHOME




Concept by Centro Stile Mobilvetta






#### // FOUR DIFFERENT STYLES FOR EXPERIENCING

#### DESIGN










# THE TEKNO DESIGN DAY AREA

#### // Concept


We started with the idea of bringing a genuine home sofa into the leisure vehicle as a development to the conventional L-shaped dinette: we designed an ergonomic two-seater sofa with armrests for the utmost comfort when travelling and relaxing.

#### // Multifunction

The table with book-type opening, which can be moved and rotated 360°, permits maximum functionality in supporting for various activities, from reading a magazine to a comfortable meal for several people.








## THE DAY // AREA
































Movable dinette table

**Storage compartment** 

180°swivel cabin seats


# THE TEKNO DESIGN KITCHEN AREA

#### // Concept

We worked the V Concept into the spaces of the kitchen, shaping the top into a continuous surface which, thanks to the LIGHT STONE single-piece forming technology, allowed us to extend it to create the back and seat of the dinette

#### // Multifunction

Studying the design for the worktop allowed us to create a maxi sink equipped with two flush covers: the larger one can be turned over for use as a cutting board, and the smaller as an additional top to fix to the wall, while together they create a large support surface. The shaped stainless steel utensil holder becomes a handy drip tray to insert in the sink for food preparation.




 $_{3}$ 



# // BEWITCHING RATIONALITY YOU CAN CONFIGURE THE KITCHEN AS YOU WISH SUPPORT BASE ALWAYS AVAILABLE




































# THE TEKNO DESIGN NIGHT AREA

#### // Concept


Enveloping, welcoming space for resting. Marine ceiling panel in continuity with the wall units and headboards

#### // Multifunction


The surfaces of the bedside tables and base of the bed are covered in eco leather to ensure maximum comfort when moving around at night.









Greater comfort when sleeping
Anti-mite treatment
Washable


































# THE TEKNO DESIGN TOILETTE AREA

// Concept


We worked the V Concept into the toilette area, making the top out of LIGHT STONE: the sink, toothbrush holder and liquid soap dispenser are integrated with its sinuous profile.

// Multifunction

The wall-mounted mixer can be rotated to free up space for accessing the sink. We also created a heated vertical compartment with pull-out towel holder from the top's upstand.









#### THE TOILETTE // AREA








# THE TOILETTE // AREA








### THE TOILETTE









# THE TOILETTE // AREA

















Courtesy lights above wall units LED lighting on the column LED lighting on kitchen panel **Brightness** regulator

Backlit handle

Night light markers at base of rear bed

Night light marks





Brightness Blue courtesy light Courtesy lights regulator (Night Light) above wall units



Backlit handle

Night light marks





Frame of LED lights for mirror Courtesy lights above wall units LED lighting under drop-down bed

Night light markers at base of rear bed

Night light marks

### 50.000 ABRASION CYCLES // THE ELEGANCE OF ITALIAN FABRIC The fabric selection is an important detail in the Mobilvetta interior design. The Company is constantly searching for high-quality and functional fabric to match any kind of need. The materials of the seating, the curtains, the headboards and storage pockets are matching with each other, enhancing the elegance and the pure Italian design. All selected fabrics are easy to wash, stain resistant and with anti-mite treatment. The comfortable padding is in polyurethane foam and non-deformable.

# MOBILVETTA // FABRIC VARIANTS























### K. Silver i













### // FLOOR HEATING

oor heating with self-regulating polymeric heating ables.\* Heat spread over the whole area.

- Energy efficiency and costs saving
- No risk of overheating
- Automatically adapted heat emission
   (OPT KEA M, KEA P, K-Silver / STD K-Yacht Tekno Line and K-Yacht Tekno Design)




(\*) By heated folie on K-Yacht Tekno Design.



#### CP PLUS

Central heating system control board Boost function for both a fast water and environmen heating. Timer Heat regulator.



#### WINTER PACK

Waste water tank coated with 20 mm insulating material and with anti-freezing resistor (KEAP, KEA M, K-Yacht Tekno Line and K-Silver).





#### THE WINDSHIELD

Windshield with double function: defroster in winter season and solar heat protection during the summer (OPT K-Yacht Tekno Line and K-Yacht Tekno Design).





### DASHBOARD / WINDSHIELD PROTECTION

Greater windshield protection against cold/heat. Greater protection against cold draughts inside the passenger compartment (OPT).


# // THE BODY STRUCTURE



- □ Waterproofing
- Heat insulation
- □ Stability
- □ Easy maintenance
- □ Hight mechanical strenght
- □ Lighter walls
- □ Better soundproofing









### // Side, rear walls & roof

Wood-free supporting frame made of newly designed plastic resins. Fibreglass underbody coupled with non-slip PVC highly resistant to abrasion. Lighter structure and higher mechanical strength than the traditional wooden panels. Elimination of thermal bridges generated by the wood with higher heat insulation. Easy maintenance. Frame assembly with sound-absorbing materials for a better soundproofing.



### // The floor structure

Wood-free supporting frame. Exclusive design profiles with high strength thermosetting resin composites. Exterior and interior fibreglass coating. Waterproofing, elimination of thermal bridges generated by the wood. Structure made of extruded materials with higher heat insulation. Industrial type assembly to ensure high quality standards.



### // Connection roof / wall

Reinforced aluminum profiles, with 160 mm radius. High strength to the structure. Higher heat isolation and stability. Only for Kea P, K-Yacht Tekno Design and K-Yacht Tekno Line range foreseen.

# MOBILVETTA // STORAGE




### // THE STORAGE COMPARTMENTS ON

### **CHASSIS CAB VERSIONS**





















2 Large storage drawers.



**3** There are practical storage and bottle compartments in the surface of the floor.








**6** External storage integrated on the sideskirts.

97




## // THE STORAGE COMPARTMENTS ON CHASSIS MOTORHOME


### K.Silver i














**1** Locker with load platform flush with no step. Garage with lighting.




2 Large storage drawers.




3 There are practical storage and bottle compartments in the surface of the floor.








**5** Great storage in side sofa.





AL-KO frame with double pass-through floor K Yacht Tekno Line.



**3** AL-KO frame with double pass-through floor K-Yacht Tekno Design.


# MOBILVETTA // DOUBLE FLOOR



- **1** AMC lowered frame with modular construction system featuring low weigth
- 2 Hot-galvanised frame
- 3 Axle with wider track
- 4 Torsion bar axle
- 5 Independent wheel suspensions



- 1 Bottom floor
- 2 Upper floor reinforcement structure
- 3 Drain water tank housing compartment
- 4 Fresh water tank housing compartment
- 5 Technical compartment for electric system



- 1 Technical volume of tank located on the rear axle (lower centreline effect)
- 2 Volume of rear locker (layout with garage)
- 3 Volume of front pass-through locker
- 4 Access to the pass-through locker (RH side)
- **5** Access to the pass-through locker (LH side)

101



# // Test Drive-Track in Vairano di Vidigulfo

Recreational vehicles aren't cars, and that's exactly why you need to know how to react in emergency conditions to drive them safely. And that's why Mobilvetta has organised the first safe driving course for leisure vehicles.









Koaanolaing









### // STANDARD MECHANICAL EQUIPMENT

K.Silver i	Kyacht	Kyacht minomin
Passenger Air-Bag	Passenger Air-Bag	Passenger Air-Bag
Cab manual Air conditioning	Cab manual Air conditioning	Cab manual Air conditioning
Cruise Control	Cruise Control	Cruise Control
Alloy wheels 16 "inches	Esp And Traction+ With Hill Descent	Esp And Traction+ With Hill Descent
Electric rear view mirrors with defroster	High Level Dashboard	High Level Dashboard
Radio presetting-radio and loudspekers pre-setting	Loungetrim Level (Dashboard with Bronze decoration)	Loungetrim Level (Dashboard with Bronze decoration)
Cup Holder	Leather Steering wheel and gear box knob	Leather Steering wheel and gear box knob
Swivel frontseats	Alloy wheels 16 " inches	Alloy wheels 16 " inches
Radio aerial integrated in the mirror	Electric rear view mirrors with defroster	Electric rear view mirrors with defroster
LED DRL	Radio presetting-radio and loudspekers pre-setting	Radio presetting-radio and loudspekers pre-setting
	Cup Holder	Cup Holder
	Swivel frontseats	Swivel frontseats
	Radio aerial integrated in the mirror	Radio aerial integrated in the mirror
	LED DRL	LED DRL

### // OPTIONAL MECHANICAL EQUIPMENT

K.Silver i	Kyacht	K. Jacht
Automatic Air-Conditioning	Automatic Air-Conditioning	Automatic Air-Conditioning
Esp And Traction+ With Hill Descent	Steering wheel radio controls (Bluetooth Radio)	Steering wheel radio controls (Bluetooth Radio)
High Level Dashboard	Bluetooth Radio	Bluetooth Radio
Techno Trim Level (Dashboard with silver decoration)	High-level Radio (Radio steeringwheel control incl)	High-level Radio (Radio steeringwheel control incl)
Steering wheel radio controls	High-level Radio - Tom Tom Navi (Radio steeringwheel control incl)	High-level Radio - Tom Tom Navi (Radio steeringwheel control incl)
Bluetooth Radio	Automatic Gearbox	Automatic Gearbox
High-level Radio (Radio steeringwheel control incl)		
High-level Radio - Tom Tom Navi (Radio steeringwheel control incl)		
Steering wheel and gear box knob leather		
Automatic Gearbox		

### // STANDARD MECHANICAL EQUIPMENT

Kea M	Kea P	KSilver
Passenger Air-Bag	Passenger Air-Bag	Passenger Air-Bag
Cab manual Air conditioning	Cab manual Air conditioning	Cab manual Air conditioning
Cruise Control	Cruise Control	Cruise Control
Black Grill	Black Grill	Black Grill
Black Skidplate	Black Skidplate	Black Skidplate
Electric rear view mirrors with defroster	Electric rear view mirrors with defroster	Electric rear view mirrors with defroster
Radio presetting-radio and loudspekers pre-setting	Radio presetting-radio and loudspekers pre-setting	Radio presetting-radio and loudspekers pre-setting
Frontbumper in white	Frontbumper in white	Frontbumper in white
Cup Holder	Cup Holder	Cup Holder
Swivel frontseats	Swivel frontseats	Swivel frontseats
Radio aerial integrated in the mirror	Radio aerial integrated in the mirror	Radio aerial integrated in the mirror

### // OPTIONAL MECHANICAL EQUIPMENT

Kea M	Kea P	KSilver
Automatic Air-Conditioning	Automatic Air-Conditioning	Automatic Air-Conditioning
Esp And Traction+ With Hill Descent	Esp And Traction+ With Hill Descent	Esp And Traction+ With Hill Descent
High Level Dashboard	High Level Dashboard	High Level Dashboard
Techno Trim Level (Dashboard with silver decoration)	Techno Trim Level (Dashboard with silver decoration)	Techno Trim Level (Dashboard with silver decoration)
Steering wheel radio controls (Bluetooth Radio)	Steering wheel radio controls (Bluetooth Radio)	Steering wheel radio controls (Bluetooth Radio)
Bluetooth Radio	Bluetooth Radio	Bluetooth Radio
High-level Radio (Radio steeringwheel control incl)	High-level Radio (Radio steeringwheel control incl)	High-level Radio (Radio steeringwheel control incl)
High-level Radio - Tom Tom Navi (Radio steeringwheel control incl)	High-level Radio - Tom Tom Navi (Radio steeringwheel control incl)	High-level Radio - Tom Tom Navi (Radio steeringwheel control incl)
Steering wheel and gear box knob leather	Steering wheel and gear box knob leather	Steering wheel and gear box knob leather
Alloy wheels 16 " inches	Alloy wheels 16 " inches	Alloy wheels 16 " inches
LED DRL	LED DRL	LED DRL
Fog lights	Fog lights	Fog lights
Automatic Gearbox	<b>Automatic Gearbox</b>	<b>Automatic Gearbox</b>
Painted door handles	Painted door handles	Painted door handles
Metallic painting	Metallic painting	Metallic painting






K-Yacht TD **79** // 7,44 MT






Model		MH-79
Chassis	Weight	FIAT Ducato X290 cc.2300 Multijet
	OPT	(Opt: AL-KO)
Number of beds		4
Approved seats (3500 kg)		4
Approved seats (3650 kg)		4
5th homologated seat in running order	94.0	




K-Yacht TD **85** // 7,44 MT





Model		MH-85
Chassis	Weight	FIAT Ducato X290 cc.2300 Multijet
	OPT	(Opt: AL-KO)
Number of beds		4
Approved seats (3500 kg)		4
Approved seats (3650 kg)		4
5th homologated seat in running order	94,0	




K-Yacht TD 89 // 7,44 MT





Model		MH-89
Chassis	Weight	FIAT Ducato X290 cc.2300 Multijet
	OPT	(Opt: AL-KO)
Number of beds		4
Approved seats (3500 kg)		4
Approved seats (3650 kg)		4
5th homologated seat in running order	94,0	



### // ALL AS **STANDARD**











External storage integrated on the sideskirts.
















Functional storage compartment.


















Ornamental LED lighting.

		K-YACHT Tekno Design	K-YACHT Tekno Design	K-YACHT Tekno Design
Nodel		MH-79	MH-85	MH-89
Chassis	Weight OPT	FIAT Ducato X290 cc.2300 Multijet (Opt: AL-KO)	FIAT Ducato X290 cc.2300 Multijet (Opt: AL-KO)	FIAT Ducato X290 cc.2300 Multijet (Opt: AL-KO)
ower HP		130 150 180	130 150 180	130 150 180
ower kW		96 110 130	96 110 130	96 110 130
Maximum permissible mass kg (*)		3500 / 3650	3500 / 3650	3500 / 3650
otal mass in running order kg		3158 / 3257	3158 / 3257	3158 / 3257
Max. user payload kg.		342 / 393	342 / 393	342 / 393
nax. Towing capacity kg (braked)		2000	2000	2000
Maximum allowed mass kg (chassis Heavy 130cv/150-180cv)	40,0	4250 / 4400	4250 / 4400	4250 / 4400
leated windshield (only MOTORHOME)	1,0	Opt	Opt	Opt
Rear parking sensors	2,0	Opt	Opt	Opt
OUNGETRIM LEVEL (bronze dashboard)	1,0	STD	STD	STD
Automatic gear box	18,0	Opt	Opt	Opt
Manual cab air conditionig		STD	STD	STD
Automatic cab air conditioning	0,0	Opt	Opt	Opt
resh water tank Lt. (total capacity when stopped)		120 Lit.	120 Lit.	120 Lit.
resh water tank Lt. (total capacity when on the way) **		20 Lit.	20 Lit.	20 Lit.
Vaste water tank Lt.		125 Lit.	100 Lit.	100 Lit.
hree-way fridge Lt.		150 Lit.	150 Lit.	150 Lit.
Oven	14,0	Opt	Opt	Opt
Heating system / Heater with air ventilation		COMBI 6	COMBI 6	COMBI 6
leating system COMBI Diesel / COMBI EH	2,0	Opt	Opt	Opt
Heated floor	7,0	STD	STD	STD
ront transparent rooflight (40x40 cm) / drop-down bed		STD	STD	STD
ront Rooflight MIDI-HEKI, (50x70 cm)		STD	STD	STD
ransparent rooflight (40x40 cm) (kitchen area)		STD	STD	STD
urbovent (40 x 40 cm) (kitchen area)	1,0	Opt	Opt	Opt
ransparent rooflight (28x28 cm) (bathroom)		STD	STD	STD
Rear Rooflight MIDI-HEKI, (50x70 cm)		STD	STD	STD
Dinette table with 360 ° rotation		STD	STD	STD
Rear bed electrically adjustable		STD		STD
Matress cover	2,0	Opt	Opt	Opt
intrance door with mosquito net, window and dustbin		STD	STD	STD
Carpet living area	7,0	Opt	Opt	Opt
Pres-seting for rear-camera / Rear camera	1,0	STD / Opt	STD / Opt	STD / Opt
COLD KIT (Outisde mats for cabin + dashboard mats)	8,0	Opt	Opt	Opt
olar Panel 120W + REGULATOR	11,0	Opt	Opt	Opt
xternal mirror with camera	1,0	Opt	Opt	Opt
Prewiring second battery	0,5	Opt	Opt	Opt
iee				
) Calculated mass on light 130 hp				
*) Pls. Check 20 lts. filling before driving				
**) WINTER PACK: Insulated waste water tank and exaust valve with antifreezing resistor				






K-Yacht TKL **79** // 7,43 MT






Model		MH-79
Chassis	Weight OPT	FIAT Ducato X290 cc.2300 Multijet (Opt: AL-KO)
Number of beds		4
Approved seats (3500 kg)		4
Approved seats (3650 kg)		4
5th homologated seat in running order	94.0	Opt (3650 kg)




K-Yacht TKL 80 // 6,99 MT







Model		MH-80
Chassis	Weight OPT	FIAT Ducato X290 cc.2300 Multijet
Number of beds		4
Approved seats (3500 kg)		4
Approved seats (3650 kg)		4
5th homologated seat in running order	94,0	Opt (3650 kg)



K-Yacht TKL 85 // 7,38 MT






Model		MH-85
Chassis	Weight OPT	FIAT Ducato X290 cc.2300 Multijet (Opt: AL-KO)
Number of beds		4
Approved seats (3500 kg)		4
Approved seats (3650 kg)		4
5th homologated seat in running order	94,0	Opt (3650 kg)



K-Yacht TKL 89 // 7,43 MT



Model		MH-89
Chassis	Weight OPT	FIAT Ducato X290 cc.2300 Multijet (Opt: AL-KO)
Number of beds		4
Approved seats (3500 kg)		4
Approved seats (3650 kg)		4
5th homologated seat in running order	94,0	Opt (3650 kg)




### // ALL AS **STANDARD**




































Brightness regulator.











Power FIP			K-YACHT Tekno Line	K-YACHT Tekno Line	K-YACHT Tekno Line	K-YACHT Tekno Line				
Chassis   Wealth   Charles   Charl	Model		MH-79	MH-80	MH-85	MH-89				
Prover KW	Chassis		cc.2300 Multijet		cc.2300 Multijet	,				
Maximum permissible mass kg (*)  Total mass is nrunning order kg	Power HP		130 150 180	130 150 180	130 150 180	130 150 180				
Total mass in running order kg	Power kW		96 110 130	96 110 130	96 110 130	96 110 130				
Max. user payload kg 342/393 338/487 342/393 342/393 342/393 max. Towing capacity kg (braked) 2000 2000 2000 2000 2000 2000 2000	Maximum permissible mass kg (*)		3500 / 3650	3500 / 3650	3500 / 3650	3500 / 3650				
max. Towing capacity kg (braked)	Total mass in running order kg		3158 / 3257	3162 / 3163	3158 / 3257	3158 / 3257				
Maximum allowed mass kg (chassis Heavy 130cv/150-180cv)         40,0         4250 / 4400         4250 / 4400         4250 / 4400           Heated windshield (only MOTORHOME)         1,0         Opt         Opt <td>Max. user payload kg.</td> <td></td> <td>342 / 393</td> <td>338 / 487</td> <td>342 / 393</td> <td>342 / 393</td>	Max. user payload kg.		342 / 393	338 / 487	342 / 393	342 / 393				
Heated windshield (only MOTORHOME)	max. Towing capacity kg (braked)		2000	2000	2000	2000				
Rear parking sensors   2,0	Maximum allowed mass kg (chassis Heavy 130cv/150-180cv)	40,0	4250 / 4400	4250 / 4400	4250 / 4400	4250 / 4400				
LOUNGETRIM LEVEL (bronze dashboard)	Heated windshield (only MOTORHOME)	1,0	Opt	Opt	Opt	Opt				
Steel wheels 16" (Std. On chasis Heavy)   3.0	Rear parking sensors	2,0	Opt	Opt	Opt	Opt				
Automatic gear box  18,0 Opt Opt Opt Opt Opt Opt STD	LOUNGETRIM LEVEL (bronze dashboard)	1,0	STD	STD	STD	STD				
Manual cab air conditioning          STD         STD         STD         STD         STD         ATD           Automatic cab air conditioning         0,0         Opt         Into Lit.         120 Lit.         20 Lit.         20 Lit.         20 Lit.         20 Lit.         120 Lit.	Steel wheels 16 "(Std. On chasis Heavy)	3,0								
Automatic cab air conditioning 0,0 Opt Opt Opt Opt Opt Opt Presh water tank Lt. (total capacity when stopped) 120 Lit. 120 Lit	Automatic gear box	18,0	Opt	Opt	Opt	Opt				
Fresh water tank Lt. (total capacity when stopped) 120 Lit. 110 Lit. 150	Manual cab air conditionig		STD	STD	STD					
Fresh water tank Lt. (total capacity when on the way) **  20 Lit. Waste water tank - Lt. 110 Lit. 11	Automatic cab air conditioning	0,0	Opt	Opt	Opt	Opt				
Waste water tank - Lt.          110 Lit.         150 Lit.	Fresh water tank Lt. (total capacity when stopped)		120 Lit.	120 Lit.	120 Lit.	120 Lit.				
Three-way fridge L.	Fresh water tank Lt. (total capacity when on the way) **		20 Lit.	20 Lit.	20 Lit.	20 Lit.				
Oven         14,0         Opt         Opt         Opt         Opt           Heating system / Heater with air ventilation          COMBI 6         COMB 16         COMB 16         COMB 16         COMB 16	Waste water tank - Lt.		110 Lit.	110 Lit.	110 Lit.	110 Lit.				
Heating system / Heater with air ventilation	Three-way fridge L.		150 Lit.	150 Lit.	150 Lit.	150 Lit.				
Heating system COMBI Diesel/COMBI EH	Oven	14,0	Opt	Opt	Opt	Opt				
Heated floor	Heating system / Heater with air ventilation		COMBI 6	COMBI 6	COMBI 6	COMBI 6				
Front transparent rooflight (40x40 cm) / drop-down bed  STD STD STD STD STD  Front Rooflight HEKI III (60x90 cm)  6,0 STD	Heating system COMBI Diesel/COMBI EH	2,0	Opt	Opt	Opt	Opt				
Front Rooflight HEKI III (60x90 cm) 6,0 STD STD STD Tansparent rooflight (40x40 cm) (kitchen area) STD	Heated floor	7,0	STD	STD	STD	STD				
Transparent rooflight (40x40 cm) (kitchen area)	Front transparent rooflight (40x40 cm) / drop-down bed		STD	STD	STD	STD				
Transparent rooflight (28x28 cm) (bathroom)  STD STD STD STD STD  Rear Rooflight MIDI-HEKI, (50x70 cm)  STD STD STD STD STD  Rear Rooflight HEKI 3 (60x90 cm)  6,0 Opt Opt Opt Opt Opt  Rear bed electrically adjustable  STD STD STD  STD  Matress cover  2,0 Opt Opt Opt Opt Opt  Entrance door with mosquito net, window and dustbin  STD STD STD STD STD  Carpet living area  7,0 Opt Opt Opt Opt Opt  Pres-seting for rear-camera / Rear camera  1,0 STD / Opt STD / Opt STD / Opt  COLD KIT (Outisde mats for cabin + dashboard mats)  8,0 Opt Opt Opt Opt Opt  Solar Panel 120W + REGULATOR  11,0 Opt Opt Opt Opt  ***) Pls. Check 20 lts. filling before driving  ****) Pls. Check 20 lts. filling before driving  ****) WINTER PACK: Insulated waste water tank and exaust valve with antifreezing	Front Rooflight HEKI III (60x90 cm)	6,0	STD		STD					
Rear Rooflight MIDI-HEKI, (50x70 cm)  Rear Rooflight MIDI-HEKI, (50x70 cm)  Rear Rooflight HEKI 3 (60x90 cm)  Rear Bod electrically adjustable  STD STD STD STD  Matress cover  2,0 Opt	Transparent rooflight (40x40 cm) (kitchen area)			STD						
Rear Rooflight HEKI 3 (60x90 cm)  Rear bed electrically adjustable  STD STD STD  Matress cover  2,0 Opt Opt Opt Opt Opt  Entrance door with mosquito net, window and dustbin  STD STD STD STD STD  Carpet living area  7,0 Opt Opt Opt Opt Opt  Pres-seting for rear-camera / Rear camera  1,0 STD / Opt STD / Opt STD / Opt  COLD KIT (Outisde mats for cabin + dashboard mats)  8,0 Opt Opt Opt Opt Opt  Solar Panel 120W + REGULATOR  11,0 Opt Opt Opt Opt  See  ***) Calculated mass on light 130 hp  ****) Pls. Check 20 lts. filling before driving  ****) WINTER PACK: Insulated waste water tank and exaust valve with antifreezing	Transparent rooflight (28x28 cm) (bathroom)		STD	STD	STD	STD				
Rear bed electrically adjustable  STD STD	Rear Rooflight MIDI-HEKI, (50x70 cm)		STD	STD	STD	STD				
Matress cover 2,0 Opt Opt Opt Opt Opt Opt Opt Entrance door with mosquito net, window and dustbin STD STD STD STD STD Opt	Rear Rooflight HEKI 3 (60x90 cm)	6,0	Opt	Opt	Opt	Opt				
Matress cover 2,0 Opt Opt Opt Opt Opt Opt Opt Entrance door with mosquito net, window and dustbin STD STD STD STD STD Opt	Rear bed electrically adjustable		STD	STD		STD				
Carpet living area 7,0 Opt Opt Opt Opt Pres-seting for rear-camera / Rear camera 1,0 STD / Opt STD / Opt STD / Opt STD / Opt COLD KIT (Outisde mats for cabin + dashboard mats) 8,0 Opt Opt Opt Opt Opt Solar Panel 120W + REGULATOR 11,0 Opt Opt Opt Opt Opt See *) Calculated mass on light 130 hp ***) Pls. Check 20 lts. filling before driving *****) WINTER PACK: Insulated waste water tank and exaust valve with antifreezing		2,0	Opt	Opt	Opt	Opt				
Pres-seting for rear-camera / Rear camera  1,0 STD / Opt STD / Opt STD / Opt  COLD KIT (Outisde mats for cabin + dashboard mats)  8,0 Opt Opt Opt Opt  Solar Panel 120W + REGULATOR  11,0 Opt Opt Opt Opt  See  *) Calculated mass on light 130 hp  **) Pls. Check 20 lts. filling before driving  ***) WINTER PACK: Insulated waste water tank and exaust valve with antifreezing	Entrance door with mosquito net, window and dustbin			STD		STD				
Pres-seting for rear-camera / Rear camera  1,0 STD / Opt STD / Opt STD / Opt  COLD KIT (Outisde mats for cabin + dashboard mats)  8,0 Opt Opt Opt Opt  Solar Panel 120W + REGULATOR  11,0 Opt Opt Opt Opt  Opt  Opt  **) Calculated mass on light 130 hp  ***) Pls. Check 20 lts. filling before driving  ***) WINTER PACK: Insulated waste water tank and exaust valve with antifreezing	Carpet living area	7,0	Opt	Opt	Opt	Opt				
Solar Panel 120W + REGULATOR  11,0 Opt Opt Opt Opt Opt  Opt  Opt  * Opt Opt Opt  Opt	Pres-seting for rear-camera / Rear camera	1,0	STD / Opt	STD / Opt	STD / Opt					
Solar Panel 120W + REGULATOR  11,0 Opt Opt Opt Opt Opt  Opt  Opt  Opt  *) Calculated mass on light 130 hp  **) Pls. Check 20 lts. filling before driving ***) WINTER PACK: Insulated waste water tank and exaust valve with antifreezing	COLD KIT (Outisde mats for cabin + dashboard mats)	8,0	Opt	Opt	Opt	Opt				
See *) Calculated mass on light 130 hp  **) Pls. Check 20 lts. filling before driving  ***) WINTER PACK: Insulated waste water tank and exaust valve with antifreezing	Solar Panel 120W + REGULATOR									
*) Calculated mass on light 130 hp  **) Pls. Check 20 lts. filling before driving  ***) WINTER PACK: Insulated waste water tank and exaust valve with antifreezing										
**) Pls. Check 20 lts. filling before driving  ***) WINTER PACK: Insulated waste water tank and exaust valve with antifreezing										
***) WINTER PACK: Insulated waste water tank and exaust valve with antifreezing										
	***) WINTER PACK: Insulated waste water tank and exaust valve with antifreezing									
	Weight OPT									






K-Silver i **56** // 7,40 MT





		K-SILVER i
Model		MH-56
Chassis	Weight OPT	FIAT Ducato X290 cc.2300 Multijet
Number of beds		4
Approved seats (3500 kg)		4
Approved seats (3650 kg)		4
5th homologated seat in running order	94.0	Opt




K-Silver i **58** // 7,40 MT





	K-SILVER i							
Model		MH-58						
Chassis	Weight OPT	FIAT Ducato X290 cc.2300 Multijet						
Number of beds		4						
Approved seats (3500 kg)		4						
Approved seats (3650 kg)		4						
5th homologated seat in running order	94,0	Opt						




K-Silver i **59** // 7,40 MT





		K-SILVER i
Model		MH-59
Chassis	Weight OPT	FIAT Ducato X290 cc.2300 Multijet
Number of beds		4
Approved seats (3500 kg)		4
Approved seats (3650 kg)		4
5th homologated seat in running order	94,0	Opt











Entrance door with window, blinder, integrated dustbin and pleated sliding mosquito net.

























MA)			1		
	ox in surface of the floor. Insulated storage nent and container.	Sofa with adjustable headrest.		Night Light Marks.	Mobilvetta

		MH-56		MH-58			MH-59		
Chassis	Weight OPT	FIAT Duca		FIAT Ducato X290 cc.2300 Multijet			FIAT Ducato X290 cc.2300 Multijet		
Power HP		130 150	180	130	150	180	130	150	180
Power kW		96 110	130	96	110	130	96	110	130
Maximum permissible mass kg (*)		3500 /	3650	35	500 / 36	650	3500 / 3650		
Total mass in running order kg		3158/	3163	31	158/3	163	3	158 / 3	163
Max. user payload kg.		342 /	487	3	342 / 48	87		342 / 4	87
max. Towing capacity kg (braked)		200	00		2000			2000	)
Maximum allowed mass kg (chassis Heavy 130cv/150-180cv)	40,0	4250 /	4400	42	250 / 44	400	4	250 / 4	400
Heated windshield (only MOTORHOME)	1,0	Ор	t		Opt			Opt	
Rear parking sensors	2,0	Ор	t		Opt			Opt	
TECHNOTRIM LEVEL (silver dashboard)	1,0	Ор	t		Opt			Opt	
Alloy wheels 15"									
Alloy wheels (16 " only)	3,0	STI	D		STD			STD	
Automatic gear box	18,0	Ор	t		Opt			Opt	
Manual cab air conditionig		STI	D		STD			STD	
Automatic cab air conditioning	0,0	Ор	t		Opt		Opt		
Fresh water tank Lt. (total capacity when stopped)		120	Lit.		120 Li	Lit. 120 Lit.			t.
Fresh water tank Lt. (total capacity when on the way) **		20 L	.it.		20 Lit. 20 Lit.			t.	
Waste water tank Lt.		110	Lit.		110 Li	t.	. 110 Lit.		
Three-way fridge Lt.		150	Lit.		150 Li	t.	150 Lit.		
Oven	14,0	Ор	t		Opt		Opt		
Heating system / Heater with air ventilation		COM	BI 4		COMBI	4	COMBI 4		14
Heating system COMBI Diesel / COMBI EH	2,0	Ор	t	Opt		Opt			
Heated floor	7,0	Ор	t	Opt			Opt		
Front transparent rooflight (40x40 cm) / drop-down bed		STI	D	STD			STD		
Front Rooflight MIDI-HEKI, (50x70 cm)		STI	D	STD				STD	
Front Rooflight HEKI III (60x90 cm)	6,0	Ор	t	Opt			Opt		
Transparent rooflight (40x40 cm) (kitchen area)		STI	D	STD			STD		
Turbovent (40 x 40 cm) (kitchen area)	1,0	Ор	t	Opt			Opt		
Transparent rooflight (28x28 cm) (bathroom)		STI	D		STD		STD		
Rear Rooflight MIDI-HEKI, (50x70 cm)		STI	D		STD		STD		
Rear Rooflight HEKI 3 (60x90 cm)	6,0	Ор	t		Opt			Opt	
External water intake with mixer									
Shower platform in Tek wood									
Rear bed manually adjustable					STD		STD		
Matress cover	2,0	Ор	t	Opt			Opt		
Carpet living area	7,0	Ор	Opt			Opt			
Pres-seting for rear-camera / Rear camera	1,0	STD / Opt		STD / Opt			STD / Opt		pt
COLD KIT (Outisde mats for cabin + dashboard mats)	8,0	Opt		Opt Opt			Opt		
Solar Panel 120W + REGULATOR	11,0	Opt		pt Opt			Opt		
See									
*) Calculated mass on light 130 hp									
**) Pls. Check 20 lts. filling before driving									
***) WINTER PACK: Insulated waste water tank and exaust valve with antifreezing resistor									

K-SILVER i


K-SILVER i


K-SILVER i






### K-SILVER **54** // 6,85 MT





		K-SILVER
Model		54
Chassis	Weight OPT	FIAT Ducato X290 cc.2300 Multijet
Number of beds		4
Approved seats (3500 kg)		4
Approved seats (3650 kg)		4
5th homologated seat in running order	94.0	*********



### K-SILVER **56** // 7,38 MT





		K-SILVER
Model		56
Chassis	Weight OPT	FIAT Ducato X290 cc.2300 Multijet
Number of beds		5
Approved seats (3500 kg)		5
Approved seats (3650 kg)		5
5th homologated seat in running order	94,0	




### K-SILVER **58** // 7,38 MT





		K-SILVER
Model		58
Chassis	Weight OPT	FIAT Ducato X290 cc.2300 Multijet
Number of beds		5
Approved seats (3500 kg)		5
Approved seats (3650 kg)		5
5th homologated seat in running order	94,0	*****




### K-SILVER **59** // 7,38 MT





		K-SILVER
Model		59
Chassis	Weight OPT	FIAT Ducato X290 cc.2300 Multijet
Number of beds		5
Approved seats (3500 kg)		5
Approved seats (3650 kg)		5
5th homologated seat in running order	94,0	******













Front bumpers in white, black gloss front grille & black bezel headlamps, black skid plate.

Nautical style for the modern canopy with built in Sky-Dome.

Entrance door with window, blinder, integrated dustbin and pleated sliding mosquito net.















Socket with USB input for recharging your tech devices.





Rotating TV holder.




CP PLUS Central heating system control board Boost function for both a fast water and environment heating. Timer Heat regulator.



Night Light Marks. Support for surface.







Winter pack.


		K-SILVER			K-SILVER K-SILVER										
Model			54		56		56 58		59						
Chassis	Weight OPT		Ducato X290 2300 Multijet		FIAT Ducato X290 cc.2300 Multijet				FIAT Ducato X290 cc.2300 Multijet						
Power HP		130	150	180	130	150	180	130	150	180	130	150	180		
Power kW		96	110	130	96	110	130	96	110	130	96	110	130		
Maximum permissible mass kg (*)		3.	500 / 36	550	3.5	500/3	3650 3500 / 3650					3500 / 3650			
Total mass in running order kg		3	157/31	157	30	073/3	177	30	073 / 31	77	3073 / 3177				
Max. user payload kg.		4	422 / 49	93	4	127 / 4	73	4	427 / 47	<b>7</b> 3	427 / 473				
max. Towing capacity kg (braked)			2000			2000			2000			2000			
\$\$ Maximum allowed mass kg (chassis Heavy 130cv/150-180cv)	40,0		\$		42	250 / 4	400		\$		4	250 / 4	400		
Rear parking sensors	2,0		Opt			Opt			Opt			Opt			
TECHNOTRIM LEVEL (silver dashboard)	1,0		Opt			Opt			Opt			Opt			
Alloy wheels 15"			Opt			Opt			Opt			Opt			
\$\$\$ Alloy wheels (16" only)	3,0		\$			Opt			\$		Opt				
\$\$ Steel wheels 16 "(Std. On chasis Heavy)	3,0		\$			Opt			\$		Opt				
Automatic gear box	18,0		Opt		Opt				Opt		Opt				
Manual cab air conditionig			STD		STD			STD			STD				
Automatic cab air conditioning	0,0		Opt		Opt			Opt		Opt					
LED DRL	0,5		Opt		Opt		Opt		Opt						
Fresh water tank Lt. (total capacity when stopped)			120 Lit	t.	120 Lit.		120 Lit.			120 Lit.		t.			
Fresh water tank Lt. (total capacity when on the way) **			20 Lit			20 Lit		20 Lit.			20 Lit.				
Waste water tank - Lt.			110 Lit	t.		110 Li	t.	110 Lit.			110 Lit.				
Three-way fridge L.			142 Lit	t.		150 Li	t.	150 Lit.			150 Lit.		t.		
Oven	14,0		Opt		Opt			Opt			Opt				
Heating system / Heater with air ventilation			COMBI	4	COMBI 4				COMBI	4	COMBI 4				
Heating system COMBI Diesel/COMBI EH	2,0		Opt		Opt			Opt Opt					Opt		
Heated floor	7,0		Opt		Opt			t Opt							
Front transparent rooflight (40x40 cm) / drop-down bed			STD			STD				STD					
Transparent rooflight (40x40 cm) (kitchen area)			STD			STD			STD		STD				
Turbovent (40 x 40 cm) (kitchen area)	1,0		Opt			Opt			Opt			Opt			
Transparent rooflight (28x28 cm) (bathroom)			STD			STD			STD			STD			
Rear Rooflight MIDI-HEKI, (50x70 cm)			STD			STD			STD			STD			
Rear bed manually adjustable			STD						STD			STD			
Matress cover	2,0		Opt			Opt			Opt			Opt			
Cab pleated mats	8,0		Opt			Opt			Opt			Opt			
Carpet living area	7,0		Opt			Opt			Opt		Opt				
Pres-seting for rear-camera / Rear camera	1,0		STD / Opt			STD / Opt			STD / O <sub>l</sub>	pt	STD / Opt				
COLD KIT (Outisde mats for cabin + dashboard mats)	8,0		Opt			Opt Opt					Opt				
Solar Panel 120W + REGULATOR	11,0		Opt			Opt			Opt		Opt				
See															
*) Calculated mass on light 130 hp															

<sup>\*\*)</sup> Pls. Check 20 lts. filling before driving
\*\*\*) WINTER PACK: Insulated waste water tank and exaust valve with antifreezing resistor





KEA P**65** // 7,38 MT







Model	P65					
Chassis	Weight OPT	FIAT Ducato X290 cc.2300 Multijet				
Number of beds		4				
Approved seats (3500 kg)		4				
Approved seats (3650 kg)		4				
5th homologated seat in running order	94,0	Opt (3650 kg)				




KEA P**67** // 6,99 MT





Model		P67
Chassis	Weight OPT	FIAT Ducato X290 cc.2300 Multijet
Number of beds		4
Approved seats (3500 kg)		4
Approved seats (3650 kg)		4
5th homologated seat in running order	94,0	0pt



KEA P**68** // 7,38 MT





Model	P68				
Chassis	Weight OPT	FIAT Ducato X290 cc.2300 Multijet			
Number of beds		4			
Approved seats (3500 kg)		4			
Approved seats (3650 kg)		4			
5th homologated seat in running order	94,0	Opt (3650 kg)			




### // ALL AS **STANDARD**











Entrance door with window, blinder, integrated dustbin and pleated sliding mosquito net.









Centralized locking cabin / body with remote control.

External water intake with warm / cold mixer as practical shower and standard equipment.

External water intake with warm / cold mixer as practical standard equipment.

External storage integrated on the sideskirts.







Brightness regulator.



Socket with USB input for recharging your tech devices.



Swivel seats with double armrests and integrated belt.



Teak wood panel for shower base.



Storage box in surface of the floor. Insulated storage compartment and container.



Extractor hood.



Night Light Marks.



Mobilvetta branded carpets.

		KEA	KEA	KEA
Model		P65	P67	P68
Chassis	Weight OPT	FIAT Ducato X290 cc.2300 Multijet	FIAT Ducato X290 cc.2300 Multijet	FIAT Ducato X290 cc.2300 Multijet
Power HP		130 150 180	130 150 180	130 150 180
Power kW		96 110 130	96 110 130	96 110 130
Maximum permissible mass kg (*)		3500 / 3650	3500 / 3650	3500 / 3650
Total mass in running order kg		3158 / 3163	3162/3177	3158 / 3163
Max. user payload kg.		342 / 487	338 / 473	342 / 487
max. Towing capacity kg (braked)		2000	2000	2000
Maximum allowed mass kg (chassis Heavy 130cv/150-180cv)	40,0	4250 / 4400	4250 / 4400	4250 / 4400
Heated windshield (only MOTORHOME)	1,0			
Rear parking sensors	2,0	Opt	Opt	Opt
TECHNOTRIM LEVEL (silver dashboard)	1,0	Opt	Opt	Opt
Alloy wheels 15"		Opt	Opt	Opt
Alloy wheels (16" only)	3,0	Opt	Opt	Opt
Steel wheels 16 "(Std. On chasis Heavy)	3,0	Opt	Opt	Opt
Automatic gear box	18,0	Opt	Opt	Opt
Manual cab air conditionig		STD	STD	STD
Automatic cab air conditioning	0,0	Opt	Opt	Opt
LED DRL	0,5	Opt	Opt	Opt
Fresh water tank Lt. (total capacity when stopped)		120 Lit.	120 Lit.	120 Lit.
Fresh water tank Lt. (total capacity when on the way) **		20 Lit.	20 Lit.	20 Lit.
Waste water tank - Lt.		110 Lit.	110 Lit.	110 Lit.
Three-way fridge L.		150 Lit.	150 Lit.	150 Lit.
Oven	14,0	Opt	Opt	Opt
Heating system / Heater with air ventilation		COMBI 6	COMBI 6	COMBI 6
Heating system COMBI Diesel/COMBI EH	2,0	Opt	Opt	Opt
Heated floor	7,0	Opt	Opt	Opt
Front transparent rooflight (40x40 cm) / drop-down bed		STD	STD	STD
Transparent rooflight (40x40 cm) (kitchen area)		STD	STD	STD
Turbovent (40 x 40 cm) (kitchen area)	1,0	Opt	Opt	Opt
Transparent rooflight (28x28 cm) (btharoom)		STD	STD	STD
Rear Rooflight MIDI-HEKI, (50x70 cm)		STD	STD	STD
Rear Rooflight HEKI 3 (60x90 cm)	6,0	Opt		Opt
Rear bed electrically adjustable		STD	STD	STD
Matress cover	2,0	Opt	Opt	Opt
Cab pleated mats	8,0	Opt	Opt	Opt
Carpet living area	7,0	Opt	Opt	Opt
Pres-setting for rear-camera / Rear camera	1,0	STD / Opt	STD / Opt	STD / Opt
COLD KIT (Outisde mats for cabin + dashboard mats)	8,0	Opt	Opt	Opt
Solar Panel 120W + REGULATOR	11,0	Opt	Opt	Opt
See				
*) Calculated mass on light 130 hp				
**) Pls. Check 20 lts. filling before driving				
***) WINTER PACK: Insulated waste water tank and exaust valve with antifreezing resistor				






KEA M**74** // 7,26 MT






Model	M74		
Chassis	Weight OPT	FIAT Ducato X290 cc.2300 Multijet	
Number of beds		4	
Approved seats (3500 kg)		4	
Approved seats (3650 kg)		4	
5th homologated seat in running order	94.0	Opt (3650 kg)	




KEA M**76** // 7,32 MT





Model	M76		
Chassis	Weight OPT	FIAT Ducato X290 cc.2300 Multijet	
Number of beds		4	
Approved seats (3500 kg)		4	
Approved seats (3650 kg)		4	
5th homologated seat in running order	94,0	Opt (3650 kg)	




KEA M**79** // 7,38 MT





Model	M79			
Chassis	Weight OPT	FIAT Ducato X290 cc.2300 Multijet		
Number of beds		4		
Approved seats (3500 kg)		4		
Approved seats (3650 kg)		4		
5th homologated seat in running order	94,0	Opt (3650 kg)		


































Socket with USB input for recharging your tech devices.



Folding coachbuilt bed. Cab seats with double armrests.



Tek wood panel for shower base.









		KEA	KEA	KEA
Model		M74	M76	M79
Chassis	Weight OPT	FIAT Ducato X290 cc.2300 Multijet	FIAT Ducato X290 cc.2300 Multijet	FIAT Ducato X290 cc.2300 Multijet
Power HP		130 150 180	130 150 180	130 150 180
Power kW		96 110 130	96 110 130	96 110 130
Maximum permissible mass kg (*)		3500 / 3650	3500 / 3650	3500 / 3650
Total mass in running order kg		3158 / 3183	3158 / 3183	3158 / 3183
Max. user payload kg.		342 / 467	342 / 467	342 / 467
max. Towing capacity kg (braked)		2000	2000	2000
Maximum allowed mass kg (chassis Heavy 130cv/150-180cv)	40,0	4250 / 4400	4250 / 4400	4250 / 4400
Rear parking sensors	2,0	Opt	Opt	Opt
TECHNOTRIM LEVEL (silver dashboard)	1,0	Opt	Opt	Opt
Alloy wheels 15"		Opt	Opt	Opt
Alloy wheels (16" only)	3,0	Opt	Opt	Opt
Steel wheels 16 "(Std. On chasis Heavy)	3,0	Opt	Opt	Opt
Automatic gear box	18,0	Opt	Opt	Opt
Manual cab air conditionig		STD	STD	STD
Automatic cab air conditioning	0,0	Opt	Opt	Opt
LED DRL	0,5	Opt	Opt	Opt
Fresh water tank Lt. (total capacity when stopped)		120 Lit.	120 Lit.	120 Lit.
Fresh water tank Lt. (total capacity when on the way) **		20 Lit.	20 Lit.	20 Lit.
Waste water tank - Lt.		110 Lit.	110 Lit.	110 Lit.
Three-way fridge L.		150 Lit.	150 Lit.	150 Lit.
Oven	14,0	Opt	Opt	Opt
Heating system / Heater with air ventilation		COMBI 6	COMBI 6	COMBI 6
Heating system COMBI Diesel/COMBI EH	2,0	Opt	Opt	Opt
Heated floor	7,0	Opt	Opt	Opt
Front Rooflight HEKI 2 (60x90 cm)	6,0	STD	STD	STD
Transparent rooflight (40x40 cm) (kitchen area)		STD		
Transparent rooflight (28x28 cm) (bathroom)		STD	STD	STD
Rear Rooflight MIDI-HEKI, (50x70 cm)		STD	STD	STD
Dinette table with 360 ° rotation		STD	STD	STD
Matress cover	2,0	Opt	Opt	Opt
Cab pleated mats	8,0	Opt	Opt	Opt
Carpet living area	7,0	Opt	Opt	Opt
Pres-seting for rear-camera / Rear camera	1,0	STD / Opt	STD / Opt	STD / Opt
COLD KIT (Outisde mats for cabin + dashboard mats)	8,0	Opt	Opt	Opt
Solar Panel 120W + REGULATOR	11,0	Opt	Opt	Opt
See				
*) Calculated mass on light 130 hp				
**) Pls. Check 20 lts. filling before driving				
***) WINTER PACK: Insulated waste water tank and exaust valve with antifreezing resistor				

The masses indicated in this catalogue refer to the provisions of European Directive 2007/46/EC.

#### MASS IN RUNNING ORDER

It includes the weight of the empty BASE vehicle, of the driver (75 kg), 100% of the fuel (60-l tank), fresh water (tank filled with 20 l while travelling), and a gas tank for living purposes (20 kg).

The mass in running order, and consequently the payload and/or certified seats may vary depending on the accessories installed.

#### **PAYLOAD**

This consists of the difference between the maximum technically permissible laden mass and the mass in running order. It includes elements for living purposes, the transported passengers defined by the manufacturer (driver excluded), and the personal effects.

The payload calculation is based on the following parameters: 75 kg for each passenger (driver excluded), 10 kg of baggage for each passenger and for the driver, 10 kg for each metre of length of the vehicle, plus the remaining payload, which can be used for the installation of accessories or for additional baggage.

All masses and loads of the empty vehicle have a tolerance of +/- 5%, in compliance with Directive 2007/46/EC.

Any optional equipment increases the mass in running order and decreases the payload.

The weight of non-standard accessories is not included in the mass in running order indicated in this catalogue.

Additional accessories and devices reduce the payload by a quantity equal to their weight; the incidence of the weight of the individual accessories is shown in the special column in the technical data sheets or can be requested at our dealers.

In case certain accessories are installed (for example, additional elements such as coupling device or motorbike rack), the mass of these accessories will affect the payload, possibly reducing it along with the number of certified seats.

Please make sure that the maximum loads on the axles and the maximum technically permissible load mass are not exceeded during the complete loading phase of the vehicle.

The regulations and requirements of each country may entail changes in the characteristics of this table. The number of certified seats may vary depending on the traffic regulations in force in each country.

#### **NOTES:**

SEA S.P.A. - MOBILVETTA reserves itself the right to change the characteristics and the furnishings of all its models with no advance notice required; all data contained in this leaflet must therefore be considered approximate and non-binding. Despite thorough checks of the contents, we cannot exclude possible printing and/or translating errors.

This catalogue does not constitute contractual documentation.

Any reproduction, including in part, of the test or of the content of this document is prohibited.

The indicated weights are exclusively approximated . Tolerances of +/-5 % are allowed.

Generally speaking, special equipment and options increase the no-load weight and entail a reduction in the payload.

We hereby decline any and all responsibility in case structural changes are made to the vehicle; any assembly disassembly or changes carried out by unauthorised workshops may jeopardise your safety and cause the warranty clauses to be forfeited. For additional information on installation and technical details, please contact one of our dealers.



### // VEHICLES' ORNAMENTS LENE BJERRE // www.lenebjerre.com **DELIVERED BY**

BORGO DE MEDICI // www.borgodemedici.it WALLY // www.wallycosmetici.com CORALBA // www.coralbacasa.it

### SEA S.p.A. **MOBILVETTA**

Via Val d'Aosta, 4 - I - 53036 Poggibonsi (SI)

Tel :+39 0577 99511 Fax :+39 0577 995219 Website :www.mobilvetta.it