



Concorde

REISEMOBILE AUS LEIDENSCHAFT



LINER PLUS

TECHNICAL INFORMATION 2019

STANDARD EQUIPMENT

CHASSIS	IVECO EUROCARGO	MB ATEGO
Insulated, soundproofed engine compartment cover	•	•
Turbo diesel engine with rear drive and twin tyres	•	•
Automated 6-gear transmission (8 gear from MB Atego 1230 L)	•	•
Differential lock for rear axle	•	•
Traction control system (TCS)	•	•
Air suspension on the front axle (Iveco from 9 t, MB Atego from 12 t)	•	•
Rear axle air suspension with "raising and lowering" function	•	•
Tyres for up to 10 t chassis	245 / 70R17.5	235 / 75R17.5
Tyres for 12 t chassis	285 / 70R19.5	285 / 70R19.5
Tyres for 15 t chassis	—	285 / 70R19.5
Rear axle tyres with traction pattern (mud and snow label)	•	•
Disk brakes on the front and rear axle	•	•
Dual circuit air brakes	•	•
Electronically regulated anti-lock braking system (ABS)	•	•
ESP	•	•
Engine brake	•	•
AEBS + ACC Advanced Emergency Braking System + Adaptive Cruise Control	•	—
Active Brake Assist	—	•
Cruise control	•	•
28 V / 120 A alternator including 2 x 50 A charger converter (for charging the body batteries)	•	—
Reinforced 28 V / 150 A alternator including 2 x 50 A charger converter (for charging the body batteries)	—	•
Fuel tank (Iveco Eurocargo only 90E)	180 l	180 l
Fuel tank (Iveco Eurocargo only 120E)	260 l	—
Driver's cabin air conditioning	•	•
Daytime running lights	•	•
Xenon front headlights with headlight cleaning system	•	•
Height and tilt of steering wheel adjustable	•	•
Warning triangle, first aid kit, warning light and wheel chock	•	•
Breakdown kit (fuse box and two safety vests)	•	•
Stainless steel wheel covers	•	•

STANDARD EQUIPMENT

BODY

LINER PLUS

Panorama laminated glass windscreen, tinted, with heatable wiper support	•
Front screen heating	•
Electric windscreen sun protection blinds	•
Side windows in driver's cabin with insulation glazing, tinted with pleated shade (can be used to shield the sun while driving) and fly screen, thermally separated frame	•
Exclusive individual dashboard, including trays	•
Dashboard cover in Madras leather upholstery with lock-stitch seams	•
Double-glazed, smoky tinted plastic windows in living room, can be slid open or closed, with pleated shade and fly screen	•
Insulating blinds for windscreen with electrical actuation, roller blind heating	•
Highly-stable, durable Solidtherm aluminium laminate design	•
Fully-insulated wall connection technology free from thermal bridges with highly-compacted PU solid profiles	•
Completely insulated driver's cabin	•
Radiator between insulating blinds and windscreen	•
40 mm wall thickness, of which 38 mm is closed-cell RTM rigid foam	•
Walls, roof and underfloor in high-quality aluminium, both inside and out, in sandwich design	•
Smooth outer area, white stove-enamelled	•
Fully accessible roof on either side of the skylights	•
Aluminium roof moulding with rain water channels to reduce staining to the side walls	•
Front made of highly-stable, corrosion-free and non-decomposable fibreglass composite material	•
Side coverings made of highly-stable, corrosion-free and non-decomposable fibreglass composite material	•
Rear wall in high-quality aluminium, both inside and out, in sandwich design with GRP facing	•
Heated double floor, approx. 420 mm high, accessible at side through outer flaps	•
Heavy-duty rollers at the rear	•
Storage space flaps with cast aluminium hinges and low-maintenance, high-quality needle felt on the inside, thermally separated frame	•
Sandwich under and in-between floor with 40 or 30 mm thick RTM foam, total floor insulation 70 mm	•
Rear axle wheelhouse in fully-insulated sandwich design	•
Illuminated rear garage with left and right garage doors (not car garage models) and lashing rails	•
Inside illuminated entrance step, heated	•
External electric retractable entrance step with safety switch and lighting	•
"Security Plus" entrance door with combination safety lock and key emergency switch, "Interstop" door protection	•
Fly screen for entrance door	•
Outside light with safety switch (automatic switch-off when engine starts)	•
Luxury driver's cabin suspension seats, air suspension with lumbar support and seat heating	•
"Privacy" front privacy blinds (variable visual protection from bottom to top)	•
Rear garage floor with rippled aluminium plate cladding	•
External coach mirror (long) with wide angle, electrically heated, adjustable	•
Coach style windscreen wiper system	•
2 x double USB charging socket in the driver's cabin	•

STANDARD EQUIPMENT

LIVING ROOM / BEDROOM AREA

LINER PLUS

Furniture flaps and doors:

- Noce (foiling on both sides) with roof cabinet front panels in the living room in glossy cream white	•
Even living room floor from dashboard to the rear bed	•
Colour-coordinated, high-quality microfibre coverings for walls and ceiling	•
Floor covering with ship's-deck look	•
Ergonomic sitting area, high-quality textile / microfibre upholstery with zips (body), including driver's cabin seats	•
High-quality sliding curtain	•
Multi-function couch on left side with seatbelt	•
Spacious wardrobe with LED lighting	•
Rear bed with spring base, adjustable headrest and comfortable cold-foam mattress	•
Double-glazed panorama skylight (Heki 3) with lighting, fly screen and pleated shade in living room ¹	•
Mini-Heki with fly screen and pleated shade in bedroom ¹	•
High-quality living room table	•
TV sideboard in entrance area	•
Entrance cabinet with removable shelves including matching assortment of glasses, with LED lighting	•
Light canopies with LED spotlights and indirect lighting with a high-quality artificial leather covering	•
Stable metal handle for boarding assistance	•
1 x 12 V socket (living room) and 3 x 230 V sockets (1 x living room and 2 x bedroom)	•
Wall covering for double/single beds in the vehicle rear with artificial leather cases (depending on the floor plan)	•
Front wall units above the windscreen	•
Shoe compartment under entrance step (chassis from 12,000 kg technically permissible mass)	•

PULL DOWN BED (OPTIONAL)

Bed surface (mm)	2000 x 1350
Height above bed (mm)	860
Comfortable cold-foam mattress with spring base	•
Mini-Heki with fly screen and pleated shade ¹	•

¹The position of the skylight is determined after taking into account all roof constructions.

STANDARD EQUIPMENT

KITCHEN

LINER PLUS

Kitchen area with splashguard	•
Mineral kitchen worktop with seamless sunken sink, colour: marble white	•
Stainless steel 3-flame hob with automatic ignition and glass cover	•
Chrome single-lever mixer tap with high-quality design and extendable faucet	•
190 l refrigerator with separate 31 l freezer, dark mirror refrigerator decoration, AES (12 V / 230 V automatic and manual energy selection / gas), 28 l gas oven with grill function	•
Shelves with Servo-Soft compartment closing	•
Integrated cutlery drawer	•
Roof ventilator with ventilation and aeration ¹	•
Light canopies with LED spotlights and indirect lighting	•
LED spots under the wall cupboards	•
Integrated garbage system in the lower kitchen cabinet	•
2 x 230 V sockets	•
Exclusive kitchen corner cabinet, lowerable	•

BATHROOM / TOILET

High-quality design chrome single lever mixer tap on washstand	•
Mineral composite washstand panel with seamless sunken sink, colour: marble white	•
Separate shower with real glass doors including removable clothes rail	•
Shower fittings with wall bar and height-adjustable shower head	•
Porcelain toilet with approx. 230 l fixed tank	•
Bathroom furnishings with toilet paper holder, toilet brush, liquid soap dispenser, shower hook and holder, toothbrush glasses	•
Bathroom window	•
Mini-Heki with fly screen and pleated shade ¹	•
Lighting with LED spots	•
Spacious wardrobe with LED lighting	•
Dressing mirror on sliding door	•
Spacious mirrored wardrobe with rear-illuminated shelves	•
2 x 230 V sockets	•

¹The position of the skylight is determined after taking into account all roof constructions.

STANDARD EQUIPMENT

WATER / GAS / HEATING

LINER PLUS

Central supply for wastewater and septic tank	•
Gas bottle compartment for 2 x 11 kg gas bottles	•
Gas controller with crash sensor and automatic bottle changeover	•
Household siphons	•
Fresh water and wastewater tank, approx. 320 l each in heated double floor	•
Easy wastewater tank cleaning with drain tap in the heated double floor	•
External cleaning opening on all tanks, accessible from living room	•
Flush connection with plug system for convenient cleaning of the septic tank	•
Wastewater drain hose with quick-lock coupling	•
Automatic central pressure water pump with filter system	•
5500 W Alde hot water gas central heater, with thermostatic control and timer, 230 V / 3000 W electrical heating cartridge, non-return valve with integrated hot water boiler for supplying all tapping points	•
Sleeping area / garage heating circuit can be thermally regulated	•
2-zone floor heating, can be regulated separately	•
2-zone room heating, can be regulated separately (1 x living room + bathroom, 1 x sleeping area)	•
Towel radiator in bathroom with room thermostat	•
Engine heat exchanger that uses the engine's cooling water to heat the living room	•

ELECTRONICS / TV / RADIO

Gel battery, 2 x 170 Ah	•
Battery computer with deep discharge protection	•
230 V CEE connection in the storage area with cable routing through vehicle floor	•
FI personal protection device	•
Combination charger with an inverter from 12 V to 230 V sine, 3000 W peak and 1600 W continuous power with electronic control and mains priority circuit, maximum charging current 60 A	•
Disconnection of vehicle electrical system with automatic restarting function when capacity limit is reached	•
230 V socket on the electric generator in the in-between floor	•
Double DIN radio with CD / DVD, MP3 and USB connection, 3-way speaker system	•
LED lighting in interior	•
Service-friendly access to the vehicle electrical system with perforated plate housing in rear garage (with G models, in external storage compartment on the right)	•
Automatic refrigerator switchover when the engine is not running from 12 V to gas / 230 V (with land connection)	•
Automatic charging of body and vehicle battery, charge retention in the event of external power connection and while travelling	•
Circuit breaker for body battery	•
Automatic disconnection and connection of body and vehicle battery	•

STANDARD EQUIPMENT

ON-BOARD ELECTRONICS

LINER PLUS

State-of-the-art micro-processor-controlled on-board electronics with BUS technology (binary unit system)	•
Central regulation and control panel with 7" colour touch screen display	•

Buttons for switching on and off the following devices:

- Panel	•
- Lighting	•
- Water pump	•
- Heating	•

LCD display field for monitoring:

- Fresh water tank (fill level in %)	•
- Wastewater tank (fill level in %)	•
- Septic tank (fill level in %)	•
- Battery voltage of the vehicle and body battery	•
- Indoor and outdoor temperature	•
- External current supply	•
- Gas fill level (only in combination with gas tank)	•
- Battery parallel circuit	•
- Date and time with alarm function	•


Alarm equipment for:

- Wastewater tank full	•
- Fresh water tank empty	•
- Septic tank full	•
- Battery undervoltage	•
- Reserve gas bottle in use	•
- Extended entrance step	•

Battery computer:

- Body battery capacity indicator	•
- Charging and discharging current	•

THE STANDARD HIGHLIGHTS OF THE LINER PLUS



TOWEL RADIATOR IN BATHROOM

The towel radiator provides cosy warmth in the bathroom and the luxury of a warmed towel. Combine this with the floor heating and the bathroom becomes an oasis of spa-like proportions.




FRONT BLIND HEATER

When closed the front blind sits on a heated rail. The double-shell aluminium blinds conduct heat upwards and ensure comfortable temperatures and general well-being.



TWO-ZONE FLOOR HEATING

For a pleasant feeling: Two separate floor heatings means the living room and bathroom floor can be heated separately.



4 ROOM ZONE HEATING

The multifunctional adjustable hot water heating system creates three different warm areas which can be heated separately from each other: living room, wellness area and bedroom are heated by a thermostatic valve. Heat by every trick in the book in the entire motorhome.



5 AUXILIARY FRAME

The auxiliary frame is used to connect the body with the chassis and is the foundation of your motorhome. Such as the foundation walls which anchor a house on the land. A possibly warp resistant body is generated in combination with the double floor construction.



6 SUPPORTING CONSTRUCTION

Aluminium frames in the Liner Plus' double floor ensure an extremely stable "basement construction" by connecting the auxiliary frame with the living room floor, creating a solid box. This clever construction means that furniture and wall constructions remain firmly connected in the long run.




7 FORWARD-LOOKING SAFETY

The emergency brake assistant and the lane departure warning system provided as standard ensure your safety. The radar system of the emergency brake assistant detects obstacles and intervenes if there is no driver activity, preventing serious accidents. The camera of the lane departure warning system helps the driver stay in the lane and warns him/her in a timely manner in the event that the lane is overrun.



THE STANDARD HIGHLIGHTS OF THE LINER PLUS



XENON HEADLIGHTS

The traffic expert day recommends Xenon light for more safety in traffic. Gas discharge lights have considerably brighter lights as conventional halogen lamps.



"PRIVACY" FRONT PRIVACY BLINDS

Optimal protection of your privacy: The "Privacy" function lets light and sun into the vehicle and guarantees the view to the outside. At the same time it keeps curious looks into the motorhome away.




COMING HOME

Illumination of the entrance step inside and outside – for a safe step and an illuminated return. No matter when you come "home".



11 THERMAL BREAK FLAP FRAMES

- Frames with thermal break through polyurethane intermediate store.
- Special Concorde hinges enable a complete opening of the flaps.
- The double sealing avoids a "freeze on" through condensate formation.
- Anodized aluminium profile to avoid contact corrosion.



12 ELECTRONICS PACKAGE

The serial power pack consists of a combination charger with a sine wave inverter from 12 V to 230 V, 3000 W peak and 1600 W continuous power with electronic control and mains priority circuit and a maximum charging current of 60 A. Additionally: two gel batteries with in total 340 Ah and its own 230 V supply.



13 JOHN GUEST HOUSEHOLD PIPING

A water system like at home. With prefilter and high water pressure. The advantages are clear: No cross-section tapers with reduction in the flow rate at junctions, no loss of pressure as is the case with flexible hoses. Smooth interior walls prevent deposits and ensure better water hygiene, keeping everything neat and clean.




14 ELECTRIC SUN PROTECTION BLINDS


The electrical sun protection blind at the windscreen enables active driving safety. It allows the unrestricted look at the external coach mirrors and at the same time reduces the solar radiation, whereby the driver is not dazzled by the sun.




TECHNICAL SPECIFICATIONS



CL-Lounge






Bar version



LINER PLUS 890 L

BASIC VEHICLE	Iveco Eurocargo
CHASSIS TYPE	90E25
ENGINE (Euro VI)	6-cylinder
ENGINE CAPACITY	6.7 l
OUTPUT	184 kW (250 hp)
TORQUE	850 Nm
OVERALL LENGTH (mm)	9115
OVERALL WIDTH (mm)	2450
OVERALL HEIGHT (mm)	3560
WHEEL BASE (mm)	4455
GROSS VEHICLE WEIGHT RATIO (kg)	9000
MASS IN RUNNING ORDER (kg)	7370
PAYLOAD (kg)	1630
TRAILER LOAD BRAKED (kg)	3500
SEATS WITH 3-POINT SEATBELT IN LOUNGE / CL-LOUNGE / BAR VERSION	3 / 4 / 4
LEFT SEAT (CL-Lounge, mm)	1850 / 915
RIGHT SEAT (mm)	1360 / 650
REAR BED (mm)	2 x 2000 / 850
PULL DOWN BED DIMENSIONS (optional, mm)	2000 / 1350
HEIGHT ABOVE PULL DOWN BED (mm)	860
RIGHT GARAGE DOOR, H / W (mm)	1250 / 1150
LEFT GARAGE DOOR, H / W (mm)	1250 / 800




LINER PLUS 940 LS

LINER PLUS 940 M


LINER PLUS 990 MS

Iveco Eurocargo	MB Atego	Iveco Eurocargo	MB Atego	Eurocargo	MB Atego
90E25	923 I	90E25	923 I	120E28	1230 I
6-cylinder	4-cylinder	6-cylinder	4-cylinder	6-cylinder	6-cylinder
6.7 l	5.1 l	6.7 l	5.1 l	6.7 l	7.7 l
184 kW (250 hp)	170 kW (231 hp)	184 kW (250 hp)	170 kW (231 hp)	206 kW (280 hp)	220 kW (299 hp)
850 Nm	900 Nm	850 Nm	900 Nm	1000 Nm	1200 Nm
9615	9615	9615	9615	10115	10115
2450	2450	2450	2450	2450	2450
3560	3630	3560	3630	3690	3720
4815	4820	4815	4820	5175	5060
9000	9500	9000	9500	11990	11990
7520	7840	7520	7840	8550	8890
1480	1660	1480	1660	3440	3100
3500	3500	3500	3500	3000	3000
3 / 4 / 4	3 / 4 / 4	3 / 4 / 4	3 / 4 / 4	3 / 4 / 4	3 / 4 / 4
1850 / 915	1850 / 915	1850 / 915	1850 / 915	1850 / 915	1850 / 915
1360 / 650	1360 / 650	1360 / 650	1360 / 650	1360 / 650	1360 / 650
2 x 2000 / 850	2 x 2000 / 850	2000 / 1570	2000 / 1570	2000 / 1570	2000 / 1570
2000 / 1350	2000 / 1350	2000 / 1350	2000 / 1350	2000 / 1350	2000 / 1350
860	860	860	860	860	860
1250 / 1150	1250 / 1150	1250 / 1150	1250 / 1150	1250 / 1150	1250 / 1150
1250 / 800	1250 / 800	1250 / 800	1250 / 800	1250 / 800	1250 / 800


TECHNICAL SPECIFICATIONS




CL-Lounge



Bar version




Kitchen version 996 L, 1136 G




LINER PLUS 990 L


BASIC VEHICLE	Iveco Eurocargo	MB Atego
CHASSIS TYPE	120E28	1230 I
ENGINE (Euro VI)	6-cylinder	6-cylinder
ENGINE CAPACITY	6.7 l	7.7 l
OUTPUT	206 kW (280 hp)	220 kW (299 hp)
TORQUE	1000 Nm	1200 Nm
OVERALL LENGTH (mm)	10115	10115
OVERALL WIDTH (mm)	2450	2450
OVERALL HEIGHT (mm)	3690	3720
WHEEL BASE (mm)	5175	5060
GROSS VEHICLE WEIGHT RATIO (kg)	11990	11990
MASS IN RUNNING ORDER (kg)	8650	8990
PAYLOAD (kg)	3340	3000
TRAILER LOAD BRAKED (kg)	3000	3000
SEATS WITH 3-POINT SEATBELT IN LOUNGE / CL-LOUNGE / BAR VERSION	5 / 6 / 6	5 / 6 / 6
LEFT SEAT (CL-Lounge, mm)	1850 / 915	1850 / 915
RIGHT SEAT (mm)	1360 / 650	1360 / 650
DINETTE	—	—
REAR BED (mm)	2 x 2000 / 850	2 x 2000 / 850
PULL DOWN BED DIMENSIONS (optional, mm)	2000 / 1350	2000 / 1350
HEIGHT ABOVE PULL DOWN BED (mm)	860	860
RIGHT GARAGE DOOR, H / W (mm)	1250 / 1150	1250 / 1150
LEFT GARAGE DOOR, H / W (mm)	1250 / 800	1250 / 800
REAR FLAP H / W (mm)	—	—



Smart 2
Smart 3



Fiat 500 (model 2009 - 2014)
Fiat 500 (from 2014 model)



Fiat 500 (model 2009 - 2014)
Fiat 500 (from 2014 model)

LINER PLUS 990 G

LINER PLUS 1060 GMAX

LINER PLUS 1130 GMAX

Eurocargo	MB Atego	MB Atego	MB Atego
120E28	1230 I	1530 I	1530 I
6-cylinder	6-cylinder	6-cylinder	6-cylinder
6.7 l	7.7 l	7.7 l	7.7 l
206 kW (280 hp)	220 kW (299 hp)	220 kW (299 hp)	220 kW (299 hp)
1000 Nm	1200 Nm	1200 Nm	1200 Nm
10155	10155	10785	11530
2450	2450	2450	2450
3690	3720	3730	3730
5175	5060	5360	5960
11990	11990	15000	15000
8710	9080	9250	9430
3280	2910	5750	5570
3000	3000	3000	3000
3 / 4 / 4	3 / 4 / 4	3 / 4 / 4	5 / 6 / 6
1850 / 915	1850 / 915	1850 / 915	1850 / 915
1360 / 650	1360 / 650	1360 / 650	1360 / 650
—	—	—	1960 / 920
2000 / 1570	2000 / 1570	2000 / 1570	2000 / 1570
2000 / 1350	2000 / 1350	2000 / 1350	2000 / 1350
860	860	860	860
—	—	—	—
—	—	—	—
1610 / 2100	1610 / 2100	1610 / 2100	1610 / 2100

SPECIAL CHASSIS EQUIPMENT

PART NO.	IVECO EUROCARGO CHASSIS	ADDITIONAL WEIGHT IN KG
19-011-SB-1	Chassis variant 10,000 kg Iveco Eurocargo 100E25 instead of 90E25	80
19-011-SB-2	Chassis variant 12,000 kg Iveco Eurocargo 120E28 (6 cylinders, 6.7 l, 206 kW (280 hp), 1000 Nm, trailer load max. 3,000 kg) Chassis with 19.5" tyres available for: 890 L, 940 M and 940 LS	890
19-131-SB	Trailer coupling with max. 3,500 kg trailer load (max. 3,000 kg from 10 t) (can only be delivered if mounted at the factory)	29
19-152-SB-1	Hydraulic supporting jacks with automatic levelling	139
19-152-SB-2	Hydraulic supporting jacks with automatic levelling (G models)	139
19-053-SB	Spare wheel with steel rim and holder on the chassis ²	65
19-311-SB	Concorde steering wheel in leather	1
19-164-SB	Dual-tone compressed air horn	3
19-910-SB-1	Commitment fee including filled series fuel tank and Adblue tank (90E)	0
19-910-SB-2	Commitment fee including filled series fuel tank and Adblue tank (120E)	0

²Combinations of options which can be attached to the chassis are only available with restrictions. A final confirmation can only be made after a technical test.

SPECIAL CHASSIS EQUIPMENT

PART NO.	MERCEDES BENZ ATEGO CHASSIS	ADDITIONAL WEIGHT IN KG
19-011-SF-1	Chassis variant 12,000 kg 1230 L instead of 923 L (6 cylinders, 7.7 l, 220 kW (299 hp), 1200 Nm, height 3710 mm, wheel base 5060 mm, max. 3,000 kg trailer load) Chassis with 19.5" tyres Air suspension on the front axle Available for: 940 M and 940 LS	900
19-011-SF-2	Chassis variant 15,000 kg 1530 L instead of 1230 L (6 cylinders, 7.7 l, 220 kW (299 hp), 1200 Nm, height 3720 mm, wheel base 5060 mm) Chassis with 19.5" tyres Air suspension on the front axle Available for: 990 MS, 990 L, 990 G	90
19-020-SF	Engine variant 924 (6 cylinders, 7.7 l, 175 kW (238 hp), 1000 Nm) (available for: 940 M and 940 LS)	180
19-030-SF	Automated 8-gear transmission system (only in combination with part no. 19-020-SF)	51
19-131-SF	Trailer coupling with max. 3,500 kg trailer load (max. 3,000 kg from 10 t) (can only be delivered if mounted at the factory)	29
19-152-SF-1	Hydraulic supporting jacks with automatic levelling	139
19-152-SF-2	Hydraulic supporting jacks with automatic levelling (G models)	139
19-021-SF	High performance engine brake	6
19-053-SF	Spare wheel with steel rim and holder on the chassis ²	65
19-141-SF-1	6.75 x 17.5" "Alcoa Dura bright" light alloy wheels with standard tyres (MB Atego 923 L)	-56
19-141-SF-2	7.50 x 19.5" "Alcoa Dura bright" light alloy wheels with standard tyres (MB Atego 1230 L, 1530 L)	-60
19-311-SF-1	Original steering wheel in leather with real chrome look	3
19-311-SF-2	Original steering wheel in leather with wood look	3
19-164-SF	Dual-tone compressed air horn	3
19-910-SF	Commitment fee including full series fuel tank and Adblue tank	0

²Combinations of options which can be attached to the chassis are only available with restrictions. A final confirmation can only be made after a technical test.

SPECIAL EQUIPMENT BODY

PART NO.	BODY	ADDITIONAL WEIGHT IN KG
19-950-S0-1	Centurion Style package Furnishings in Atlas cedar with roof cabinet fronts in the living and sleeping area in Atlas cedar with handle bars in stainless steel look External decor in "Centurion Style" including decals Windows with tinting in privacy black Blinds in living room with wood look Soft-Walk floor covering in yacht-style Living room carpet linked and removable	31
19-950-S0-4	Ambience Style package Furnishings in Atlas cedar with roof cabinet fronts in the living and sleeping area in "high gloss" Senosan cream white Windows with tinting in privacy black Blinds in living room with wood look Soft-Walk floor covering in yacht-style Living room carpet linked and removable	31
19-950-S0-2	Ambience Style package Furnishings in Morettini Pear with roof cabinet fronts in the living and sleeping area in "high gloss" Morettini pear Windows with tinting in privacy black Blinds in living room with wood look Soft-Walk floor covering with slate look Living room carpet linked and removable	31
19-950-S0-3	Ambience Style package Furnishings in Morettini Pear with roof cabinet fronts in the living and sleeping area in "high gloss" Senosan cream white Windows with tinting in privacy black Blinds in living room with wood look Soft-Walk floor covering with slate look Living room carpet linked and removable	31

SPECIAL EQUIPMENT BODY

PART NO.	BODY	ADDITIONAL WEIGHT IN KG
19-218-S0	External decor in "Centurion Style" including decals	1
19-241-S0	Hydraulic rear flap opening with radio remote control for rear flap, winch and garage lighting (for G models only)	12
19-481-S0	Additional rigging bar in garage at the height of living room floor	3
19-580-S0	Central locking system for storage space flaps with electric opening via sensor, storage space flaps with gas pressure springs and without recessed grips (without skirting panel flaps, gas locker door, toilet service door and garage door with G models)	5
19-232-S0-1	2 x 4 m roof awning integrated into the roof profile, electric (from 990)	84
19-232-S0-2	6.0 m roof awning integrated into the roof profile, electric (890 L, 940 LS / M, 990 L / MS / G)	66
19-532-S0-1	LED side wall lighting beneath the awning	2
19-532-S0-2	LED roof lighting, drivers and passenger side, can be switched and dimmed separately	3
19-542-S0-1	LED lighting for storage areas in the double floor	1
19-216-S0	Front mirror right and left for external coach mirror	3
19-216-S0-1	External coach mirror in Centurion style, painted white	0
19-212-S0	Side windows in driver's cabin with insulation glazing and electrical actuation	3
19-213-S0	Windows with tinting in privacy black	0
19-310-S0-1	Dashboard and dashboard cover in faux leather, bi-colour "Savannah / Terra" upholstery	3
19-310-S0-2	Dashboard and dashboard cover in faux leather, bi-colour "Cream-Beige / Terra" upholstery	3
19-310-S0-3	Dashboard and dashboard cover in faux leather, bi-colour "Mother of Pearl / Terra" upholstery	3
19-310-S0-4	Dashboard and dashboard cover in faux leather, bi-colour "Coco / Terra" upholstery	3

LIVING ROOM / BEDROOM AREA

19-605-S0	Roof cabinet fronts in the living and sleeping area in "high gloss" Senosan cream white	8
19-600-S0-4	Furnishings in Atlas cedar with roof cabinet fronts in the living and sleeping area in Atlas cedar with handle bars in stainless steel look	8
19-600-S0-5	Furnishings in Atlas cedar with roof cabinet fronts in the living and sleeping area in "high gloss" Senosan cream white	8
19-600-S0-2	Furnishings in Morettini Pear with roof cabinet fronts in the living and sleeping area in "high gloss" Morettini pear	8
19-600-S0-3	Furnishings in Morettini Pear with roof cabinet fronts in the living and sleeping area in "high gloss" Senosan cream white	8
19-260-S0-1	Pull down bed with mechanical actuation, spring base, instead of front wall units	45
19-260-S0-2	Pull down bed with electrical actuation, spring base, instead of front wall units	53
19-722-S0	Blinds in living room with wood look	5
19-680-S0	CL-Lounge (4-person approval)	24
19-681-S0	Bar version with adjustable individual seat (4-person approval)	46

SPECIAL EQUIPMENT BODY

PART NO.	LIVING ROOM / BEDROOM AREA	ADDITIONAL WEIGHT IN KG
19-689-S0-1	Lowerable living room table with upholstered table cover (not in combination with bar version)	8
19-689-S0-4	Extendible and lowerable living room table with upholstered table cover (not in combination with bar version)	
19-689-S0-2	Lowerable dinette table with upholstered table cover (for 990 L, 1130 GMAX)	8
19-689-S0-3	Central table base with tabletop adjustable by foot pedal (only in combination with series table)	0
19-231-S0-1	Midi-Heki instead of Mini-Heki (living room) ¹	6
19-231-S0-2	Panorama skylight (Heki 3) instead of Mini-Heki (bedroom) ¹	19
19-640-S0	Ceiling-height entrance cabinet with acrylic glass removable shelves including a collection of glasses and LED lighting (not in combination with TV in entrance area)	10

KITCHEN

19-630-S0	190 l refrigerator / microwave combination instead of standard refrigerator combination	0
19-631-S0	Stainless steel microwave with grill function under hob, 230 V operation via external connection, 26 l cooking area (not in combination with part no. 19-632-S0)	22
19-632-S0	Dishwasher under hob (not in combination with part no. 19-631-S0)	25
19-620-S0-1	Kitchen version (996 L, 1136 GMAX)	-100

ELECTRONICS

19-511-S0-1	Electronic power package 1 x 170 Ah additional gel battery (total of 3 batteries), combination charger 100 A, sine wave inverter from 12 V to 230 V, 4000 W peak and 2200 W continuous output with network compensator	60
19-511-S0-2	Electronic power package "Ultra Power" 1 x 360 Ah lithium battery (instead of series body batteries), combination charger Ultra 150 A, sine wave inverter from 12 V to 230 V, 6000 W peak and 3000 W continuous output with network compensator	-57
19-581-S0	Alarm system with surveillance of the garage doors / flaps and the living room door	3
19-560-S0	Double reverse camera with shutter (picture via standard radio)	4
19-561-S0	Bird view (4-camera panoramic vision system)	4
19-570-S0-1	Solar panels with approx. 180 W maximum power	15
19-570-S0-2	Solar panels with approx. 2 x 180 W maximum power	30
19-150-S0	2600 W gas generator, permanently installed (only in combination with gas tank) ²	50

¹The position of the skylight is determined after taking into account all roof constructions.

²Combinations of options which can be attached to the chassis are only available with restrictions. A final confirmation can only be made after a technical test.

SPECIAL EQUIPMENT BODY

PART NO.	TV / RADIO / PHONE	ADDITIONAL WEIGHT IN KG
19-550-S0-1	Satellite TV system I with 24" LED flat screen in entrance area Satellite TV system with 85 cm mirror, fully automatic alignment, multiple-subscriber configuration by means of TWIN-LNB, connection for second receiver with 12 V and antenna socket in bedroom, audio supplied via radio system (total vehicle height plus approx. 120 mm) (890 L, 940 LS, 940 M, 990 MS, 990 G, 996 L, 1060 GMAX, 1136 G)	38
19-550-S0-2	Satellite TV system I with 24" LED flat screen in entrance area Satellite TV system with 85 cm mirror, fully automatic alignment, multiple-subscriber configuration by means of TWIN-LNB, connection for second receiver with 12 V and antenna socket in bedroom, audio supplied via radio system (total vehicle height plus approx. 120 mm) (990 L, 1130 GMAX) (not in combination with part no. 19-620-S0-1 or 19-620-S0-2)	38
19-550-S0-3	Satellite TV system II with 24" LED flat screen in right roof cabinet, electrically lowerable Satellite TV system with 85 cm mirror, fully automatic alignment, multiple-subscriber configuration by means of TWIN-LNB, connection for second receiver with 12 V and antenna socket in bedroom, audio supplied via radio system (total vehicle height plus approx. 120 mm)	45
19-550-S0-4	Satellite TV system II with 24" LED flat screen in right roof cabinet, electrically lowerable (G models) Satellite TV system with 85 cm mirror, fully automatic alignment, multiple-subscriber configuration by means of TWIN-LNB, connection for second receiver with 12 V and antenna socket in bedroom, audio supplied via radio system (total vehicle height plus approx. 120 mm)	45
19-550-S0-6	Satellite TV system IV with 32" LED flat screen in right roof cabinet, electrically lowerable Satellite TV system with 85 cm mirror, fully automatic alignment, multiple-subscriber configuration by means of TWIN-LNB, connection for second receiver with 12 V and antenna socket in bedroom, audio supplied via radio system (total vehicle height plus approx. 120 mm)	50
19-550-S0-7	Satellite TV system IV with 32" LED flat screen in right roof cabinet, electrically lowerable (G models) Satellite TV system with 85 cm mirror, fully automatic alignment, multiple-subscriber configuration by means of TWIN-LNB, connection for second receiver with 12 V and antenna socket in bedroom, audio supplied via radio system (total vehicle height plus approx. 120 mm)	50

SPECIAL EQUIPMENT BODY

PART NO.	TV / RADIO / PHONE	ADDITIONAL WEIGHT IN KG
19-550-S0-5	Satellite TV system IV with 32" LED flat screen in left roof cabinet, electrically lowerable Satellite TV system with 85 cm mirror, fully automatic alignment, multiple-subscriber configuration by means of TWIN-LNB, connection for second receiver with 12 V and antenna socket in bedroom, audio supplied via radio system (total vehicle height plus approx. 120 mm)	50
19-550-S0-17	Satellite TV system IV with 32" LED flat screen in left roof cabinet, electrically lowerable (G models) Satellite TV system with 85 cm mirror, fully automatic alignment, multiple-subscriber configuration by means of TWIN-LNB, connection for second receiver with 12 V and antenna socket in bedroom, audio supplied via radio system (total vehicle height plus approx. 120 mm)	50
19-550-S0-8	Satellite TV system V with 32" LED flat screen in roof cabinet above the windscreen, not lowerable Satellite TV system with 85 cm mirror, fully automatic alignment, multiple-subscriber configuration by means of TWIN-LNB, connection for second receiver with 12 V and antenna socket in bedroom, audio supplied via radio system (total vehicle height plus approx. 120 mm) (not in combination with pull down bed)	43
19-550-S0-9	Internet / satellite TV system with 24" LED flat screen in entrance area System with following functions: TV reception and Internet access (890 L, 940 LS, 940 M, 990 G, 996 L, 1060 GMAX, 1136 G)	38
19-550-S0-10	Internet / satellite TV system with 24" LED flat screen in entrance area System with following functions: TV reception and Internet access (990 L, 1130 GMAX) (not in combination with part no. 19-620-S0-1 or 19-620-S0-2)	38
19-550-S0-11	Internet / satellite TV system with 24" LED flat screen in right roof cabinet, electrically lowerable System with following functions: TV reception and Internet access	45

SPECIAL EQUIPMENT BODY

PART NO.	TV / RADIO / PHONE	ADDITIONAL WEIGHT IN KG
19-550-S0-12	Internet / satellite TV system with 24" LED flat screen in right roof cabinet, electrically lowerable System with following functions: TV reception and Internet access (G models)	45
19-550-S0-13	Internet / satellite TV system with 32" LED flat screen in right roof cabinet, electrically lowerable System with following functions: TV reception and Internet access	50
19-550-S0-14	Internet / satellite TV system with 32" LED flat screen in right roof cabinet, electrically lowerable System with following functions: TV reception and Internet access (G models)	50
19-550-S0-18	Internet / satellite TV system with 32" LED flat screen in left roof cabinet, electrically lowerable System with following functions: TV reception and Internet access	50
19-550-S0-19	Internet / satellite TV system with 32" LED flat screen in left roof cabinet, electrically lowerable System with following functions: TV reception and Internet access (G models)	50
19-550-S0-15	Internet / satellite TV system with 32" LED flat screen in roof cabinet above the windscreen, not lowerable System with following functions: TV reception and Internet access	43
19-551-S0	DVB-T2 exterior antenna for receiving terrestrial television (for 2 TV devices)	2
19-552-S0	24" LED flat screen for rear sleeping compartment with integrated TV tuner	15
19-557-S0	W-LAN router, Fritz-Box, Wi-Fi (only in combination with part no. 19-550-S0-9 to 19-550-S0-15)	1
19-555-S0-1	Double DIN radio with 7" display, DAB+ tuner, MP3 and USB connection as well as mobile phone hands-free module with Bluetooth	4
19-555-S0-3	Navigation system (with truck software and 9" touchscreen display, integrated radio with DAB+ and MP3 playback, hands-free module for telephone with Bluetooth)	4
19-556-S0-2	Sound system (2 x 3-way speaker system in driver's cabin, 2 x 2-way speaker system in the living room, vehicle-specific frequency switching, double-bass reflex subwoofer, sound processor)	25
19-556-S0-1	Acoustic package for rear bedroom (2 x 2-way speaker system, 2 x mid/bass speakers and 4-channel amplifier for sound optimisation of LED flat screen)	20
19-521-S0	Socket combination, 230 V / 12 V / antenna, in double floor with floor routing, position: In external storage compartment, right side in the direction of travel (for optional external TV connection) (sat output)	1

SPECIAL EQUIPMENT BODY

PART NO.	WATER / GAS / HEATING / BATHROOM	ADDITIONAL WEIGHT IN KG
19-424-S0	External shower in the garage (driver's side)	2
19-435-S0	Container for septic/wastewater drain hose in chassis	3
19-617-S0	SOG comfort toilet ventilation with activated carbon filter for fixed tank (extraction at toilet bowl)	1
19-582-S0	Gas alarm for monitoring the living room (carbon monoxide, propane, butane, paralysing gas, KO gas)	2
19-443-S0	External gas socket on the passenger's side (BBQ point)	1
19-151-S0-1	Gas tank approx. 120 l with gas prefilter, secondary gas filling point, crash sensor and fill level indicator in the control panel display, including skirting panel flap (including gas tank filling) ²	104
19-151-S0-2	Gas tank approx. 200 l with gas prefilter, secondary gas filling point, crash sensor and fill level indicator in the control panel display, including skirting panel flap (including gas tank filling) ²	160
19-575-S0-1	2400 W roof air conditioning with 1700 W heating element (total vehicle height plus 130 mm) ³	34
19-575-S0-2	2400 W air conditioning for living room with infrared remote control (mounting in double floor)	37
19-153-S0	"Motor Caravan" diesel auxiliary heating with convenient permanent heating function (5200 W) including timer	10
19-418-S0	6 l Alde-Flow additional hot water boiler	8
19-619-S0	Mirrored cabinet in- and outside	1

²Combinations of options which can be attached to the chassis are only available with restrictions. A final confirmation can only be made after a technical test.

³If not ordered otherwise, the roof air conditioning is installed in the living room.


SPECIAL EQUIPMENT BODY

PART NO.	UPHOLSTERY FABRIC / LEATHER / CARPET		ADDITIONAL WEIGHT IN KG
19-700-S0-1	"Maxwell" textile / microfibre upholstery including colour-coordinated window decoration	Series	0
19-700-S0-2	"Caramel" textile / microfibre upholstery including colour-coordinated window decoration	Series	0
19-700-S0-3	"Island" textile / microfibre upholstery including colour-coordinated window decoration	Series	0
19-700-S0-4	"Toffee" textile-leather upholstery with "Redonda" foam look including colour-coordinated window decoration		15
19-700-S0-5	"Creme-Beige" leather upholstery including colour-coordinated window decoration and colour-coordinated Concorde collection		25
19-700-S0-6	"Savannah" leather upholstery including colour-coordinated window decoration and colour-coordinated Concorde collection		25
19-700-S0-7	"Coco" leather upholstery including colour-coordinated window decoration and colour-coordinated Concorde collection		25
19-700-S0-12	"Mother of Pearl" leather upholstery including colour-coordinated window decoration and colour-coordinated Concorde collection		25
19-700-S0-8	Bi-colour "Creme-Beige / Terra" leather upholstery including colour-coordinated window decoration and colour-coordinated Concorde collection		25
19-700-S0-13	Bi-colour "Savannah / Terra" leather upholstery including colour-coordinated window decoration and colour-coordinated Concorde collection		25
19-700-S0-14	Bi-colour "Mother of Pearl / Terra" leather upholstery including colour-coordinated window decoration and colour-coordinated Concorde collection		25
19-700-S0-11	Kitchen dinette leather upholstery (only in combination with 19-700-S0-5 or 19-700-S0-6 or 19-700-S0-7 or 19- 700-S0-8 or 19-700-S0-12 or 19-700-S0-13 or 19-700-S0-14)		15
19-700-S0-9	Textile/microfibre upholstery with "Redonda" foam look		0
19-700-S0-10	Leather upholstery with "Redonda" foam look		0
19-721-S0-1	Concorde collection "Maxwell": 2 x small pillows, 2 x big pillows, 2 x blankets		8
19-721-S0-2	Concorde collection "Caramel": 2 x small pillows, 2 x big pillows, 2 x blankets		8
19-721-S0-3	Concorde collection "Island": 2 x small pillows, 2 x big pillows, 2 x blankets		8
19-721-S0-4	Concorde collection "Toffee": 2 x small pillows, 2 x big pillows, 2 x blankets		8
19-471-S0-1	Soft-Walk floor covering with ship's-deck look (recommended for Noce furniture)	Series	0
19-471-S0-2	Soft-Walk floor covering with slate look (recommended for Morettini Pear furniture)	Free of charge	0
19-471-S0-3	Soft-Walk floor covering in yacht-style (recommended for Atlas cedar furniture)	Free of charge	0
19-730-S0-1	Living room carpet linked and removable, colour: Creme		10
19-730-S0-2	Living room carpet linked and removable, colour: Grey brown		10

Concorde uses only the highest-quality fabrics and leather with a special dirt-repellent coating.

The mass in running order contains: The dry weight of the standard equipment including the driver (75 kg), filled fuel tank, 100 l of fresh water, vehicle tool kit. The empty weight and dimensions can change if special equipment and accessories are installed. All dimension and weight specifications correspond to the state of knowledge at the time of printing. Deviations of +/- 5% are possible and permissible.

SECTIONAL DRAWING



CABIN CONSTRUCTION **OF THE CONCORDE LINER PLUS**

When it comes to motorhome construction, Concorde stands for perfect insulation and excellent stability. The reasons for this are primarily the Solidtherm cabin construction, completely bonded and free of thermal bridges, with PU rigid foam strips as well as the side wall insulation with 38 millimetre-strong RTM foam.

But that's not all: The underbody and in-between floors are manufactured in a sandwich design and equipped with a total of 70 millimetres of insulation. Side coverings, bumpers and front and rear sections are also made of highly-stable yet elastic fibreglass composite material.

The high-gloss and level wall surfaces made of aluminium composite make for a high-quality automobile appearance. And to make sure it stays that way, the aluminium roof profile strips with the rainwater channels effectively reduce the collection of dirt on the side walls. A 10-year impermeability warranty against moisture ingress from outside for the body of the vehicle with annual check in accordance with the Concorde guarantee conditions.



Concorde

REISEMOBILE AUS LEIDENSCHAFT

Presented by your Concorde dealer:

Concorde Reisemobile GmbH
Concorde-Straße 2-4 · D-96132 Schlüsselfeld-Aschbach (Germany)
Phone +49 (0) 9555 9225-0 · Fax +49 (0) 9555 9225-44
Internet: www.concorde.eu · E-mail: info@concorde.eu

Technical modifications reserved provided that the overall product quality remains the same or is improved and the intended purpose is not impaired. On publication of this technical information, all previous are rendered invalid. Subject to change without notice, errors excepted.

EN_Liner Plus_Version: 07/2018