FRANKIA FRANKIA M-LINE F-LINE TITAN

FRANKIA PLATIN



P1-2020

MODELS 2020 TECHNICAL DATA



ONLY FRANKIA HAS IT LIKE THIS: M-LINE FEATURES AT A GLANCE



FRANKIA + MERCEDES-BENZ = A SUCCESS STORY FOR THE FUTURE

For over 45 years FRANKIA has been making the (Mercedes) Star shine bright like never before with new vehicle concepts and innovative solutions that are always in touch with the latest trends – and 2020 is no exception.



UNMATCHED VARIETY ON A MERCEDES-BENZ SPRINTER PLATFORM

A-Class or Low-Profile, from lightweight 3.5 t vehicle to luxury liner - choose between 18 floor plans!



2020: EVEN MORE DRIVING COMFORT ON A MERCEDES-BENZ PLATFORM

Powerful front wheel drive (M-Line NEO) or rear-wheel drive with great traction, optional 190 hp EURO VI BlueTec engine, 7-speed automatic, new Frequency Selective Damping (FSD) technology and state-of-the-art assistance systems



M-LINE NEO: THE STAR SHINES IN A NEW LIGHT(NESS)

Top new line: FRANKIA MT 7 GD NEO - The new series with a total weight of only 3.5 tonnes



UNIQUE: ROUND SEATING GROUP MEETS MERCEDES-BENZ

Only from FRANKIA: I 7400 PLUS and now with a NEW round seating group in two floor plans as FRANKIA PLATIN



LIKE NO OTHER: THE UNBELIEVABLY SPACIOUS M-LINE T 7400

The unique top-selling M-Line T 7400 has been optimised and now includes Crosswind Assist standard



HIGH-CLASS LIVING SPACE, DELUXE STORAGE SPACE

New FRANKIA spa-like bathroom, even more comfort in all seating areas, completely stepless double floor and interior, PLUS rear storage compartments with unique FRANKIA Easy Bike System (optional)



M = MORE SMART DETAILS FOR MAXIMUM COMFORT

Practical central supply system with self-retracting cable, up to 270-litre fresh water tank, new TecTower standard in many FRANKIA motorhomes, over 2 m of headroom and much more





M-LINE



A-CLASS 7400



I 7400 GD

Sprinter 516, 163 hp, Euro VI, 5 t Optionally available as 5.5 t



I 7400 QD

Sprinter 516, 163 hp, Euro VI, 5 t Optionally available as 5.5 t



I 7400 PLUS

Sprinter 516, 163 hp, Euro VI, 5 t Optionally available as 5.5 t

A-CLASS 7900



I 7900 GD

Sprinter 516, 163 hp, Euro VI, 5 t Optionally available as 5.5 t



17900 QD

Sprinter 516, 163 hp, Euro VI, 5 t Optionally available as 5.5 t

A-CLASS 8400



I 8400 GD

Sprinter 516, 163 hp, Euro VI, 5 t Optionally available as 5.5 t



I 8400 QD

Sprinter 516, 163 hp, Euro VI, 5 t Optionally available as 5.5 t

OW-PROFILE 7400



T 7400 GD

Sprinter 516, 163 hp, Euro VI, 5 t Optionally available as 5.5 t



T 7400 QD

Sprinter 516, 163 hp, Euro VI, 5 t Optionally available as 5.5 t



MT 7 GD NEO

Sprinter 414, 143 hp, Euro 6, 3.5 t Sprinter 414, 143 hp, Euro 6, 4.5 t

TECHNICAL DATA M-LINE



	7 NEO	7400		7900	8400
BASIC VEHICLE (STANDARD)	Sprinter 414	Sprint	er 516	Sprinter 516	Sprinter 516
Chassis	Mercedes-Benz	Merced	es-Benz	Mercedes-Benz	Mercedes-Benz
Cylinder / cubic capacity, ccm	4 / 2,143	4 / 2	2,143	4 / 2,143	4 / 2,143
Performance, kW / hp	105 / 143	120 ,	/ 163	120 / 163	120 / 163
Tank volume diesel, I	65	7	1	71	71
Wheel base, mm	3,800	4,3	325	4,525	4,825
DIMENSIONS	Low-Profile	A-Class	Low-Profile	A-Class	A-Class
Total length, cm	698	773 (QD 783)	768 (QD 778)	804	858
Total width, cm	224	230	230	230	230
Total height, cm	290	309	309	309	309
Headroom, cm	200	203	203	203	203
WEIGHT SPECIFICATIONS	Low-Profile	A-Class	Low-Profile	A-Class	A-Class
Mass when ready for driving, kg	2,976¹	3,957 ¹	3,8471	4,0371	4,137¹
Max. perm. total mass, kg	3,500 / 4,500	5,000 / 5,500	5,000 / 5,500	5,000 / 5,500	5,000 / 5,500
Payload, kg	524 / 1.524	1,043 / 1,543	1,153 / 1.653	963 / 1.463	863 / 1,363
Trailer load braked / unbraked, kg	2,000 ² / 750 ²	2,000 ² / 750 ² (5 t) 1,950 ² / 750 ² (5,5 t)	2,000 ² / 750 ² (5 t) 1,950 ² / 750 ² (5,5 t)	2,000 ² / 750 ² (5 t) 1,950 ² / 750 ² (5,5 t)	$2,000^2 / 750^2$ $(5 t)$ $1,950^2 / 750^2$ $(5,5 t)$
Max. perm. mass of the combination, kg	5,880	7,000	7,000	7,000	7,000
CONFIGURATION					
Fresh / waste water tank, approx., I	125 ⁶ (20 I drive load) ⁷ / 100	160^4 (50 I drive load) 3 / 130 7400 PLUS: 150^4 (50 I drive load) 3 / 130	160 ⁴ (50 l drive load) ³ / 130	270 ⁵ (50 l drive load) ³ / 130	270 ⁵ (50 I drive load) ³ / 130
Battery capacity, Ah (20 h)	1 x 80	2 x	80	2 x 80	2 x 80
Refrigerator volume, approx., I	69	10	60	160	160
Heating	Truma Combi CP Plus	Alde WW-heating 3020 HE		Alde WW-heating 3020 HE	Alde WW-heating 3020 HE

¹⁾ The vehicle mass when ready for driving has been determined in accordance with Reg (EU) 1230/2012, but reflecting the drive load of the fresh water tank (see Fn. 3, 4, 5, 6 and 7) and one aluminium gas bottle (11 kg)

²⁾ Trailer load may vary depending on the configuration selected

³⁾ Capacity of the fresh water tank acc. to Ann. V, part A, para. 2.6 Fn. (H) Reg (EU) 1230/2012, considering the 50 I drive load

⁴⁾ Possible with the appropriate setting of the valve on the fresh water tank: max. 160 I (I 7400 PLUS: max. 150 I)

⁵⁾ Possible with the appropriate setting of the valve on the fresh water tank: max. 270 I

⁶⁾ Possible with the appropriate setting of the valve on the fresh water tank: max. 125 I

⁷⁾ Capacity of the fresh water tank acc. to Ann. V, part A, para. 2.6 Fn. (H) Reg (EU) 1230/2012, considering the 20 I drive load

STANDARD EQUIPMENT NEO



FRANKIA M-LINE NEO	MT 7 NEO
Chassis Mercedes-Benz Sprinter	
Driver and passenger airbag	
143 hp EURO 6 BlueTec engine	
Keyless Start	
Crosswind Assist	
6-speed manual gearbox	
65 I diesel tank	
Automatic headlight control	
Daytime running lights	
More powerful alternator	
Heated side mirrors with power adjustment	
Power windows and locks for driver's cab	
Driver and passenger side cup holders	
Original 16" complete wheel covers	
Increased load for front axle	
Height and tilt adjustable steering wheel	
Hinged lid for storage compartment	
Mercedes noise reduction measures: Engine compartment insulation and underbody panelling	
Auxiliary air heater	
Body	
Unique FRANKIA ThermoProtect wall structure including 7-year water ingress warranty and hail resistant GFRP roof	
Tenorite Grey	
Bumper in body colour (for Tenorite grey)	
Side flap on right side of vehicle	
Unique AL-KO low-frame with FRANKIA Easy-Load concept and standard load-through design	
Completely stepless, heated double floor with a height of at least 200 mm	
Vehicle rear featuring automotive design with dynamic blinkers standard	
Storage space Windows Doors	
Privacy screen	
Storage space lighting under seating area	
Self-retracting cable reel in separate compartment	

Standard equipment	Optional against surcharge	- not possible
Standard Equipment	U Optional against suichaige	- HUL DOSSIDIO

FRANKIA M-LINE NEO	MT 7
Electrical systems	
1 x 80 Ah gel battery, incl. 22 Ah charger	
FRANKIA Light Wing lighting in front	
LED dimmable ambient lighting	
LED dimmable spot lights	
LED reading lights	
2 x 230 V sockets	
3 x USB sockets	
Multimedia Radio Satellite system	
Car radio ready	
High-quality roof combination antenna UKW/DAB+/GPS	
Exterior wall colours	
Driver's cab features contrast paintwork with option of two different colours: Selenite and Tenorite Metallic	
Upholstery Cushions	
Wood decor in Manhattan/White	
Floor with wood decor in Anthracite	
Design concept recommendation: NEO Pyrite or NEO Granite	
Select from four other fabric combinations (Optional / against surcharge)	
Rear storage compartments Bike mounts	
FRANKIA Easy-Load concept in the rear storage compartment	
Rear storage compartment with an interior height of 1.20 m, rear flap and ground level flap on right side	
Washroom Water supply	
Approx. 125 I fresh water tank incl. 20 I drive load	
Approx. 100 I waste water tank	
Fresh water connection in separate flap	
Spacious combo washroom incl. pull-out, gas pressure spring supported bench toilet	
Pull-out sink in washroom	
Air conditioning Heating	
Truma Combi 6 heating incl. CP Plus control	
Kitchen Refrigerator Hob	
Compressor refrigerator opening on both sides	•
FRANKIA MaxiFlex kitchen for 3.5 t vehicles	

STANDARD EQUIPMENT M-LINE



FRANKIA M-LINE	7400	7900	8400
	LUXURY	LUXURY	LUXURY
Chassis Mercedes-Benz Sprinter			
Driver and passenger airbag		•	
163 hp EURO VI BlueTec engine		•	
Antilock braking system (ABS)		•	
Traction control system (ASR)			
Electronic brakeforce distribution (EBD)		•	
Electronic stability control (ESP)			
71 litre diesel tank		•	
Manual gearbox		•	
Semi-automatic climate control		•	
Cruise control			
180 A alternator		•	
5 t technically permissible gross weight			
Steering wheel adjustable in height and depth		•	
Electrical auxiliary chassis heater for faster heating of the interior		•	
LED high beam and blinker for A-Class		•	
Original Mercedes-Benz elevated frame		•	
Body			
Thermo Guard Plus side walls with 7-year water ingress warranty		•	
GFRP gelcoat white – hail resistant			
Heated double floor with approx. 126/348 mm height		-	
Central locking for body door and driver's door via original vehicle key (T 7400 separate remote control)	-	•	•
Manual rear supports (n/a if optional air suspension ordered)		•	
Power darkening blind instead of manual darkening blind (for A-Class)		•	
Storage space Windows Doors			
Storage spaces with LED lighting		•	
Storage space lighting underneath the seating area		•	
Seitz S7 windows with tinted panes, fly screen and blind, installed flush with the wall			
Central supply system with water drum and self-retracting cable reel with 15 m of cable		•	
Fly screen integrated in the door frame and all roof hatches		•	
Beds			
Drop-down bed with power adjustment (for A-Class)		•	

■ Standard equipment □ Optional against surcharge – not possible

FRANKIA M-LINE	7400 Luxury	7900 Luxury	8400 Luxury
Electrical systems	LUXUKI	LUXUKI	LUXUKT
2 x 80 Ah GEL battery		•	
2 x 22 A charger			
CBE BUS control panel with LCD screen		•	
LED awning light with separate switchable motion sensor			
LED dimmable ambient lighting		•	
LED dimmable spot lights			
LED reading lights		•	
4x 230 V sockets			
3x USB sockets (4x for A-Class with drop-down bed)		•	
230 V socket in side rear storage compartment (right side)			
12 V socket in side rear storage compartment (right side)		•	
Multimedia Radio Satellite system			
Car radio ready			
High-quality roof combination antenna UKW/DAB+/GPS			
Upholstery Cushions			
Selection of wood/fabric combinations from six different design options			
Rear storage compartments Bike mounts			
Lashing rail system (for high rear storage compartments)		•	
Washroom Water supply			
Approx. 160-litre fresh water tank (I 7400 PLUS: approx. 150 litre) including adjustable 50-litre drive load	•	-	-
Fresh water tank, approx. 270 litre including adjustable 50-litre drive load	-		
Approx. 130-litre waste water tank		•	
Ceramic toilet			
Second Thetford cassette		•	
Air conditioning Heating			
Alde Compact 3020 HE hot water heating system		•	
Kitchen Refrigerator Hob			
FRANKIA MaxiFlex kitchen: Uniquely functional modular kitchen featuring a high-end HPL worktop with expandable surface		•	
TecTower 10, opening on both sides			

ONLY FRANKIA HAS IT LIKE THIS: F-LINE FEATURES AT A GLANCE



FRANKIA + FIAT DUCATO = VARIETY, FLEXIBILITY, POWER

For over 30 years FRANKIA has been offering fascinating configuration options that are only possible on a Fiat Ducato with an AL-KO low-frame – and now they come with the latest generation of Fiat engines under the hood



DUCATO OFFERS THE MOST FREEDOM OF CHOICE

A-Class or Coachbuilt, from custom compact to luxury liner – choose between 30 floor plans in six lengths and with eight different bedroom layouts



YOUR PLUS: FRANKIA ROUND SEATING GROUP IN EIGHT FLOOR PLANS

Whether Coachbuilt or A-Class: Choose from four round seating group shapes and lengths



MAXIMUM DOUBLE FLOOR, SUPERIOR LIVING COMFORT

Unbelievably spacious FRANKIA F-Line: Unique heated FRANKIA double floor with a continuous height of 35 cm; stepless interior with over 2 m of headroom



NOW EVEN MORE EXCLUSIVE FRANKIA LIVING COMFORT

New FRANKIA spa-like bathroom, new seating group design and upholstery, new PLUS drop-down bed



GIANT F-LINE: I 890 GD - NOW WITH BAR-STYLE SEATING

Large premium liner with a length of nearly 9 m, 2.10 m beds and multimedia workspace



COMPACT F-LINE: I 680 SG - WITH PLENTY OF STORAGE SPACE

Unique floor plan with large cabinets and extra-large rear storage compartment



WE INVENTED IT: THE FRANKIA EASY BIKE SYSTEM

An innovative solution to transport bicycles – load two bikes up to 28" without disassembling or converting the rear storage compartment (optional)





F-LINE



A-CLASS 640



I 640 SD

Ducato 40 H, 140 hp, AL-KO, Euro 6d-TEMP, 4.5 t

A-CLASS 680



I 680 SG

Ducato 40 H, 140 hp, AL-KO, Euro 6d-TEMP, 4.5 t



I 680 PLUS

Ducato 40 H, 140 hp, AL-KO, Euro 6d-TEMP, 4.5 t

A-CLASS 740



I 740 GD

Ducato 40 H, 140 hp, AL-KO, Euro 6d-TEMP, $4.5\ t$ Ducato 40 H, 140 hp, AL-KO, Euro 6d-TEMP, $5\ t$



1740 QD

 $\frac{\text{Ducato 40 H, 140 hp, AL-KO, Euro 6d-TEMP, 4.5 t}}{\text{Ducato 40 H, 140 hp, AL-KO, Euro 6d-TEMP, 5 t}}$



I 740 PLUS

Ducato 40 H, 140 hp, AL-KO, Euro 6d-TEMP, 4.5 t

A-CLASS 790



1790 GD



1790 QD

 $\frac{\text{Ducato 40 H, 140 hp, AL-KO, Euro 6d-TEMP, 4.5 t}}{\text{Ducato 40 H, 140 hp, AL-KO, Euro 6d-TEMP, 5 t}}$



I 790 PLUS

Ducato 40 H, 140 hp, AL-KO, Euro 6d-TEMP, 4.5 t

Ducato 40 H, 140 hp, AL-KO, Euro 6d-TEMP, 5 t

Ducato 40 H, 140 hp, AL-KO, Euro 6d-TEMP, 5 t, with drop down rear bed

A-CLASS 840



1840 GD

Ducato 40 H, 140 hp, AL-KO, Euro 6d-TEMP, 5 t



1840 QD

Ducato 40 H, 140 hp, AL-KO, Euro 6d-TEMP, 5 t



I 840 PLUS

Ducato 40 H, 140 hp, AL-KO, Euro 6d-TEMP, 5 t

COACHBUILT 680



A 680 PLUS

Ducato 40 H, 140 Hp, AL-KO, Euro 6d-TEMP, 4.5 t

COACHBUILT 740



A 740 PLUS

Ducato 40 H, 140 hp, AL-KO, Euro 6d-TEMP, $4.5\ t$

I 740 BD

Ducato 40 H, 140 hp, AL-KO, Euro 6d-TEMP, 4.5 t Ducato 40 H, 140 hp, AL-KO, Euro 6d-TEMP, 5 t

A-CLASS 890



I 890 GD

Ducato 40 H, 140 hp, AL-KO, Euro 6d-TEMP, 5 t



I 890 GD-B

Ducato 40 H, 140 hp, AL-KO, Euro 6d-TEMP, 5 t

COACHBUILT 790



A 790 PLUS

Ducato 40 H, 140 hp, AL-KO, Euro 6d-TEMP, 4.5 t Ducato 40 H, 140 hp, AL-KO, Euro 6d-TEMP, 5 t Ducato 40 H, 140 Hp, AL-KO, Euro 6d-TEMP, 5 t, with drop down rear bed

COACHBUILT 840



A 840 PLUS

Ducato 40 H, 140 hp, AL-KO, Euro 6d-TEMP, 5 t



I 840 FD

Ducato 40 H, 140 hp, AL-KO, Euro 6d-TEMP, 5 t

TECHNICAL DATA F-LINE



	640	50	80
BASIC VEHICLE (STANDARD)	Ducato 40 H	Duca	ato 40 H
Chassis / Low-frame chassis	Fiat / AL-KO		/ AL-KO
Cylinder / cubic capacity, ccm	4 / 2,287	·	2,287
Performance, kW/hp	103 / 140	·	/ 140
Tank volume diesel, I	60		60
Wheel base, mm	3,980		980 5 4,025)
DIMENSIONS	A-Class	Coachbuilt	A-Class
Total lenght, cm	645	706	708 (SG 698)
Total width, cm	230	230	230
Total height, cm	310	322	310
Headroom, cm	203	203	203
WEIGHT SPECIFICATIONS 40 H	A-Class	Coachbuilt	A-Class
Mass when ready for driving, kg	3,190¹	3,370¹	3,390¹
Max. perm. total mass, kg	4,500	4,500	4,500
Payload, kg	1,310	1,130	1,110
Trailer load braked / unbraked, kg	2,000 ³ / 750 ³	2,000 ³ / 750 ³	2,000 ³ / 750
Max. perm. mass of the combination, kg	6,000	6,000	6,000
WEIGHT SPECIFICATIONS DUCATO 40 H / TANDEM 5.0 T			
Mass when ready for driving, kg	-	-	-
Max. perm. total mass, kg	-	-	-
Payload, kg	-	-	-
Trailer load braked / unbraked, kg	-	-	-
Max. perm. mass of the combination, kg	-	-	-
CONFIGURATION			
Fresh water tank / waste water tank approx., I	150 ⁴ (50 I drive load) ² / 130	150 ⁴ (50 l driv	ive load) ² / 130
Battery capacity, Ah (20 h), gel battery	1 x 80	1 x	x 80
Refrigerator volume approx., I	160	1/	.60
Heating	Truma Combi CP Plus	Truma Cor	mbi CP Plus

¹⁾ The vehicle mass when ready for driving has been determined in accordance with Reg (EU) 1230/2012, but reflecting the drive load of the fresh water tank (see Fn.2 and 4) and one aluminium gas bottle (11 kg)

 $^{2) \ \} Capacity \ of the fresh \ water tank \ acc. \ to \ Ann. \ V, part \ A, para. \ 2.6 \ Fn. \ (H) \ Reg \ (EU) \ 1230/2012, considering \ the \ 50 \ I \ drive \ load$

³⁾ Trailer load may vary depending on the configuration selected

⁴⁾ Possible with the appropriate setting of the valve on the fresh water tank: max. 150 $\mbox{\scriptsize I}$

74	10	79	90	840		890
_			40.11			
Duca	Ducato 40 H		40 H	Ducat	o 40 H	Ducato 40 H
Fiat /	AL-KO	Fiat /	AL-KO	Fiat /	AL-KO	Fiat / AL-KO
4 / 2	2,287	4 / 2	,287	4 / 2,287		4 / 2,287
103 ,	/ 140	103 /	140	103 ,	/ 140	103 / 140
6	60	6	0	6	60	60
	325 3,525 + 800)	4,5 (double axle 3 double axle PLU	3,760 + 800,	4,350	+ 800	4,700 + 800
Coachbuilt	A-Class	Coachbuilt	A-Class	Coachbuilt A-Class		A-Class
752	754 (QD 764)	793	786 (PLUS 796)	837	839	890
230	230	230	230	230	230	230
322	311	322 (PLUS with drop down rear bed 327)	311 (PLUS with drop down rear bed 327)	322	311	311
203	203	203	203	203	203	203
Coachbuilt	A-Class	Coachbuilt	A-Class			
$3,450^{1}$	3,470¹	3,630¹	3,650¹	-	-	-
4,500	4,500	4,500	4,500	-	-	-
1,050	1,030	870	850	-	-	-
2,000 ³ / 750 ³	2,000 ³ / 750 ³	2,000 ³ / 750 ³	2,000 ³ / 750 ³	-	-	-
6,000	6,000	6,000	6,000	-	-	-
	A-Class	Coachbuilt	A-Class	Coachbuilt	A-Class	
-	3,630¹	3,730¹	3,750¹	3,830 ¹	3,850¹	3,950¹
-	5,000	5,000	5,000	5,000	5,000	5,000
-	1,370	1,270	1,250	1,170	1,150	1,050
-	2,000 ³ / 750 ³	2,000 ³ / 750 ³	2,000 ³ / 750 ³	2,000 ³ / 750 ³	2,000 ³ / 750 ³	2,000 ³ / 750 ³
-	6,000	6,000	6,000	6,000	6,000	6,000
	· 				<u> </u>	
150 ⁴ (50 l d	rive load) ² / 130	150 ⁴ (50 l driv	e load) ² / 130	1504 (50 l driv	/e load) ² / 130	150 ⁴ (50 I drive load) ² / 130
1 x	x 80	2 x	80	2 x	80	2 x 80
1	160		60	10	60	160
Truma Combi CP Plus		Alde WW-hea	ting 3020 HE	Alde WW-heating 3020 HE		Alde WW-heating 3020 HE

STANDARD EQUIPMENT F-LINE



FRANKIA F-LINE	640	680	740	790	840	890
	EXCLUSIV	EXCLUSIV	EXCLUSIV	LUXURY	LUXURY	LUXURY
Chassis Fiat Ducato						
40 Heavy Chassis						
Driver and passenger airbag						
140 hp		•				•
2.3 I Euro 6d-TEMP engine		•				•
Traction+ incl. electronic stability control (ESC) and Hill Holder						•
Hill Descent Control		•				
60 litre diesel tank						
Manual gearbox						
Steering wheel adjustable in height		•				
16 inch tyres on steel rims		-				
4.5 t technically permissible gross weight		-	-	-	-	-
4,5 t/5 t (double axle) technically permissible gross weight	-	-				
Electrical auxiliary chassis heater for faster heating of the interior						
AL-KO low-frame chassis						
Body						
Thermo Guard Plus side walls with 7-year water ingress warranty						
GFRP gelcoat white – hail resistant						
Full-length, heated double floor with approx. 350 mm height						
Central locking for body door and driver's door via original vehicle key		•				
Manual rear supports (n/a if optional air suspension ordered)						
Darkening blind for Coachbuilt, with daylight function for A-Class vehicles				-	-	-
Darkening blind for Coachbuilt, power darkening blind instead of manual darkening blind for A-Class vehicles	-	-	-			•
Storage space Windows Doors						
Storage spaces with LED lighting						
LED storage space lighting underneath the seating area						
Seitz S7 windows with tinted panes, fly screen and blind, installed flush with the wall						
Central supply system with water drum and self-retracting cable reel with 15 m of cable			-		-	•
Fly screen A-Class integrated in the door frame and all roof hatches						
Beds						
Drop-down bed with power adjustment (for A-Class vehicles)						

■ Standard equipment □ Optional against surcharge – not possible

FRANKIA F-LINE	640	680	740	790	840	890
	EXCLUSIV	EXCLUSIV	EXCLUSIV	LUXURY	LUXURY	LUXURY
Electrical systems						
1 x 80 Ah GEL battery				-	-	-
2 x 80 Ah GEL battery	-	-	-	•		-
1 x 22 A charger				-	-	-
2 x 22 A charger	-	_	-			
CBE BUS control panel with LCD screen				•		
LED awning light with separate switchable motion sensor				•		
LED dimmable ambient lighting						
LED dimmable spot lights						
LED reading lights				•		
4 x 230 V sockets				•		
3 x USB sockets (4 x for A-Class with drop-down bed)						
230 V socket in side rear storage compartment (right side)	-	-	-	•		
12 V socket in side rear storage compartment (right side)	-	-	-	•		•
Multimedia Radio Satellite system						
Car radio ready						
High-quality roof combination antenna UKW/DAB+/GPS						
Upholstery Cushions						
Selection of wood/fabric combinations from six different design options				-		
Rear storage compartments Bike mounts						
Rail system for securing cargo (for high rear storage compartments)				•		
Washroom Water supply						
Approx. 150-litre fresh water tank including adjustable 50-litre drive load				-		
Approx. 130-litre waste water tank				•		
Ceramic toilet				•		
Second Thetford cassette				•		
Air conditioning Heating						
Truma Combi 6 heating incl. CP Plus control				-	-	-
Alde Compact 3020 HE hot water heating system	-	-	-	•		
Kitchen Refrigerator Hob						
FRANKIA MaxiFlex kitchen: Uniquely functional modular kitchen featuring a high-end HPL worktop with expandable surface	•		•	•		
TecTower 10, opening on both sides				-		_

SO INDEPENDENT, SO EXCLUSIVE: TITAN FEATURES



THE NEW FIAT DUCATO - POWERFUL & ECO-FRIENDLY

160 hp engine, 9-speed automatic gearbox and AdBlue Technology: Enjoy the ride in your FRANKIA TITAN and get great mileage



IT'S YOUR CHOICE: PURE LUXURY IN TEN FLOOR PLANS

The FRANKIA TITAN is available as a Coachbuilt or A-Class – with your choice of a queen-size bed, separate beds, power drop-down bed or optional rear drop-down bed



ALL-IN-ONE LUXURY: TECHNOLOGY THAT MAKES YOU INDEPENDENT

Only FRANKIA has it like this: "Worry-free equipment package" standard in combination with a unique technology package including a 110 Ah LiFePO4 battery



MOTORHOME? PREMIUM SUITE!

360° of freedom, class, exclusivity: Now with the new FRANKIA spa-like bathroom, even more comfort in all seating areas, luxurious equipment, exceptionally spacious



EVERYTHING ON BOARD AT ALL TIMES: DELUXE STORAGE SPACE

Extra-large rear storage compartment with a height of 1.24 m, FRANKIA double floor with a continuous height of 35 cm and many clever storage solutions



EVERYTHING YOU NEED - EVEN ON LONG JOURNEYS

Pure comfort: XL 150 I fresh water tank (optionally up to 300 I) and FRANKIA central supply system with self-retracting cable



FREEDOM AND INNOVATION MEET ROUND SEATING GROUP

Only the FRANKIA TITAN PLUS offers this: Technology that makes you independent + exclusive FRANKIA round seating group + innovative storage solutions like the new FRANKIA Easy Bike System (optional)



ABSOLUTELY GIGANTIC! THE I 890 GD-B TITAN

Pure luxury with a length of nearly nine metres: Over 2 m of headroom, 2.10 m long XXL beds, 32 inch TV with power extension, pull-out bar table with multimedia workspace and much more





FRANKIA TITAN



A-CLASS 790



1790 GD

Ducato 40 H, 160 hp, AL-KO, Euro 6d-TEMP, 5 t



1790 QD

Ducato 40 H, 160 hp, AL-KO, Euro 6d-TEMP, 5 t



I 790 PLUS

Ducato 40 H, 160 hp, AL-KO, Euro 6d-TEMP, 5 t Ducato 40 H, 160 hp, AL-KO, Euro 6d-TEMP, 5 t, with drop down rear bed

A-CLASS 840



I 840 GD

Ducato 40 H, 160 hp, AL-KO, Euro 6d-TEMP, 5 t



I 840 QD

Ducato 40 H, 160 hp, AL-KO, Euro 6d-TEMP, 5 t



I 840 PLUS

Ducato 40 H, 160 hp, AL-KO, Euro 6d-TEMP, 5 t

A-CLASS 890



I 890 GD

Ducato 40 H, 160 hp, AL-KO, Euro 6d-TEMP, 5 t



I 890 GD-B

Ducato 40 H, 160 hp, AL-KO, Euro 6d-TEMP, 5 t

COACHBUILT 790



A 790 PLUS

Ducato 40 H, 160 hp, AL-KO, Euro 6d-TEMP, 5 t Ducato 40 H, 160 hp, AL-KO, Euro 6d-TEMP, 5 t, with drop down rear bed

COACHBUILT 840



A 840 PLUS

Ducato 40 H, 160 hp, AL-KO, Euro 6d-TEMP, 5 t





TECHNICAL DATA FRANKIA TITAN



	790		840		890
BASIC VEHICLE (STANDARD)	Ducato 40 H		Ducat	Ducato 40 H	
Chassis / Low-Frame chassis		AL-KO	Fiat / AL-KO		Ducato 40 H Fiat / AL-KO
Cylinder / cubic capacity, ccm	·	2,287	<u> </u>	2,287	4 / 2,287
Performance, kW / hp	· ·	/ 160	· · · · · · · · · · · · · · · · · · ·	/ 160	118 / 160
Tank volume diesel. I		100		0	90
Wheel base, mm	3,760	+ 800 00 + 800)	4,350		4,700 + 800
DIMENSIONS	Coachbuilt	A-Class	Coachbuilt	A-Class	A-Class
Total length, cm	793	786 (PLUS 796)	837	839	890
Total width, cm	230	230	230	230	230
Total height, cm	325 (PLUS with drop down rear bed 327)	325 (PLUS with drop down rear bed 327)	325	325	325
headroom, cm	203	203	203	203	203
WEIGHT SPECIFICATIONS DUCATO 40 H / TANDEM 5.0 T	Coachbuilt	A-Class	Coachbuilt	A-Class	A-Class
Mass when ready for driving, kg	4,0331	4,053¹	4,133 ¹	4,153¹	4,253 ¹
Max. perm. total mass, kg	5,000	5,000	5,000	5,000	5,000
Payload, kg	967	947	867	847	747
Trailer load braked / unbraked, kg	2,000 ³ / 750 ³	2,000 ³ / 750 ³	2,000 ³ / 750 ³	2,000 ³ / 750 ³	2,000 ³ / 750 ³
Max. perm. mass of the combination, kg	6,000	6,000	6,000	6,000	6,000
CONFIGURATION					
Fresh water tank / waste water tank approx., I	150 ⁴ (50 I drive load) ² / 130		150 ⁴ (50 I drive load) ² / 130		150 ⁴ (50 I drive load) ² / 130
Battery capacity, Ah (20 h)	1 x 110	LiFePO4	1 x 110 LiFePO4		1 x 110 LiFePO4
Refrigerator volume approx., I	1	60	160		160
Heating	Alde WW-heating 3020 HE		Alde WW-heating 3020 HE		Alde WW-heating 3020 HE

¹⁾ The vehicle mass when ready for driving has been determined in accordance with Reg (EU) 1230/2012, but reflecting the drive load of the fresh water tank (see Fn.2 and 4) and one aluminium gas bottle (11 kg)

²⁾ Capacity of the fresh water tank acc. to Ann. V, part A, para. 2.6 Fn. (H) Reg (EU) 1230/2012, considering the 50 I drive load

³⁾ Trailer load may vary depending on the configuration selected

⁴⁾ Possible with the appropriate setting of the valve on the fresh water tank: max. 150 $\mbox{\scriptsize I}$

STANDARD EQUIPMENT FRANKIA TITAN



FRANKIA TITAN	790	840	890
Chassis Fiat Ducato	_		
40 Heavy Chassis	_	_	
Driver and passenger airbag		_	
160 hp			_
2.3 I Euro 6d-TEMP engine		_	_
Traction+ incl. electronic stability control (ESC) and Hill Holder		_	
Hill Descent Control	_		
90 litre diesel tank			
Smart alternator			
Cruise control			
9-speed automatic gearbox			
Manual climate control			
Multifunction steering wheel			
Chrome instrument rings			
Fiat-"Eco Pack"		•	
Leather steering wheel and gear shift knob			
Steering wheel adjustable in height			
Aluminium rims			
5 t (tandem axle) technically permissible gross weigh			
Electrical auxiliary chassis heater for faster heating of the interior			
AL-KO low-frame chassis			
Reinforced springs front			
Body			
Thermo Guard Plus side walls with 11-year water ingress warranty			
GFRP gelcoat white – hail resistant			
Full-length, heated double floor with approx. 350 mm height			
Central locking for body door and driver's door via original vehicle key			
Manual rear supports (n/a if optional air suspension ordered)			
Darkening blind for Coachbuilt, power darkening blind instead of manual darkening blind for A-Class vehicles	•	•	
Storage space Windows Doors			
Storage spaces with LED lighting			
Storage space LED lighting underneath the seating area			
Seitz S7 windows with tinted panes, fly screen and blind, installed flush with the wall		•	
Central supply system with water drum and self-retracting cable reel with 15 m of cable		•	
Fly screen for A-Class integrated in the door frame and all roof hatches			
Beds			
Drop-down bed with power adjustment (for A-Class vehicles)		•	
Electrical systems			
MT 1700-Si-N/Sinus inverter (Büttner)		•	
2x solar system 110 W (Büttner) with solar remote display			

■ Standard equipment □ Optional against surcharge – not possible

FRANKIA TITAN	790	840	890
MT 250 PD color controller (Püttner)			
MT 350 PP solar controller (Büttner)	-	-	
MT 5000iQ control (battery computer by Büttner)	-		
Büttner 110 Ah LiFePO4 battery	-		
Battery booster			
CBE BUS control panel with LCD screen			
LED awning light with separate switchable motion sensor		-	_
LED dimmable ambient lighting			
LED dimmable spot lights		-	
LED reading lights		-	
4x 230 V sockets			
3 x USB sockets (4 x for A-Class with drop-down bed)			
230 V socket in side rear storage compartment (right side)			
12 V socket in side rear storage compartment (right side)			
Multimedia Radio Satellite system			
Alphatronics SL 24 inch flat screen (32 inches for 840 PLUS and 890 GD-B)		_	
TELECO – TWIN FLATSAT EASY SMART S85 satellite system	_	_	
Hookup for second TV in bedroom 12V/coax socket			
Alpine X902D-DUCA 9 inch navigation system with DAB radio			
Car radio ready			
High-quality roof combination antenna UKW/DAB+/GPS			
Split rear-view camera with separate monitor			
Upholstery Cushions			
Selection of wood/fabric combinations from six different design options			
Rear storage compartments Bike mounts			
Rail system for securing cargo (for high rear storage compartments)			
Washroom Water supply			
Approx. 150-litre fresh water tank including adjustable 50-litre drive load			
Approx. 130-litre waste water tank			
Ceramic toilet			
Second Thetford cassette			
Air conditioning Heating			
Alde fan			
Alde heat exchanger			
Alde Compact 3020 HE hot water heating system			
Duo Control for gas cylinders		-	
Kitchen Refrigerator Hob			
FRANKIA MaxiFlex kitchen: Uniquely functional modular kitchen featuring a high-end HPL worktop with expandable surface		•	
TecTower 10, opening on both sides			
Awnings			
•		_	
Dometic 5.5 m awning (A 790: 5,0 m)			

SO FREE, SO LUXURIOUS: PLATIN FEATURES



YOU DECIDE HOW YOU WANT TO TRAVEL AND LIVE

FRANKIA's luxury model comes in six layouts with a queen-size bed, separate beds or now - NEW - with two different round seating groups and an optional rear drop-down bed in the I 7900 PLUS PLATIN



BE FREE AND INDEPENDENT - THANKS TO UNIQUE TECHNOLOGY

Only FRANKIA has it: An innovative technology package including two 110 Ah lithium batteries and four high-performance solar modules



POWER, SAFETY, DRIVING PLEASURE: ON THE ROAD WITH MERCEDES-BENZ

Driving pleasure: Powerful rear-wheel drive with great traction, next-generation MBUX infotainment system, many innovative driver assistance systems and much more.



DON'T WORRY ABOUT ANYTHING: ALL-IN-ONE LUXURY LINER

Sit back and enjoy – thanks to a "worry-free equipment package" standard, XL storage space in the FRANKIA double floor, rear storage compartments and interior



EVERYTHING YOU NEED TO TRAVEL YOUR WAY - EVEN ON LONG JOURNEYS

Pure luxury: XXL fresh water tank (up to 270 l) and practical FRANKIA central supply system with self-retracting cable



NEW: FRANKIA ROUND SEATING GROUP IN THE PLATIN LUXURY MODEL

The popular FRANKIA round seating group is now also available for the FRANKIA PLATIN and brings together unique technology and a light-flooded living area that feels exceptionally spacious



YOUR MOTORHOME BECOMES A LUXURY SUITE

360° of freedom, class, innovation: Now with the new FRANKIA spa-like bathroom, even more comfort in the seating groups, PLUS rear storage compartments with unique FRANKIA Easy Bike System (optional)





FRANKIA PLATIN



A-CLASS 7900



I 7900 GD

Sprinter 519, 190 hp, Euro VI, 5.5 t



I 7900 QD

Sprinter 519, 190 hp, Euro VI, 5.5 t



I 7900 PLUS

Sprinter 519, 190 hp, Euro VI, 5.5 t

A-CLASS 8400



I 8400 GD

Sprinter 519, 190 hp, Euro VI, 5.5 t



I 8400 QD

Sprinter 519, 190 hp, Euro VI, 5.5 t



I 8400 PLUS

Sprinter 519, 190 hp, Euro VI, 5.5 t



TECHNICAL DATA FRANKIA PLATIN



	7900	8400
BASIC VEHICLE (STANDARD)	Sprinter 519	Sprinter 519
Chassis	Mercedes-Benz	Mercedes-Benz
Cylinder / cubic capacity, ccm	6 / 2,987	6 / 2,987
Performance, kW/hp	140 / 190	140 / 190
Tank volume diesel, I	93	93
Wheel base, mm	4,525	4,825
DIMENSIONS	A-Class	A-Class
Total lenght, cm	804 (PLUS 814)	858
Total width, cm	230	230
Total height, cm	323	323
Headroom, cm	203	203
WEIGHT SPECIFICATIONS	A-Class	A-Class
Mass when ready for driving, kg	4,514¹	4,6641
Max. perm. total mass, kg	5,500	5,500
Payload, kg	986	836
Max. trailer load braked / unbraked, kg	1,950²/ 750²	1,950 ² / 750 ²
Max. perm. mass of the combination, kg	7,000	7,000
CONFIGURATION		
Fresh water tank / waste water tank approx., I	270 ⁴ (50 I drive load) ³ /130 7900 PLUS: 210 ⁵ (50 I drive load) ³ /130	270 ⁴ (50 I drive load) ³ / 130 8400 PLUS: 220 ⁶ (50 I drive load) ³ / 130
Battery capacity, Ah (20 h)	2 x 110 LiFePO4	2 x 110 LiFePO4
Refrigerator volume approx., I	160	160
Heating	Alde WW-heating 3020 HE	Alde WW-heating 3020 HE

¹⁾ The vehicle mass when ready for driving has been determined in accordance with Reg (EU) 1230/2012, but reflecting the drive load of the fresh water tank (see Fn. 3, 4, 5 and 6) and one aluminium gas bottle (11 kg)

 $^{2) \, \}text{Trailer load may vary depending on the configuration selected} \\$

³⁾ Capacity of the fresh water tank acc. to Ann. V, part A, para. 2.6 Fn. (H) Reg (EU) 1230/2012, considering the 50 I drive load

⁴⁾ Possible with the appropriate setting of the valve on the fresh water tank: max. 270 I

⁵⁾ Possible with the appropriate setting of the valve on the fresh water tank: max. 210 I

⁶⁾ Possible with the appropriate setting of the valve on the fresh water tank: max. 220 $\mbox{\scriptsize I}$

STANDARD EQUIPMENT FRANKIA PLATIN



FRANKIA PLATIN	7000	8400
FRANKIA FLAIIN	7900	0400
Chassis Mercedes-Benz Sprinter		
Driver and passenger airbag		
190 hp EURO VI BlueTec engine		
Antilock braking system (ABS)		
Traction control system (ASR)		
Electronic brakeforce distribution (EBD)		
Electronic stability control (ESP)		
Hill Hold Assist		
93 litre diesel tank		
7-speed automatic		
Semi-automatic climate control		
Cruise control		
220 A alternator		
Auxiliary heating		
Leather steering wheel		
Steering wheel adjustable in height and depth		
Spare tyre with fastening (without fastening for PLUS models)		
Electrical auxiliary heater on the chassis for faster heating of the interior		
LED high beam and blinker		
Original Mercedes-Benz elevated frame		
Body		
Thermo Guard Plus side walls with 11-year water ingress warranty		
GFRP gelcoat white - hail resistant		
Heated double floor with approx. 126/348 mm height		
Central locking for body door and driver's door via original vehicle key		
Aluminium rims front and aluminium covers rear		
Wheel spacers on front and rear axle		_
Manual rear supports (n/a if optional air suspension ordered)		_
Double glazing side cab windows		_
Power darkening blind instead of manual darkening blind		_
Storage space Windows Doors		
Storage spaces with LED lighting	_	
LED storage space lighting underneath the seating area		_
Seitz S7 windows with tinted panes, fly screen and blind, installed flush with the wall		_
Central supply system with water drum and self-retracting cable reel with 15 m of cable	<u> </u>	
Fly screen integrated in the door frame and all roof hatches		_
Beds	_	_
Drop-down bed with power adjustment		
Electrical systems		_
MT 1700-Si-K/Sinus inverter (Büttner)		
4x solar system 110 W (Büttner) with solar remote display		_
MT 550 PP solar controller (Büttner)		_
		<u> </u>
MT 5000-H control (hybrid battery computer by Büttner)		

■ Standard equipment □ Optional against surcharge – not possible

FRANKIA PLATIN	7900	8400
4 1 4 4 4 60 0	_	_
1 x charging booster (90 A)	<u> </u>	
1 x charger (40 A) including pulser		
EFOY COMFORT fuel cell ready	<u> </u>	
CBE BUS control panel with LCD screen		•
LED awning light with separate switchable motion sensor		
LED dimmable ambient lighting		
LED dimmable spot lights		
LED reading lights		
4x 230 V sockets		
4x USB sockets		
230 V socket in side rear storage compartment (right side)		
12 V socket in side rear storage compartment (right side)		
Multimedia Radio Satellite system		
Alphatronics SL-24 inch flat screen, 32 inch for 8400 Plus		
TELECO – TWIN FLATSAT EASY SMART S85 satellite system		
Hookup for second TV in bedroom		
Mercedes MBUX 10.25 inch multimedia system with DAB+ radio		
Alpine Dolby Surround Sound speaker system		
High-quality roof combination antenna UKW/DAB+/GPS		
Split rear-view camera with separate monitor		
Exterior wall colours	_	_
Exterior paint: Platin Metallic or Silver Arrow (roof in white)		
Upholstery Cushions	_	_
Selection of wood/fabric combinations from six different design options	_	_
Rear storage compartments Bike mounts		_
2-part rear storage compartment (GD/QD)	_	-
	_	
Lashing rail system Western J. Western country		
Washroom Water supply	_	_
Up to 270-litre fresh water tank including adjustable 50-litre drive load	-	_
Approx. 130-litre waste water tank		_
Ceramic toilet	_	_
Second Thetford cassette	_	_
Fan with carbon filter for Thetford toilet		
Air conditioning Heating		
Alde Compact 3020 HE hot water heating system		
Additional fan for the driver's cab (Alde)		
Heat exchanger		
Underfloor heating in seating area		
Duo Control for gas cylinders		
Dometic Freshjet 1700 air conditioner		
Kitchen Refrigerator Hob		
FRANKIA MaxiFlex kitchen:		•
Uniquely functional modular kitchen featuring a high-end HPL worktop with expandable surface	_	_
TecTower 10, opening on both sides		
Awnings		
Manual 5.5 m awning, anthracite or anodised case depending on paint colour ordered		

OPTIONAL EXTRAS

CHASSIS FIAT	DUCATO		
op2030350	High chassis pack	40 Heavy, 140 HP, 2,3 I, Euro 6d-TEMP, 90 I tank, cruise control, manual air conditioning, multifunction steering wheel, chromed gauge frames, leather steering wheel and gear shift knob, airbags for driver and passenger, manual gearbox, reinforced front springs	5
op2030370	High chassis pack + automatic transmission	40 Heavy, 140 HP, 2,3 I, Euro 6d-TEMP, 90 I tank, cruise control, manual air conditioning, multifunction steering wheel, ECO-Pack, chromed gauge frames, leather steering wheel and gear shift knob, airbags for driver and passenger, 9-speed automatic gearbox, reinforced front springs	7
op2030450	Speed chassis pack	40 Heavy, 160 HP, 2,3 I, Euro 6d-TEMP, 90 I tank, cruise control, manual air conditioning, multi- function steering wheel, ECO-Pack, chromed gauge frames, leather steering wheel and gear shift knob, airbags for driver and passenger, manual gearbox, reinforced front springs	9
op2030470	Speed chassis pack + automatic transmission	40 Heavy, 160 HP, 2,3 I, Euro 6d-TEMP, 90 I tank, cruise control, manual air conditioning, multifunction steering wheel, ECO-Pack, chromed gauge frames, leather steering wheel and gear shift knob, airbags for driver and passenger, 9-speed automatic gearbox, reinforced front springs	10
op2030550	Power chassis pack	40 Heavy, 180 HP, 2,3 I, Euro 6d-TEMP, 90 I tank, cruise control, manual air conditioning, multifunction steering wheel, ECO-Pack, chromed gauge frames, bronze dashboard trim, leather steering wheel and gear shift knob, airbags for driver and passenger, manual gearbox, reinforced front springs	9
op2030570	Power chassis pack + automatic transmission	40 Heavy, 180 HP, 2,3 I, Euro 6d-TEMP, 90 I tank, cruise control, manual air conditioning, multifunction steering wheel, ECO-Pack, chromed gauge frames, bronze dashboard trim, leather steering wheel and gear shift knob, airbags for driver and passenger, 9-speed automatic gearbox, reinforced front springs	10
op2030580	Power chassis pack + automatic transmission for Titan	40 Heavy, 180 HP, 2,3 I, Euro 6d-TEMP, 90 I tank, cruise control, manual air conditioning, multifunction steering wheel, ECO-Pack, chromed gauge frames, bronze dashboard trim, leather steering wheel and gear shift knob, airbags for driver and passenger, 9-speed automatic gearbox, reinforced front springs	
op2030650	Complete chassis pack	40 Heavy, 180 HP, 2,3 I, Euro 6d-TEMP, 90 I tank, cruise control, automatic air conditioning, multifunction steering wheel, ECO-Pack, chromed gauge frames, bronze dashboard trim, leather steering wheel and gear shift knob, auxiliary heating, 9-speed automatic gearbox, smart alternator, airbags for driver and passenger, reinforced front springs	11
op2030660	Complete chassis pack upgrade for Titan	40 Heavy, 180 HP, 2,3 I, Euro 6d-TEMP, 90 I tank, cruise control, automatic air conditioning, multifunction steering wheel, ECO-Pack, chromed gauge frames, bronze dashboard trim, leather steering wheel and gear shift knob, auxiliary heating, 9-speed automatic gearbox, smart alternator, airbags for driver and passenger, reinforced front springs	
op2030900	Fiat Chassis - Right Hand Drive	Attention: The cab door of A-Class models is always installed on the left hand side - installation on the right hand side is not possible!) Speedometer in miles (For New Zealand speedometer in km/h) Headlights with configuration for left-hand traffic	
op2031400	Fog lamps (097)	for coachbuilt and low-profile (standard for A-Class)	
op2031450	Mono-LED lamps for low-beam headlights	and fog lights (only for A-Class)	
op2031550	ALC (AL-KO Level Controller)	Replaces conventional shock absorbers. The fully automatic system ensures the optimum driving level on the rear axle, regardless of the load. (only for single axle)	1
op2031600	Rear axle - full air suspension AL-KO Air Premium X2	Only as initial equipment, retrofit not possible! Electronically controlled, fully automatic air suspension system, lifting/lowering function (Lifting max. approx. 40 mm - lowering max. approx. 50 mm in axial area), maintenance free For single axle (640/680/740) Without manual stabilizing legs	4
op2031650	Rear axle - full air suspension AL-KO Air Premium X2	Only as initial equipment, retrofit not possible! Electronically controlled, fully automatic air suspension system, lifting/lowering function (Lifting max. approx. 40 mm - lowering max. approx. 50 mm in axial area), maintenance free For double axle (740/790/840/890) Without manual stabilizing legs	7
op2031700	Front and rear axle full air suspension AL-KO Air Premium X4	Only as initial equipment, retrofit not possible! Electronically controlled, fully automatic air suspension system, lifting/lowering function (Front axle: lifting approx. 70 mm / lowering approx. 60 mm) (Rear axle: lifting approx. 40 mm / lowering approx. 50 mm) For single axle: rear axle + front axle (640/680/740) Without manual stabilizing legs	5



Weight in kg

op2031750	Front and rear axle full air suspension AL-KO Air Premium X4	Only as initial equipment, retrofit not possible! Electronically controlled, fully automatic air suspension system, lifting/lowering function (Front axle: lifting approx. 70 mm / lowering approx. 60 mm) (Rear axle: lifting approx. 40 mm / lowering approx. 50 mm) For double axle: rear axle + front axle (740/790/840) Without manual stabilizing legs	80
op2031800	Aluminium rims for single axle	Load capacity 1350 kg (snow chains are not possible)	0
op2031850	Aluminium rims for double axle	Load capacity 1350 kg (snow chains are not possible)	0
op2031910	ECO-Pack for 140 HP engine		1
op2031925	Assistance systems for cab chassis	including: emergency brake assistant, lane departure warning system, high-beam assist, traffic sign assist, light and rain sensor (for coachbuilt and low-profile)	5
op2031950	LED daytime running lights	(for coachbuilt and low-profile)	1
op2031970	Battery Booster	Standard equipment for F-Line	3
op2032000	Removable trailer hitch with electric socket		50
op2032100	Electrics for trailer hitch with socket		2
op2032150	Spare tyre with fastening	(not possible for PLUS layouts)	45
op2032200	Spare tyre and jack without fastening	(not installed)	39
op2032250	Hydraulic support system HY4 from Alko	The unique and space saving hydraulic support system for motorhomes up to 6.0 t. No more inclined angles, no more unsteady ground under the feet. With HY4, the new, innovative support system from AL-KO, you can level your motorhome quickly and easily in the desired park position.	75

CHASSIS MERCEDES-BENZ SPRINTER

op2032500	Mercedes Chassis - Right Hand Drive	(Attention: The cab door of A-Class models is always installed on the left hand side - installation on the right hand side is not possible!) Speedometer in miles (For New Zealand speedometer in km/h) Headlights with configuration for left-hand traffic	0
op2032380	Complete Chassis Pack for Low-profile Mercedes-Benz	Airbags for driver and passenger, 190 HP, Euro VI, Tempmatic air conditioning, cruise control, 93 I tank, auxiliary heating, 7-gear automatic transmission, alternator 220 Ah, leather steering wheel, spare tyre with fastening	167
op2032400	Complete Chassis Pack for A-class Mercedes-Benz	Airbags for driver and passenger, 190 HP, Euro VI, Tempmatic air conditioning, cruise control, 93 I tank, auxiliary heating, 7-gear automatic transmission, alternator 220 Ah, leather steering wheel, spare tyre with fastening (without fastening for 7400 Plus)	167
op2032550	Upgrade Mercedes to 5,5 t	with reinforced front and rear axle and tyres with higher load capacity - speed limiter max. 120 km/h - max. perm. mass of the combination 7000 kg	8
op2032600	Engine 190 HP with 7-gear automatic transmission	instead of 163 HP	60
op2032650	Automatic transmission 7-gear		22
op2032700	Diesel tank 93 I		27
op2032710	MBUX 10.25 inch touchscreen + DAB		2
op2032740	High performance LED headlights		1
op2032850	Mono-LED lamps for low-beam headlights	and fog lights (only for A-Class)	3
op2032855	Fog lights with turning lights		3

OPTIONAL EXTRAS

			weight in kg
op2032860	High-beam Assist	Highbeam Assist eliminates the need to flip between high and low beams while also ensuring the path ahead is fully lit without ever straining the eyes of other drivers. (only possible for low-profile models)	0
op2032870	Attention Assist	Attention Assist is a system intended to help drivers recognise when they are drowsy or inattentive and to encourage them to take a break. (only possible for low-profile models)	0
op2032875	Active distance assist	maintains the desired distance from another vehicle in front and relieves the driver, especially on motorways or in stop-and-go traffic. (only possible in combination with MBUX)	5
op2032885	Active lane keeping assist	can intervene if there is a critical lane-keeping situation. If the driver unintentionally crosses a solid line on either side of the lane, a display in the instrument cluster warns the driver. If necessary, the system can even prevent the vehicle from crossing the line by brake impulses. (only possible in combination with MBUX)	0
op2032900	Trailer hitch Mercedes removable, incl. socket	trailer weight max. 1.950 kg	50
op2032950	Electrics for trailer hitch incl. socket		2
op2033000	M+S tyres (snow tyres)		0
op2033200	Aluminium rim set with wheel spacers	for MB Sprinter A-Class consisting of: 2 aluminium rims front axle 1x set wheel spacers 30 mm front axle (overall 60 mm track widening) 2 aluminium hubcaps rear axle 1x set wheel spacers 50 mm rear axle (overall 100 mm track widening)	25
op2033210	Aluminium rim set with wheel spacers	for MB Sprinter Low-profile models consisting of: 2 aluminium rims front axle 1x set wheel spacers 20 mm front axle (overall 60 mm track widening) 2 aluminium hubcaps rear axle 1x set wheel spacers 50 mm rear axle (overall 100 mm track widening)"	25
op2033220	Spare tyre with fastening	(not possible for Plus layouts)	45
op2033230	Spare tyre and jack without fastening	(not installed)	39
op2033250	HPC levelling system with Bluetooth	for MB, with 4 hydraulic jacks and automatic levelling (for vehicles up to 10 tons)	80
op2033300	Rear axle - full air suspension	only as initial equipment (From the driving position the chassis can be raised by approx. 80 mm and lowered by approx. 20 mm.) Without manual stabilizing legs	45
op2033310	FSD shock absorbers for front axle and rear axle full air suspension	Advantages of the VB Suspension Upgrade Kit for Motorhomes: suspension system does not drift as quickly, more comfortable driving characteristics, improved stability, vehicle does not sag, unevenness in the road surface not felt so distinctly in the vehicle, less vibration, less background noise	0
op2033320	FSD shock absorber kit for front + rear axle	Advantages of the VB Suspension Upgrade Kit for Motorhomes: suspension system does not drift as quickly, more comfortable driving characteristics, improved stability, vehicle does not sag, unevenness in the road surface not felt so distinctly in the vehicle, less vibration, less background noise (cannot be ordered in combination with rear axle full air suspension)	0
CHASSIS NEO			
op2032270	Comfort chassis pack for NEO	414 CDI (143 HP), 6-speed manual transmission, semi-automatic air conditioning TEMPMATIK, cruise control with multi function buttons on steering wheel, reinforced front axle, ECO start/stop function, leather steering wheel, 16 inch black alloy wheels (Mercedes Benz original), insulated driver's cab, electric parking brake	20
op2032275	Comfort pack + driving assistance for NEO	414 CDI (143 HP), 6-speed manual transmission, semi-automatic air conditioning TEMPMATIK, cruise control with multi function buttons on steering wheel, reinforced front axle, ECO start/stop function, leather steering wheel, 16 inch black alloy wheels (Mercedes Benz original), insulated driver's cab, electric parking brake, Wet Wiper system and rain sensor, heat-insulating glass with band filter on windscreen, high-beam assist, active lane keeping assist, attention assist	21
op2032290	NEO chassis pack	418 CDI (177 HP), automatic transmission 9G -Tronic, semi-automatic air conditioning TEMPMATIK, cruise control with multi function buttons on steering wheel, reinforced front axle, ECO start/stop function, leather steering wheel, 17 inch silver alloy wheels (Mercedes Benz original), insulated driver's cab, electric parking brake, chromed radiator grill	44



١٨			

			Weight in kg
op2032295	NEO Chassis pack + driving assistance	418 CDI (177 HP), automatic transmission 9G -Tronic, semi-automatic air conditioning TEMPMATIK, cruise control with multi function buttons on steering wheel, reinforced front axle, ECO start/stop function, leather steering wheel, 17 inch silver alloy wheels (Mercedes Benz original), insulated driver's cab, electric parking brake, chromed radiator grill, Wet Wiper system and rain sensor, heat-insulating glass with band filter on windscreen, high-beam assist, active lane keeping assist, attention assist, active distance assist DISTRONIC	45
op2033330	Engine 177 HP (418 CDI)		0
op2033335	Automatic gearbox 9G-TRONIC	including leather steering wheel CL3	30
op2033340	LED high performance headlights		2
op2033345	Heated windscreen		0
op2033350	Fuel tank 92 I		24
op2033365	Electrics for trailer hitch		1
op2033370	Chromed radiator grille		0
op2033375	Fog lights		3
op2033380	MBUX 10.25 inch with DAB	Multi media system with high resolution 26 cm (10,25 inch) touchscreen for quick hard disk navigation with 3D map display and smartphone integration	8
OUTSIDE PAIN	Т		
op2033395	Driver's cabin colour 'Selenite grey' for NEO	Original Mercedes Benz Bumper and attached parts not painted!	0
op2033450	Outside colour 'Silver-Arrow' (metallic)	(roof in GRP white) – not possible for NEO	20
EQUIPMENT P	ACKS		
op2033800	Luxury pack for Coachbuilt	consisting of: manual blind plissé, 2nd gel battery 80Ah with add. charger 22 Ah, additional sockets 12V + 230V in the garage on right hand side, ALDE Compact 320 HE warm water heating (instead of Truma heating)	77
op2033900	Luxury pack for A-Class	consisting of: electric blackout pleated blind instead of manual blind plissé, 2nd gel battery 80Ah with add. charger 22 Ah, additional sockets 1 x 12V and 1 x 230V in the garage on right hand side, warm water heating ALDE Compact 3020 HE (instead of Truma heating)	85
op2034200	Winter pack for Luxury	for Coachbuilt and Low-profile models consisting of: Duo Control, EZA LiFePO battery (replaces serial battery(-ies), ALDE heat exchanger, floor heating for seating group Cannot be combined with Comfort pack!	26
op2034210	Winter pack for Luxury	A-class models consisting of: Duo Control, heated windscreen, EZA LiFePO battery (replaces serial battery(-ies), ALDE heat exchanger, floor heating for seating group Cannot be combined with Titan, Platin and Comfort pack!	28
op2034250	Comfort pack (Miracle White)	consisting of: Duo Control, kitchen worktop and sideboard surface under glass cabinet (if present) in synthetic resin, outside shower, external gas socket, carpet for driver's cab and living area, solar panel 160 W with CBE Cannot be combined with Titan, Platin and Winter pack!	46
op2034255	Comfort pack (Titan White)	consisting of: Duo Control, kitchen worktop and sideboard surface under glass cabinet (if present) in synthetic resin, outside shower, external gas socket, carpet for driver's cab and living area, solar panel 160 W with CBE Cannot be combined with Titan, Platin and Winter pack!	46
op2034350	Multimedia pack (24 inch)	consisting of: SAT antenna TELECO - TWIN FLATSAT EASY SMART S85, LED flatscreen Alphatronics SL-24 inch DSB with DVB-T2/S2, DVD player, Bluetooth (with swiveling TV place), combined 12V/coax socket for rear bed (front bed for Plus layouts) (except for 640 SD), second SL 24 inch TV, ALPINE radio X902D-DUCA Navigation, Split rear view camera with separate 7 inch monitor, Alpine loudspeaker system	51
op2034400	Multimedia pack (32 inch) for 840 PLUS only	consisting of: SAT antenna TELECO - TWIN FLATSAT EASY SMART S85, LED flatscreen Alphatronics SL-32 inch DSB with DVB-T2/S2, DVD player, Bluetooth (with swiveling TV place), combined 12V/coax socket for rear bed (front bed for Plus layouts), second SL 24 inch TV, ALPINE radio X902D-DUCA Navigation, Split rear view camera with separate 7 inch monitor, Alpine loudspeaker system	58

OPTIONAL EXTRAS

WAI	ght	ın	ĸ
***	SIIIL		1

op2034420	Multimedia pack (24 inch) for Mercedes	consisting of: SAT antenna TELECO - TWIN FLATSAT EASY SMART S85, LED flatscreen Alphatronics SL-24 inch DSB with DVB-T2/S2, DVD player, Bluetooth (with swiveling TV place), combined 12V/coax socket for rear bed (front bed for Plus layouts), second SL 24 inch TV, rear view camera, Alpine loudspeaker system Only in combination with Mercedes multimedia system.	51
op2034500	TV pack (24 inch)	SAT antenna TELECO - TWIN FLATSAT EASY SMART S85, LED flatscreen Alphatronics SL-24 inch DSB with DVB-T2/S2, DVD player, Bluetooth (with swiveling TV place), combined 12 V/coax socket for rear bed (front bed for Plus layouts) (except for 640 SD)	27
op2034550	TV pack (32 inch)	SAT antenna TELECO - TWIN FLATSAT EASY SMART S85, LED flatscreen Alphatronics SL-32 inch DSB with DVB-T2/S2, DVD player, Bluetooth (with swiveling TV place), combined 12 V/coax socket for rear bed (front bed for Plus layouts)	34
op2035000	TV Pack for NEO	SAT antenna TELECO - TWIN FLATSAT EASY SMART S85, LED flatscreen Alphatronics SL-24 inch DSB with DVB-T2/S2, DVD player, Bluetooth (with swiveling TV place), combined 12 V/coax socket for rear bed	27

SKYLIGHTS / WINDOWS / LOCKER

op2035150	Additional outside locker	(price independent of size of outside locker) If installation instead of standard outside lockers, these will not be refunded.	8
op2035202	Additional outside locker for NEO	(price independent of size of outside locker) If installation instead of standard outside lockers, these will not be refunded.	8
op2035450	Midi Heki instead of Mini Heki		8
op2035452	Midi Heki instead of Mini Heki for NEO		8
op2035550	Heki 3 instead of other skylight		15
op2035552	Heki 3 for NEO instead of other skylight		15
op2035560	Heki 3 instead of Mini-Heki above front drop down bed	for Plus layouts (not for 680, 790 with rear drop down bed and 7900 Platin)	15
op2035650	Two Heki 3 one behind the other	(for Plus layouts)	15
op2035700	Omnivent with 12 V ventilator	instead of Mini Heki	2
op2035752	Omnivent with 12 V ventilator for NEO	instead of Mini Heki	2
op2035800	Additional roof lid Fiamma Turbo 28	with 12 V Ventilator (cutout 280 x 280 mm)	2
op2035900	Additional window		5

AWNINGS - GREY WAVES

op2035990	Awning Dometic 1500 - 3.5 m (manually operated) for NEO	Fabric colour Grey wave (projection 2,5 m)	27
op2036000	Awning Dometic 500 - 4 m (manually operated)	Fabric colour Grey wave (projection 2,5 m) Models I 640 / A 680 / T 740 / 7400 and longer	30
op2036050	Awning Dometic 500 - 4.5 m (manually operated)	Fabric colour Grey wave (projection 2,5 m) Models A 740 / A 790 and longer	33
op2036100	Awning Dometic 500 - 5 m (manually operated)	Fabric colour Grey wave (projection 2,5 m) Model I 680 and longer	36
op2036150	Awning Dometic 500 - 5.5 m (manually operated)	Fabric colour Grey wave (projection 2,5 m) Models 740 / 790 / 7900 / 840 / 7400 and longer	39
op2036200	Awning Dometic 500 - 6 m (electric)	Fabric colour Grey wave (projection 2,5 m) I 840 / I 8400 and longer, only electric version available	56



10

op2036350	Anodised awning case		0
op2036400	Electric awning	(instead of manual)	2
op2036420	LED light strip under awning	can be ordered only in combination with an awning	6
op2036422	LED light strip under awning for NEO	can be ordered only in combination with an awning	6

BODY			
op2035050	Electric step for driver's door for A-Class	not possible if the two options HY4 and air suspension are simultaneously ordered	3
op2036500	Electric heated windscreen	(only for A-class)	1
op2036600	Electrical plissee (inside) for windscreen	(for A-Class with Exclusiv pack, standard with Luxury pack)	20
op2036650	Insulation glass (lateral) for A-Class	including: insulation glass for driver's door (left side), window on driver's side, sliding window on passenger's side	15
op2036700	Rear garage two-part	with lighting (light for rear garage part manually switchable)	18
op2036715	Storage compartment for camping furniture	incl. rear garage two-part with lighting (light for rear garage manually switchable) Without right side wardrobe, without partition under bed (right side), outside locker on right side 1000 x 780 mm (hinged at top) instead of small outside locker	0
op2036750	Higher garage: 100 mm higher	than standard version (inside garage height approx. 1340 mm, rear locker dimensions the same as standard version, rear standard outside locker on right side 1300 mm high)	0
op2036800	Lower garage: 100 mm lower	than standard version (inside garage height approx. 1140 mm, rear locker dimensions 1100 x 1350 mm, outside locker on right side 1100 mm high)	0
op2036950	Side pull-out	for option: rear garage two-part (on right hand side). On the 7400/7900 models, the outside locker measures 450 x 900 mm instead of 450 x 650 mm	27

Only possible with the option rear garage two-part

Garage 150 mm higher for transport of 2 e-bikes. For 680/740/7400/8400 Plus including additional outside locker on left side 780×1058 mm (same as on right side)

INTERIOR

op2037005

Extension for PLUS garage

Easy-Bike

op2037150	Living Carnelian	Wood: Oak/White	0
		Upholstery:	
		- Face 2 / Backrest Cushions - Nanova 43 (light beige)	
		- Face 1 / Seat Cushions - Nanova 43 (light beige)	
		Curtains: Terra	
		Floor: Anthrazit	
		Cushions:	
		- Face A: Natura 20 (beige)	
		- Face B: Natura 5 (terracotta)	
		Work top: Duropal Beton (grey)	
		Table top Duropal Beton	
		Cab seats	
		- Face 1 / inside Nanova 43	
		- Face 2 / outside Nanova 43	
op2037200	Living Hematite	Wood: Oak/White	0
		Upholstery:	
		- Face 2 / Backrest Cushions - Nanova 9 (dark grey)	
		- Face 1 / Seat Cushions - Nanova 9 (dark grey)	
		Curtains: 9292 DM-91 (grau/gris/grey)	
		Floor: Anthrazit	
		Cushions:	
		- Face A: Natura 20 (beige)	
		- Face B: Natura 16 (grey)	
		Work top: Duropal Beton (grey)	
		Table top Duropal Beton	
		Cab seats	
		- Face 1 / inside Nanova 9	
		- Face 2 / outside Nanova 9	

			Weight in kg
op2037250	Living Granite	Wood: Oak/White Upholstery: - Face 2 / Backrest Cushions - Rio Edelbach (grey) - Face 1 / Seat Cushions - Soft Basic 5.0 (taupe) Curtains: CS Origami 2707940017 Floor: Anthrazit Cushions: - Face A: Natura 20 (beige) - Face B: Natura 16 (grey) Work top: Duropal Beton (grey) Table top Duropal Beton Cab seats - Face 1 / inside Soft Basic 5.0 (taupe) - Face 2 / outside Soft Basic 5.0 (taupe)	0
op2037300	Living Marble	Wood: Noce/Bianco Upholstery: - Face 2 / Backrest Cushions - Rio Soft (stripes) - Face 1 / Seat Cushions - Soft Basic 5.0 (beige) Curtains: Ambes (brown) Floor: Elfenbein Cushions: - Face A: Natura 20 (beige) - Face B: Idea 122 (light brown) Work top: Duropal Silver Metal Table top (white) Cab seats - Face 1 / inside Soft Basic 5.0 (beige) - Face 2 / outside Soft Basic 5.0 (beige)	0
op2037350	Living Aquamarine	Wood: Noce/Bianco Upholstery: - Face 2 / Backrest Cushions - Fortuna 13 (multicolored) - Face 1 / Seat Cushions - Nanova 9 (dark grey) Curtains: Ambes (beige) Floor: Elfenbein Cushions: - Face A: Natura 20 (beige) - Face B: Idea 99 (teal) Work top: Duropal Silver Metal Table top (white) Cab seats - Face 1 / inside Fortuna 13 - Face 2 / outside Nanova 9	0
op2037400	Living Pyrite	Wood: Noce/Bianco Upholstery: - Face 2 / Backrest Cushions - Rio Savaro 500311 0070 (light brown) - Face 1 / Seat Cushions - Rio Savaro 500311 0070 (light brown) Curtains: 10057 SM Floor: Elfenbein Cushions: - Face A: Natura 20 (beige) - Face B: Natura 20 (beige) Work top: Duropal Silver Metal Table top (white) Cab seats - Face 1 / inside Rio Savaro 500311 0070 - Face 2 / outside Rio Savaro 500311 0070	0
op2037415	Living NEO Pyrite	Wood: Manhattan/White Upholstery: - Face 2 / Backrest Cushions - Rio Savaro 500311 0070 (light brown) - Face 1 / Seat Cushions - Rio Savaro 500311 0070 (light brown) Curtains: 10057 SM Floor: Anthrazit Cushions: - Face A: Natura 20 (beige) - Face B: Natura 20 (beige) Work top: Duropal Silver Metal Table top (white) Cab seats - Face 1 / inside Rio Savaro 500311 0070 - Face 2 / outside Rio Savaro 500311 0070	0



op2037430	Living NEO Granite	Wood: Manhattan/White Upholstery: - Face 2 / Backrest Cushions - Rio Edelbach (grey) - Face 1 / Seat Cushions - Soft Basic 5.0 (taupe) Curtains: CS Origami 2707940017 Floor: Anthrazit Cushions: - Face A: Natura 20 (beige) - Face B: Natura 16 (grey) Work top: Duropal Beton (grey) Table top Duropal Beton Cab seats - Face 1 / inside Soft Basic 5.0 (taupe) - Face 2 / outside Soft Basic 5.0 (taupe)	0
op2037450	Personal interior design	Customer's choice from all living worlds for: Wood, upholstery, cushions, curtains, floor, table top and worktop	0
op2037452	Personal interior design for NEO	Customer's choice from all living worlds for: upholstery, cushions, curtains, floor, table top and worktop	0
op2037500	Synthetic leather	for cab seats and seating group	8
op2037502	Synthetic leather for NEO	for cab seats and seating group	8
op2037550	Leather: Protekt	Please note that leather is a natural product which can be different in colour and texture! This means that the colour can be a little different from the sample.	8
op2037552	Leather: Protekt for NEO	Please note that leather is a natural product which can be different in colour and texture! This means that the colour can be a little different from the sample.	8
op2037900	Carpet in driver's cab (grey)		3
op2037902	Carpet in driver's cab (grey) for NEO		3
op2037910	Carpet in living area (grey)		8
op2037912	Carpet in living area (grey) for NEO		5

SEATS / SEATING GROUPS / CUPBOARDS

op2038150	Straight kitchen and straight seating bench	instead of L-shaped kitchen and L-shaped seating group. Please note that one of the standard seats with seatbelts will be deleted! (available only for 740-7400 GD/QD)	-28
op2038200	Straight kitchen and straight seating bench	instead of L-shaped kitchen and L-shaped seating group. Including 1 additional seat with seatbelt, front seating group (right hand side) (1P3P) (available only for 790-7900 GD/QD, 840-8400 GD/QD and 7900-8400 Platin)	0
op2038205	L-shaped seating group	instead of straight seating bench. 5 seats with seatbelts in total.	28
op2038250	2 additional seats with seatbelt in the rear	left and right side (only for Mercedes Plus layouts). Please note that the weight of the passengers and their luggage are not taken into account in the indicated weight.	96
op2038300	2 additional seats with seat- belt in the rear	left and right side (only on Fiat Plus layouts, except for I 790 Plus 4.5 t). Please note that the weight of the passengers and their luggage are not taken into account in the indicated weight.	86
op2038350	1 additional seat with seatbelt in the rear	for 680 PLUS, left side Please note that the weight of the passenger and his luggage are not taken into account in the indicated weight.	43
op2038355	1 additional seat with seatbelt in the rear	for A 840 PLUS, right side Please note that the weight of the passenger and his luggage are not taken into account in the indicated weight.	43
op2038450	1 additional seat with seatbelt	front seating group, right hand side (depending on layout) Please note that the weight of the passenger and of his luggage are not taken into account in the indicated weight.	28
op2038550	Cab seats with heating	lumbar support and adjustment to side forms (only for A-Class)	5
op2038650	Emergency bed	(simultaneous use of the Duo bed NOT possible) Please note: For 840 GD/QD: If the emergency bed is ordered in combination with the option 1P3P, the emergency bed is usable only for 1 person (instead of 2 persons).	3

			Weight in kg
op2038750	Height adjustable table, one column foot	Plate horizontally movable - for plate smaller than 800 mm	10
op2038815	Height adjustable table, two column foot	Plate horizontally movable	10
op2039050	Without table plate, table foot	and fixings in the double floor (If a carpet is ordered: without cutouts in the carpet)	-10
op2039120	2 wire baskets for telescopic wardrobe right or left side	under GD bed (in driving direction)	6

BED2			
op2039200	Cupboards instead of front drop down bed		-60
op2039250	Curtain for front drop down bed	(separating living area)	2
op2039300	Ladder for front drop-down bed, with fixings	(not installed)	3
op2039350	Pull-out Duo Bed	extensible to 1930 x 1970 mm (mattress dimensions)	20
op2039450	Central bed extension	between the 2 rear beds on GD layout (with additional mattress part) with ladder for easier access to the beds	8
op2039452	Central bed extension for NEO	between the 2 rear beds on GD layout (with additional mattress part) with ladder for easier access to the beds	5

KITCHEN EQU	IPMENT		
op2039500	Kitchen rear panel and side protection	brillant white (Ice - white) (instead of standard version)	0
op2039550	Thetford oven with grill function	Tec Tower (if standard) replaced with fridge 153 I with storage above it	22
op2039552	Thetford oven with grill function for NEO		15
op2039570	3-burner-hob instead of the standard version		0
op2039700	Straight kitchen 1050 with kitchen combination	with grill, gas oven, 3-burner hob and 1 x 230 V hot plate (depending on floor plan) Tec Tower (if standard) replaced with fridge 153 I with storage above it.	22
op2039850	Straight kitchen 1150 with kitchen combination	with grill, gas oven, 3-burner hob and 1 x 230 V hot plate (depending on floor plan) Tec Tower (if standard) replaced with fridge 153 I with storage above it.	22
op2039950	L-shaped kitchen 1050 with kitchen combination	with grill, gas oven, 3-burner hob and 1 x 230 V hot plate (depending on floor plan) Tec Tower (if standard) replaced with fridge 153 I with storage above it.	22
op2040000	L-shaped kitchen 1150 with kitchen combination	with grill, gas oven, 3-burner hob and 1x 230 V hot plate (depending on floor plan) Tec Tower (if standard) replaced with fridge 153 I with storage above it.	22
op2040020	Straight kitchen 1400 with kitchen combination	with grill, gas oven, 3-burner hob and 1 x 230 V hot plate (depending on floor plan) Tec Tower (if standard) replaced with fridge 153 I with storage above it.	22
op2040050	Synthetic resin Miracle White	for kitchen worktop, kitchen real panel and side protection (if present), washroom top and under the standard TV place (if present). Instead of the standard material (HPL). Please note that the other surfaces will be in the material according to the chosen living world or personal interior design. Please note: Signs of scratches and daily wear and tear are inevitable during customary use and these become more obvious in the case of high-gloss and colour-intensive decors in comparison to other decors.	8
op2040052	Synthetic resin Miracle White for NEO	for kitchen worktop, kitchen real panel and side protection (if present), instead of the standard material (HPL). Please note that the other surfaces will be in the material according to the chosen living world or personal interior design. Please note: Signs of scratches and daily wear and tear are inevitable during customary use and these become more obvious in the case of high-gloss and colour-intensive decors in comparison to other decors. Only for Neo 4.5 t.	8



op2040100	Synthetic resin Titan White	for kitchen worktop, kitchen rear panel and side protection (if present), washroom top and under the standard TV place (if present). Instead of the standard material (HPL). Please note that the other surfaces will be in the material according to the chosen living world or personal interior design. Please note:Signs of scratches and daily wear and tear are inevitable during customary use and these become more obvious in the case of high-gloss and colour-intensive decors in comparison to other decors. Especially for GetaCoreUni decors minor occasional dust inclusions cannot be ruled out due to production procedures. Normal use scratch and wear marks are unavoidable and will be more visible on high-gloss and intensely coloured surfaces.	8
op2040102	Synthetic resin Titan White for NEO	for kitchen worktop, kitchen rear panel and side protection (if present), instead of the standard material (HPL). Please note that the other surfaces will be in the material according to the chosen living world or personal interior design. Please note:Signs of scratches and daily wear and tear are inevitable during customary use and these become more obvious in the case of high-gloss and colour-intensive decors in comparison to other decors. Especially for GetaCoreUni decors minor occasional dust inclusions cannot be ruled out due to production procedures. Normal use scratch and wear marks are unavoidable and will be more visible on high-gloss and intensely coloured surfaces.	8
op2040150	Ventilator for refrigerator		1

GAS

op2040200	Duo Control	with Eis-Ex	2
op2040202	Duo Control for NEO	with Eis-Ex	2
op2040210	Gas filter for vehicles with Mono Control	(1 filter)	1
op2040212	Gas filter for vehicles with Mono Control	(1 filter) for NEO	1
op2040215	Gas filter for vehicles with Duo Control	(2 filters) Only in combination with Duo Control!	1
op2040217	Gas filter for vehicles with Duo Control	(2 filters) Only in combination with Duo Control! for NEO	1
op2040220	Gas filter for vehicles with Duo Control	(2 filters) (for Titan and Platin)	1
op2040250	External gas socket		1
op2040252	External gas socket for NEO		1
op2040300	Gas tank 50 ltr. with Eis-Ex	tank remote indication and gas filter Wynen (installation possibility has to be checked)	60

WASHROOM / WATER

op2040400	Fresh water filler neck	(Installation only possible in outside wall!)	1
op2040402	Fresh water filler neck for NEO	(Installation only possible in outside wall!)	1
op2040450	Outside shower	warm/cold water (Installation only possible in outside wall)	1
op2040452	Outside shower for NEO	warm/cold water (Installation only possible in outside wall)	1
op2040500	Mains water connection	pressurized water connection, for water filling in the car circuit	1
op2040502	Mains water connection for NEO	pressurized water connection, for water filling in the car circuit	1
op2040550	Ventilator with charcoal filter for	Thetford toilet (Please note that an additive for the toilet still has to be used)	1
op2040600	FFS (Frankia Fresh Water System)	for better drinking water quality Installation of the fresh water tank under the kitchen. The kitchen will have no lower drawer or the lower drawer will be shorter. The tank is accessible through a locker door. The option kitchen column is not possible.	30

We	ajø	ht	in	k

op2040650	Additional fresh water volume 150 l	with possible limitation (approx. 100 l) for F-Line (installation possibility has to be checked)	66
op2040700	Additional sewage volume 130 l	(installation possibility has to be checked)	12
op2040750	Toilet with 80 I dejection tank for F-Line	with ventilator with charcoal filter for Thetford toilet with compressed water adapter for flushing the tank (installation possibility has to be checked)	25
op2040800	Toilet with 75 I dejection tank for M-Line	with ventilator with charcoal filter for Thetford toilet for M-Line 7900 GD/QD/Plus / 8400 QD/Plus with compressed water adapter for flushing the tank (installation possibility has to be checked)	25
op2040850	Toilet with 60 I dejection tank	with ventilator with charcoal filter for Thetford toilet for M-Line 8400 GD with compressed water adapter for flushing the tank (installation possibility has to be checked)	25

ELECTRICITY

op2041000	EZA LiFePO battery 130 Ah	(instead of standard battery)	23
op2041080	LiFePO battery 100 Ah for NEO	(instead of standard battery)	23
op2041100	Additional gel battery 80 Ah (C20)	with additional charger	23
op2041150	Solar panel 160 W (Büttner)	with solar charge regulator	26
op2041200	Solar panel 120 W	with solar charge regulator	13
op2041250	Inverter Büttner MT 1700-Si N / Sinus	- input voltage 12 Volt DC - output voltage 230 Volt / 50 Hz - continuous output 1700 W - power output stand-by 0,2 A - connection to all 230 V sockets	9
op2041252	Inverter Büttner MT 1700-Si N / Sinus for NEO	- input voltage 12 Volt DC - output voltage 230 Volt / 50 Hz - continuous output 1700 W - power output stand-by 0,2 A - connection to all 230 V sockets	9
op2041301	Additional socket (230 V)		1
op2041601	Additional socket (12 V)		1
op2042001	Additional socket (USB)		1

MULTIMEDIA

op2042450	ALPINE Radio X902D-DUCA Navigation	9 inch high resolution display WVGA ALPINE X902D-DUCA sat nav, incl. motorhome software, ACSI	6
op2042452	ALPINE Radio X902D-DUCA Navi. + ALPINE loud speaker system	9 inch high resolution display WVGA ALPINE X902D-DUCA sat nav, incl. motorhome software, ACSI and high quality speakers and subwoofer	15
op2042505	Alpine speaker system for MBUX Multimedia System	with high quality speakers and subwoofer (only in combination with option Mercedes MBUX Multimedia System)	9
op2042550	Split rear view camera with double lens	and autom. shutter cover, with separate 7 inch monitor	3
op2042552	Split rear view camera with double lens	with interface for direct connection to the MBUX multi media system of Mercedes (no separate monitor required). Only in combination with MBUX! Rear camera Safety CS 100 TSLA	3
op2042554	Split rear view camera with double lens for NEO	with interface for direct connection to the MBUX multi media system of Mercedes (no separate monitor required). Only in combination with MBUX! Rear camera Safety CS 100 TSLA	3



op2042560	Bird View camera system (Waeco CAM 360)	with separate 7 inch monitor (only possible for A-class and coachbuilt models)	9
op2042570	Bird View camera system (Waeco CAM 360)	instead of Split rear view camera with double lens and separate 7 inch monitor (only possible for Titan and Platin)	6
op2042600	Back-up help sensor top + bottom		2
op2042650	Additional TV socket	12 V / coaxial socket. For future connection of a TV set. Position: GD layouts: next to the rear beds, on the side where there is no sliding door QD layouts: next to the rear beds, on the right side FD layouts: at the foot end of the rear beds, on the right side ED layout: right side, on the shower wall BD layouts: next to the rear bed, at the front on the right side Plus layouts (A-class): next to the front bed, on the right side, on the shower side Plus layouts (coachbuilt): at the front right, on the shower/cupboard wall	1
op2042652	Additional TV socket for NEO	12 V / coaxial socket. For future connection of a TV set. Position: GD layouts: next to the rear beds, on the side where there is no sliding door	1
op2042750	LED flatscreen Alphatronics SL-24 inch	DSB with DVB-T2/S2, DVD player, Bluetooth (with movable holder)	6
op2042752	LED flatscreen Alphatronics SL-24 inch for NEO	DSB with DVB-T2/S2, DVD player, Bluetooth (with movable holder)	6

AIR CON / HEATING

op2042800	Trumatic Combi 6 E heating	incl. CP Plus controller, instead of Combi 6 - Possibility of operation with 230 V / 1,8 KW - mixed mode gas/230V - 6 KW	5
op2042802	Trumatic Combi 6 E heating for NEO	incl. CP Plus controller, instead of Combi 6 - Possibility of operation with 230 V / 1,8 KW - mixed mode gas/230V - 6 KW	5
op2042850	Truma INet Box + CP Plus controller	An additional SIM card is necessary, but not included.	5
op2042852	Truma INet Box + CP Plus controller for NEO	An additional SIM card is necessary, but not included.	5
op2042900	ALDE Compact 3020 HE warm water heating	(Attention: Storage room in wardrobe is restricted, dimensions of the beds may change!)	40
op2043000	Additional ventilator for emission of warm air	at the front screen (only for A-Class) Only with ALDE heating or Luxury equipment	8
op2043060	ALDE engine heat exchanger	for pre-heating the engine in the winter or using the heat from the engine to keep the temperature in the living space while driving	5
op2043110	Floor heating under seating group	Only available in combination with option: ALDE 3020 HE warm water heating or Luxury pack (depending on layout)	10
op2043150	Air con Truma Aventa	Cooling capacity 2400 W / heating capacity 1700 W For the following models with this option the Heki 3 (in addition to the Mini-Hekis) will have a forced ventilation in order to ensure the minimum ventilation openings for the use of gas appliances according to DIN EN 721: 680 GD/ED-G/Plus, 740/790 Plus, 840 FD, 740 GD	34
op2043152	Air con Truma Aventa for NEO	Cooling capacity 2400 W / heating capacity 1700 W	34
op2043200	Air con Dometic Freshlight	Cooling capacity 2200 W / heating capacity 2700 W For the following models with this option the Heki 3 (in addition to the Mini-Hekis) will have a forced ventilation in order to ensure the minimum ventilation openings for the use of gas appliances according to DIN EN 721: 680 GD/Plus, 740/790 Plus, 840 FD	40
op2043202	Air con Dometic Freshlight for NEO	Cooling capacity 2200 W / heating capacity 2700 W	40
op2043250	Air con Dometic 2200 Freshlight only for PLATIN	instead of standard air con Platin (1600 Freshlight) Cooling capacity 2200 W + heating capacity 2700 W The air conditioner can be used only when the vehicle is connected to the mains (not during the trip).	5

Weight in kg

OTHERS			
op2043300	AL-KO safe	completely installed.	12
op2043302	AL-KO safe for NEO	completely installed.	12
op2043330	Tightness warranty extension	from 7 to 11 years for Thermo Guard Plus (according to the warranty conditions)	0

SMALL BUT SIGNIFICANT ENOUGH


SIZE SPECIFICATIONS

The **total vehicle length** corresponds to the measurement between the outermost point of the front spoiler and the outermost point of the rear panel (without trailer coupling).

The **total vehicle width** corresponds to the measurement between the outer sides of the exterior walls on both the driver and passenger side without outer mirrors.

The **total vehicle height** may vary with installations and roof options (e.g. skylights, SAT or air conditioning system etc).

The **bed measurements** specified are external measurements. The measurements of the mattresses supplied may differ.



The accessories and original spare parts recommended by FRANKIA have been especially developed for your vehicle and approved by us. Your FRANKIA trading partner supplies these products; they have been informed about the permissible technical details and professionally carry out all necessary work.

Accessories, additions, alterations or fitted components not approved by FRANKIA can lead to damages on the vehicle and compromise road safety. Even if these parts have been approved by an expert, have a parts approval document or certificate, this by no means ensures that the product is of sufficient quality.

Please understand that no liability will be assumed for damages caused by products that have not been approved by FRANKIA, or indeed modifications that were not permitted.

Please note that the prescribed axle loads must be adhered to when fitting special rear attachments such as motorbike brackets, trailer couplings or loading of the rear garage (depending on layout plan).

The prices specified for the optional equipment only have validity as part of new series production. Retrofitting of special optional equipment is sometimes not possible or associated with substantial additional costs.

The total vehicle height may vary with installations and superstructures (e.g. skylights, SAT or air conditioning systems). The number of persons indicated is dependant on weight and axle load. This number can reduce if accessories and optional equipment are installed.

The number of persons specified refers to the weight of the vehicle in production configuration. The optionally selected number of persons is specified

in the registration certificate, which can, nevertheless, only be reached with a weight load increase depending on the model. The technically permissible total mass and the axle loads may not be exceeded. The payload capacity is primarily dependant on the unladen weight. It is reduced by the fitting of accessories and optional equipment. It also presupposes an axle load-dependent distribution of the payload.

The specified mass in running order is defined by Regulation (EU) 1230/2012. It includes, in addition to the mass of the standard equipment of the vehicle when equipped (basic vehicle configuration acc. Directive 2007/46/EC Annex IV or XI), the mass of up to 90 % of the fuel tank capacity (S), the driver (75 kg), tools (6.5 kg), as well as up to 100 % of the filled liquid tanks (fresh-water tank (120 I/150 I) and aluminium gas cylinder(s) (11 kg). Decisive for the mass of the fresh-water tank is its capacity as described in Appendix V, part A, para 2.6 Fn. (H) Reg (EU) 1230/2012, taking into consideration the movement limitation – if any – based on the amount in litres specified in this technical documentation.

Deviations no more than +/-5% in the mass in running order are permissible for production reasons.

In principle, the optional equipment and accessories increase the weight in its roadworthy condition and reduces the possible payload as well as the storage space depending on the model. The maximum permissible vehicle weight and axle loads must be observed when the capacity of the fuel and/or fresh water tank is increased. This applies particularly to optional equipment and accessories. The payload for tank systems modified against the standard design must be obtained by the vehicle owner themselves. The maximum towing capacity depends upon the total weight of the vehicle.

BED DIMENSIONS

SD -**LAYOUT** (I 640)



Drop-down front bed (L x W)

192 x 140 cm

(Option: Duo-bed 192 x 197 cm)

SG -LAYOUT (I 680)



Drop-down front bed (L x W)

192 x 140 cm

(Option: Duo-bed 192 x 197 cm)

GD -LAYOUT (MT 7 NEO, I / T 7400, I 7900, I 8400, I 740, I 790, I 840, I 890, I 790 TITAN, I 840 TITAN, I 7900 PLATIN, I 8400 PLATIN)



Drop-down front bed

(L x W, only with A-Class vehicles)

192 x 140 cm

(Option: Duo-bed 192 x 197 cm)



Rear bed area (LxW)

MT 7 NEO:

Left bed: 198 x 80, Right bed: 200 x 80 cm

I/T 7400, I 740:

Left bed: 200 x 80 cm, Right bed: 195 x 80 cm

I 7900, I 790, I 790 TITAN, I 7900 PLATIN:

Left bed: 195 x 80 cm, Right bed: 200 x 80 cm

I 8400, I 840, I 840 TITAN, I 8400 PLATIN:

Left bed: 200 x 80 cm, Right bed: 200 x 80 cm

I 890, I 890 TITAN:

Left bed: 210 x 80, Right bed: 210 x 80 cm

QD -LAYOUT (I / T 7400, I 7900, I 8400, I 740, I 790, I 840, I 790 TITAN, I 840 TITAN, I 7900 PLATIN, I 8400 PLATIN)



Drop-down front bed

(L x W, only with A-Class vehicles)

192 x 140 cm

(Option: Duo-bed 192 x 197 cm)



Rear bed area (L x W)

T 7400, I 7900, I 740, I 790, I 790 TITAN, I 7900 PLATIN: 195 x 140 cm

I 8400, I 840, I 840 TITAN, I 8400 PLATIN: 200 x 140 cm



BD -LAYOUT (1 740)



Drop-down front bed (L x W)

192 x 140 cm

(Option: Duo-bed 192 x 197 cm)



Rear transverse bed (L x W)

209 x 140 cm

-LAYOUT (I 840)



Drop-down front bed (L x W)

192 x 140 cm

(Option: Duo-bed 192 x 197 cm)



Rear bed area (LxW)

1840:

200 x 150 cm

PLUS -LAYOUT (COACHBUILT) (A 680, A 740, A 790, A 840, A 790 TITAN, A 840 TITAN)



Coachbuilt bed (L x W)

Lenghtways bed:

left and right: 200 x 80 cm

(Option: Transverse bed: 200 x 146 cm)



Standard makeshift bed in rear seating area (L x W)

A 680, A 740, A 790, A 790 TITAN:

200 x 195 cm

A 790, A 790 TITAN

optional electric rear drop-down bed:

200 x 140 cm

(no makeshift bed if A 790, A 790 TITAN,

is equipped with rear drop-down bed)

A 840, A 840 TITAN:

209 x 133 cm

PLUS -LAYOUT (17400, 1680, 1740, 1790, 1840, 1790 TITAN, 1840 TITAN, 17900 PLATIN, 18400 PLATIN)



Drop-down front bed (L x W)

Lenghtways bed: 204 x 193 cm



Standard makeshift bed in rear seating area (L x W)

I 7400, I 680, I 740, I 790, I 790 TITAN: 200 x 195 cm

I 790, I 790 TITAN, I 7900 PLATIN optional electric rear drop-down bed: 200 x 140 cm

(no makeshift bed if I 790, I 790 TITAN, I 7900 PLATIN is equipped with rear drop-down bed)

I 840, I 840 TITAN, I 8400 PLATIN:

209 x 133 cm



may vary. Technical modifications and errors reserved. Equipment fitted as standard and / or marked as optional may differ depending on the country. The images may vary in colour due to printing fluctuations. Printed in Germany. © Copyright 2019 by FRANKIA-GP GmbH Version: June 2019 | Edition: P1-2020



Bernecker Straße 12 | 95509 Marktschorgast | Germany Phone: +49 (0) 92 27-738-0 | Fax: +49 (0) 92 27-738-49

Email: info@frankia.de

Experience the world of FRANKIA online. www.frankia.com

