

PRICE LIST 2020

HOME | LOFT | PALACE . PALACE LINER | EMPIRE . EMPIRE LINER







WELCOME HOME

Anybody who travels a lot enjoys being at home. And the comfort it offers.

The MORELO HOME surrounds you with luxury and gives you a home on the move. It gives you the freedom to be untethered, to travel to the most scenic locations, to reach new destinations, to make new discoveries. And to feel at home every step of the way.

HOME 74 H



HOME 78 L



HOME 82 M



HOME 78 HS



HOME 82 LS





HOME 74 H





incl. scooter garage

HOME 78 HS





incl. scooter garage

	IVECO Daily 50 C 18	IVECO Daily 50 C 18
Serial diesel engine (cylinders)	4	4
Cubic capacity (litres)	3	3
Max. power (KW/HP)	132 / 180	132 / 180
Max. torque (Nm)	430	430
Emission class	EURO 6d	EURO 6d
Technically permissible max. weight (kg) ¹	5.600 (5.800) ²	5.600 (5.800) ²
Mass in running order (kg) ¹	4.250	4.400
Payload (kg) ¹	1.350 (1.550) ²	1.200 (1.400)²
Tow load with fixed / removable ball head (kg)	3.500	3.500
Permissible max. train weight w. fixed / removable ball head (kg)	9.100	9.100
Total length (mm)	7.450	7.850
Total width (mm)	2.350	2.350
Total height (mm)	3.320 ³	3.320 ³
Wheel base (mm)	3.750	4.100
Lounge bench, left (mm)	1.360 x 1.000	1.360 × 1.000
Couch, right (mm)	760 x 630	760 x 630
Rear bed (mm)	2.050 x 1.500	2.050 x 1.500
Folding bed (option) (mm)	1.950 x 1.300	1.950 x 1.300
Garage door passenger's side (Clear height x width in mm)	1.080 x 850	1.080 x 850
	156.900,00 €	158.900,00 €

HOME 78 L





incl scooter garage

HOME 82 LS





incl. scooter garage

	IVECO Daily 50 C 18	IVECO Daily 50 C 18
Serial diesel engine (cylinders)	4	4
Cubic capacity (litres)	3	3
Max. power (KW/HP)	132 / 180	132 / 180
Max. torque (Nm)	430	430
Emission class	EURO 6d	EURO 6d
Technically permissible max. weight (kg) ¹	5.600 (5.800) ²	5.600 (5.800) ²
Mass in running order (kg) ¹	4.400	4.475
Payload (kg) ¹	1.200 (1.400) ²	1.125 (1.325) ²
Tow load with fixed / removable ball head (kg)	3.500	3.500
Permissible max. train weight w. fixed / removable ball head (kg)	9.100	9.100
Total length (mm)	7.850	8.250
Total width (mm)	2.350	2.350
Total height (mm)	3.320 ³	3.320 ³
Wheel base (mm)	4.100	4.350
Lounge bench, left (mm)	1.360 x 1.000	1.360 x 1.000
Couch, right (mm)	760 x 630	760 x 630
Rear bed (mm)	2 × 2.000 × 1.030	2 × 2.000 × 1.030
Folding bed (option) (mm)	1.950 x 1.300	1.950 x 1.300
Garage door passenger's side (Clear height x width in mm)	1.080 x 850	1.080 x 850

HOME 82 M





incl. scooter garage

IVECO Daily 50 C 18

Serial diesel engine (cylinders)	4	
Cubic capacity (litres)	3	
Max. power (KW/HP)	132 / 180	
Max. torque (Nm)	430	
Emission class	EURO 6d	
Technically permissible max. weight (kg) ¹	5.600 (5.800) ²	
Mass in running order $(kg)^{\rm 1}$	4.475	
Payload (kg) ¹	1.125 (1.325) ²	
Tow load with fixed / removable ball head (kg)	3.500	
Permissible max. train weight w. fixed / removable ball head (kg)	9.100	
Total length (mm)	8.250	
Total width (mm)	2.350	
Total height (mm)	3.320 ³	
Wheel base (mm)	4.350	
Lounge bench, left (mm)	1.360 x 1.000	
Couch, right (mm)	760 x 630	
Rear bed (mm)	2.000 x 1.500	
Folding bed (option) (mm)	1.950 x 1.300	
Garage door passenger's side (Clear height x width in mm)	1.080 x 850	

ENGINE . CHASSIS . COCKPIT . LIGHTS . STRUCTURE

F	uel tank, 90 litres
Е	mission class EURO 6d
Ν	fanual transmission, 6-gear
Δ	lternator 14 V / 220 A / 3.080 W
F	ear wheel drive with twin tires on the rear axle
Τ	ires rear axle with traction profile
	isc brakes, on front and rear axle
Е	lectronic anti-lock braking system (ABS)
T	raction control system (ASR)
Е	reakdown set, with warning triangle, first-aid kit, warning light, wheel chock and tire pressure kit
Е	lectronical Stability Program (ESP)
	river's cab seats, swiveling, with armrests and integrated belt system
F	oller plissee behind windscreen, electrically activated, privacy screen function, darkening and sunblind
F	anoramic windscreen with laminated glass, tinted
S	ide windows in driver's cab with tinted insulating glass
lı	ndependent dashboard
C	ruise control
S	teering wheel, adjustable in height and angle
C	utside side mirrors
F	aised driver's cab on special platform
F	ully insulated driver's cab, new GRP module
C	ptimized noise insulation of engine compartment
S	ockets, 1 x USB charging and 2 x 230 V
_ -	alogen main headlights, with optical lens and additional main beam
	og lights
	ED daytime running lights
S	ide walls and roof are 42 mm thick, 38 mm of which consists of closed-cell RTM hard foam
Δ	luminium side bars on the roof, with rainwater channels to help keeping side walls clean
S	ide walls in ALU-RTM-ALU sandwich design, smooth and high-gloss
F	oof in GRP-RTM-ALU sandwich design, hail protection and low heat conductivity
L	nderfloor in GRP-RTM-GRP sandwich design, robust, corrosion-free, no timber used
C	old-bridge-free wall joint technology, using highly compressed rigid PU profiles
L	ightning protection, Faraday cage
F	eatable double floor, approximately 366 mm high, side access via external flaps
F	ntrance door with window, extra large, electric with code lock and remote control, flyscreen and mechanical emergency unlocking

STRUCTURE. LIVING ROOM + BEDROOM. KITCHEN

Intenion		-+	la a a k a al
mterior	entrance	steb.	. neateu

Exterior entrance step, 1-step, electrically extendable with safety circuit

Rear garage with door to the right, floor rails with lashing eyelets and 230 $\rm V$ socket

Rear wall with fibreglass compound sandwich design, PU foam core

Plastic windows in living area, double-glazed and tinted, collapsible outwards or sliding, with pleated blackout blind and flyscreen

Entirely wood-free exterior structure

Front and lateral skirting, from highly sturdy fibreglass compound

External adhesives HOME in black

Sturdy handle for easy entry, backlighted

Floor covering made from easy-care, high-grade vinyl

Flat living area floor, from the rear to the dashboard

Skylight, with flyscreen and pleated blackout blind in the bedroom

Double-glazed, Midi roof window with flyscreen and pleated blackout blind in the living area

Rear bed with slatted frame and multi-zone mattress

Wardrobes with LED lighting

Furniture fronts with metal hinges

Microfibre upholstery, including driver and passenger seats

Seating group with ergonomic upholstery, comfortable multi-layer design with diol-based padding and zip fasteners

Extensible, sturdy table, with extensive sliding range, laminated

Glass cabinet with LED lighting at the entrance, with assorted glassware and space for a TV set,

incl. small pull-out furniture

Sockets in the living area and in the bedroom

Wall panelling with colour-coordinated carpet

Elegant pleated curtains

177 litres AES refrigerator with separate freezer compartment, dark mirrored fridge door, automatic and manual energy selection

Kitchen worktop with laminated surface

3-flame stainless steel gas cooker, installed countersunk with automatic ignition and glass cover

Single-lever mixer tap, chrome

Chrome railing mounted to the worktop

HOME WHER-EVER YOU ARE

SATELLITE SYSTEM

When you buy a satellite system from ten Haaft, you are buying more than just a reliable brand product. You are also choosing our many years of experience, excellent service, intelligent technology and top quality!



Innovative Mobile Technology

Many service centres throughout Europe ensure reliability and rapid assistance.

OUR ADVICE

Oyster® is the user-friendly satellite system that offers a wide variety of programmes and top-class convenience.

⊘ www.ten-haaft.com



STANDARD EQUIPMENT MORELO HOME

KITCHEN . BATHROOM . INSTALLATIONS . ELECTRONICS . CONTROL PANEL

Pull-out waste bir	n with two removable containers
Skylight, with flys	creen and pleated blackout blind
_ED spots	
Sockets 2 x 230 V	
Separate toilet ar	ea
Skylight, with flys	creen and pleated blackout blind
Washstand, with	seamlessly integrated sink, push open valve and domestic drain
Single-lever mixe	r tap, chrome
Soap dispenser, c	up holder and towel hook
_ighted wardrobe	
Separate shower,	with wall rail, height-adjustable showerhead and drying rail
Cassette toilet	
Toilet paper holde	r and toilet brush
_ED spots	
Sockets 2 x 230 V	
Gas bottle compa	rtment, for 2 x 11 kg gas bottles side by side, with gas controller gas leak protection, gas filter and automatic switchover
	gas central heating, with thermostat control, automatic ventilation valve and backflow shut-off
	element, 230V, up to 3.000W
	ter boiler, serving all tapping points
	ater tank, 200 litres wastewater tank, situated in the heated double floor
Emptying of wast	ewater and toilet tank, via drain tap with large cross section in heated double floor and drain hose with bayonet connection
Domestic style w	
	ons for wastewater tank and optional toilet tank
Central pressure	water supply
230 V socket in th	e narane
	tion, with insulated floor inlet
	y in intermediate floor including battery monitoring system with overloading and total discharge protection
	r, electronically controlled, with battery temperature sensor, maximum charge rate of 25 A
Central control ar	d monitoring panel, with colour touch screen
Shut-off function	for on-board electrical system, in case of undervoltage/overheating
On-board electron	nics, microprocessor-controlled
Buttons for switch	ning on/off, lighting, water pump and special equipment, including main switch for all consumers
Alarm devices for	'step extended', 'fresh water tank empty', reserve gas bottle in use' and diverse others
	for monitoring of external and internal temperature, external mains supply, parallel battery circuit, the vehicle and leisure batteries
_CD control pane	for monitoring of wastewater tank and fresh water tank levels, gas level (when a gas tank is fitted), charging amperage, date and time with alarm clock

SPECIAL EQUIPMENT MORELO HOME

CHASSIS PACKAGE. SAFETY PACKAGE. CHASSIS

		all models
011296 / 82	Chassis Package IVECO Daily 50 C 18	15.900,00 €
	^L Engine 3.0 l, 154 kW / 210 HP (instead of 132 kW / 180 HP)	
	^L Technically permissible max. weight 5.800 kg	
	L ZF torque converter transmission	
	^L Airconditioning in driver's cab	
	L Electrical and technical preparation for trailer coupling	
	L Differential lock for rear axle	
	L Bus-style windscreen wiper system	
	L Engine heat exchanger	
	L Light metal rims (selection see underneath)	
011280 / 20	Driving safety package	7.900,00 €
011200720	L Electric parking brake	7.700,00 (
	L Emergency brake assits, adaptive cruise control	
	L Active lane departure warning with warning tone	
	L ESP with crosswind assist	
	^L Traction PLUS with downhill assist	
	L Active tire pressure monitoring system	
011207 / 0 018215 / 25	Mechanical transmission, serial standard for engine version 3.0 l, 132 KW / 180 HP Air suspension on rear axle only	no suppleme 5.200,00
018211 / 63	Air suspension on front and rear axle, automatic leveling and various special features	3.200,00 (
		9.890,00 €
018179-02 / 08	(only combined with light metal rims) Light metal rims "Radial" on front axle with spur widening, 235 / 65 R 16 tires,	
018179-02 / 08	(only combined with light metal rims)	3.290,00 €
	(only combined with light metal rims) Light metal rims "Radial" on front axle with spur widening, 235 / 65 R 16 tires, incl. higher load carrying index, steel rims with wheel trims on rear axle Light metal rims "BiColor" on front axle with spur widening, 235 / 65 R 16 tires,	3.290,00 €
018179 / 08	(only combined with light metal rims) Light metal rims "Radial" on front axle with spur widening, 235 / 65 R 16 tires, incl. higher load carrying index, steel rims with wheel trims on rear axle Light metal rims "BiColor" on front axle with spur widening, 235 / 65 R 16 tires, incl. higher load carrying index, steel rims with wheel trims on rear axle Light metal rims "Silver" on front axle with spur widening, 235 / 65 R 16 tires,	3.290,00 € 3.290,00 €
018179 / 08	(only combined with light metal rims) Light metal rims "Radial" on front axle with spur widening, 235 / 65 R 16 tires, incl. higher load carrying index, steel rims with wheel trims on rear axle Light metal rims "BiColor" on front axle with spur widening, 235 / 65 R 16 tires, incl. higher load carrying index, steel rims with wheel trims on rear axle Light metal rims "Silver" on front axle with spur widening, 235 / 65 R 16 tires, incl. higher load carrying index, steel rims with wheel trims on rear axle	3.290,00 € 3.290,00 € 490,00 €
018179 / 08 018179-01 / 08 018170D / 08	(only combined with light metal rims) Light metal rims "Radial" on front axle with spur widening, 235 / 65 R 16 tires, incl. higher load carrying index, steel rims with wheel trims on rear axle Light metal rims "BiColor" on front axle with spur widening, 235 / 65 R 16 tires, incl. higher load carrying index, steel rims with wheel trims on rear axle Light metal rims "Silver" on front axle with spur widening, 235 / 65 R 16 tires, incl. higher load carrying index, steel rims with wheel trims on rear axle Electrical and technical preparation for trailer coupling	3.290,00 € 3.290,00 € 490,00 € 790,00 €
018179 / 08 018179-01 / 08 018170D / 08 018182 / 16	(only combined with light metal rims) Light metal rims "Radial" on front axle with spur widening, 235 / 65 R 16 tires, incl. higher load carrying index, steel rims with wheel trims on rear axle Light metal rims "BiColor" on front axle with spur widening, 235 / 65 R 16 tires, incl. higher load carrying index, steel rims with wheel trims on rear axle Light metal rims "Silver" on front axle with spur widening, 235 / 65 R 16 tires, incl. higher load carrying index, steel rims with wheel trims on rear axle Electrical and technical preparation for trailer coupling Spur widening on rear axle	3.290,00 € 3.290,00 € 490,00 € 790,00 €
018179 / 08 018179-01 / 08 018170D / 08 018182 / 16 018222 / 05	(only combined with light metal rims) Light metal rims "Radial" on front axle with spur widening, 235 / 65 R 16 tires, incl. higher load carrying index, steel rims with wheel trims on rear axle Light metal rims "BiColor" on front axle with spur widening, 235 / 65 R 16 tires, incl. higher load carrying index, steel rims with wheel trims on rear axle Light metal rims "Silver" on front axle with spur widening, 235 / 65 R 16 tires, incl. higher load carrying index, steel rims with wheel trims on rear axle Electrical and technical preparation for trailer coupling Spur widening on rear axle Adaptive shock absorbers on front axle (not combined with front air supension)	3.290,00 € 3.290,00 € 490,00 € 790,00 € 890,00 €
018179 / 08 018179-01 / 08 018170D / 08 018182 / 16 018222 / 05 018223 / 05	(only combined with light metal rims) Light metal rims "Radial" on front axle with spur widening, 235 / 65 R 16 tires, incl. higher load carrying index, steel rims with wheel trims on rear axle Light metal rims "BiColor" on front axle with spur widening, 235 / 65 R 16 tires, incl. higher load carrying index, steel rims with wheel trims on rear axle Light metal rims "Silver" on front axle with spur widening, 235 / 65 R 16 tires, incl. higher load carrying index, steel rims with wheel trims on rear axle Electrical and technical preparation for trailer coupling Spur widening on rear axle Adaptive shock absorbers on front axle (not combined with front air supension) Adaptive shoch absorberts on rear axle (not combined with full air suspension) Fixed trailer coupling up to max. 3.500 kg	3.290,00 € 3.290,00 € 490,00 € 790,00 € 890,00 € 1.400,00 €
018179 / 08 018179-01 / 08 018170D / 08 018182 / 16 018222 / 05 018223 / 05 018103 / 35	Light metal rims "Radial" on front axle with spur widening, 235 / 65 R 16 tires, incl. higher load carrying index, steel rims with wheel trims on rear axle Light metal rims "BiColor" on front axle with spur widening, 235 / 65 R 16 tires, incl. higher load carrying index, steel rims with wheel trims on rear axle Light metal rims "Silver" on front axle with spur widening, 235 / 65 R 16 tires, incl. higher load carrying index, steel rims with wheel trims on rear axle Electrical and technical preparation for trailer coupling Spur widening on rear axle Adaptive shock absorbers on front axle (not combined with front air supension) Adaptive shoch absorberts on rear axle (not combined with full air suspension) Fixed trailer coupling up to max. 3.500 kg (only combined with electrical and technical preparation for trailer coupling)	9.890,00 € 3.290,00 € 3.290,00 € 490,00 € 790,00 € 890,00 € 1.400,00 € 500,00 € 2.190,00 €
018179 / 08 018179-01 / 08 018170D / 08 018182 / 16 018222 / 05 018223 / 05 018103 / 35 018120 / 03	Light metal rims "Radial" on front axle with spur widening, 235 / 65 R 16 tires, incl. higher load carrying index, steel rims with wheel trims on rear axle Light metal rims "BiColor" on front axle with spur widening, 235 / 65 R 16 tires, incl. higher load carrying index, steel rims with wheel trims on rear axle Light metal rims "Silver" on front axle with spur widening, 235 / 65 R 16 tires, incl. higher load carrying index, steel rims with wheel trims on rear axle Electrical and technical preparation for trailer coupling Spur widening on rear axle Adaptive shock absorbers on front axle (not combined with front air supension) Adaptive shoch absorberts on rear axle (not combined with full air suspension) Fixed trailer coupling up to max. 3.500 kg (only combined with electrical and technical preparation for trailer coupling) Surcharge for removable trailer coupling head (only in combination with trailer coupling)	3.290,00 € 3.290,00 € 490,00 € 790,00 € 890,00 € 1.400,00 € 500,00 €
018179 / 08 018179-01 / 08 018170D / 08 018182 / 16 018222 / 05 018223 / 05 018103 / 35 018120 / 03 017006 / 0	(only combined with light metal rims) Light metal rims "Radial" on front axle with spur widening, 235 / 65 R 16 tires, incl. higher load carrying index, steel rims with wheel trims on rear axle Light metal rims "BiColor" on front axle with spur widening, 235 / 65 R 16 tires, incl. higher load carrying index, steel rims with wheel trims on rear axle Light metal rims "Silver" on front axle with spur widening, 235 / 65 R 16 tires, incl. higher load carrying index, steel rims with wheel trims on rear axle Electrical and technical preparation for trailer coupling Spur widening on rear axle Adaptive shock absorbers on front axle (not combined with front air supension) Adaptive shoch absorberts on rear axle (not combined with full air suspension) Fixed trailer coupling up to max. 3.500 kg (only combined with electrical and technical preparation for trailer coupling) Surcharge for removable trailer coupling head (only in combination with trailer coupling) LED headlights 12 V (only combined with rear axle air suspension)	3.290,00 € 3.290,00 € 490,00 € 790,00 € 890,00 € 1.400,00 € 500,00 €

	all models
•	1.990,00 €
MORELO Select leather steering wheel, removable to improve seat rotation and deter theft	1.450,00 (
Premium Cockpit (leather covering, cupholder, shelf with wooden frame, cooling compartment)	1.150,00
Heating for driver's and passenger's seat	580,00
Electrically operated roof awning 5.0 m, with LED lighting, dimmable with remote control ²	2.890,00
Electrically operated roof awning 6.0 m, with LED lighting, dimmable with remote control ²	2.990,00
(as from model 82)	2.770,00
LED lighting underneath of roof profile on driver's side, dimmable with remote control	690,00
Midi roof window in bedroom (instead of standard mini heki)	690,00
Panoramic roof window Heki 3 in bedroom (instead of standard mini heki)	1.290,00
Panoramic roof window Heki 3 in living room (instead of standard midi roof window)	890,00
Furniture safe with electronic locking, motor-driven locking system, 8.3 l volume	320,00
Parking sensors in the rear bumper	790,00
	Premium Cockpit (leather covering, cupholder, shelf with wooden frame, cooling compartment) Heating for driver's and passenger's seat Electrically operated roof awning 5.0 m, with LED lighting, dimmable with remote control ² Electrically operated roof awning 6.0 m, with LED lighting, dimmable with remote control ² (as from model 82) LED lighting underneath of roof profile on driver's side, dimmable with remote control Midi roof window in bedroom (instead of standard mini heki) Panoramic roof window Heki 3 in bedroom (instead of standard midi roof window) Furniture safe with electronic locking, motor-driven locking system, 8.3 I volume

SIZE IN DETAIL

MOBILE TELEVISIONS

All TV sets in your MORELO are manufactured by alphatronics, located in Nuremberg, Germany. This means consistently high quality that meets your expectations for a reliable mobile television. The devices are equipped with power-saving alphatronics wide-angle

displays, integrated triple tuner (DVB-S2, DVB-T2, DVB-C with CI + for receiving Pay TV), DVD player and Bluetooth 4.2 module. Other standard features include SMART TV capability on the Android operating system and the unique and excellent sound quality.

OUR ADVICE

Simply put your favourite films on a USB stick and bring them on holiday with you. You'll be entertained throughout the trip, all thanks to alphatronics.

⊘ www.alphatronics.de



Prices in Euro (incl. 20 % VAT)

LIFE + STYLE . KITCHEN . BATHROOM . LIVING ROOM + BEDROOM . MULTIMEDIA

	Life & Style package (also available as individual items), saving 740.00 €		2.690,00
(020258 / 04)	^L Carbon look exterior (PALACE style)	(1.950,00 €)	
(031945 / 05)	L Double floor lighting	(690,00 €)	
(020437 / 04)	L Garage door left-hand side 1.080 x 850 mm	(790,00 €)	
042923 / 38	Kitchen package (also available as individual items), saving 970.00 €		2.290,00
(043009 / 20)	^L Gas oven above 177-litres AES refrigerator, with separate freezer compartment, dark mirrored, with automatic and manual energy selection	(1.190,00 €)	
(043110 / 10)	L Morelosan kitchen worktop with seamlessly integrated wash/waste bowl, towel rail and luxury cooker	(990,00 €)	
(031511 / 04)	L LED ambiance lighting above ceiling canopy	(590,00 €)	
(043261 / 05)	^L Nespresso coffee machine with shelf, capsule rack and 230 V socket	(490,00 €)	
043113 / 15	Mineral material kitchen worktop, mat finish, flush sink covers, in various designs		1.890,00
025161 / 05	Extractor fan instead of standard mini heki		790,00
036092 / 06	Bathroom door with satinated glass filling		390,00
036092 / 06	Bathroom door with satinated glass filling		390,00
035984 / 45	Soat holts for 2 parsons on multifunctional conting bands		890,00
052208 / 34	Seat belts for 2 persons on multifunctional seating bench Electrically activated folding bed (instead of front overhead lockers)		2.290,00
052208 / 34	Mechanically activated folding bed (instead of front overhead lockers)		1.490,00
042204 / 07	Height-adjustable table column, with extra cushion insert		790,00
050600 / 05	Wall and ceiling covering in smooth finish, with artificial leather		1.500,00
050651 / 05	Separated L-beds with bedside table and cushion insert		2.390,00
0000017 00	Comfort suspension for rear bed with 5-zone mattress		
036209 / 0			490,00
036209 / 0			490,00
036209 / 0			490,00
036209 / 0	Double-DIN moniceiver radio with CD / DVD player, twin reversing camera and 2 loudspeakers in the driver's cabin		
			1.990,00
037107 / 08	2 loudspeakers in the driver's cabin		1.990,00
037107 / 08	2 loudspeakers in the driver's cabin Twin reversing camera with shutter Navigation system with 8" touch screen panel and DAB / DAB+ tuner, four additional	tooth e area, 56 cm dish,	1.990,00

ELECTRONICS . SUPPLY . UPHOLSTERY + DECORATION

Item / Weight ¹		all models
031050 / 02	Alarm system	1.290,00
025237 / 40	Roof air conditioning, in the corridor of the bathroom, with infrared remote control (total vehicle height + 130 mm), use with mains 230 V mains connection	3.190,00
037186 / 12	Solar panel, with 130 W maximum power	1.490,00
037187 / 23	Solar panels, with 2 x 130 W maximum power	2.190,00 +
031371 / 60	Electrical Package "Energy 280 Plus" (instead of serial standard) Gel batteries 2 x 140 Ah (discharging level 50% = 140 Ah), 50 A charger, sine wave inverter up to 1.800 W	2.990,00 +
031372 / 110	Electrical Package "Energy 420 Premium Power" (instead of serial standard) Gel batteries 420 Ah (discharging level 50% = 210 Ah), combined charger / inverter 120 A / 3.000 W, with power sharing, fully automatic top class battery protection, Premium control panel	5.290,00 +
031373 / 35	Electrical Package "Energy Lithium Power" (instead of serial standard) Lithium battery 1 x 160 Ah (discharging level 100% = 160 Ah), combined charger / inverter 120 A / 3.000 W, with power sharing, fully automatic top class battery protection, Premium control panel	7.290,00 =
031448 / 28	Additional Lithium battery 160 Ah (only combined with electrical package "Lithium Power", max. 2 batteries in total)	2.990,00
031450 / 05	Sine wave inverter 300 W (with separate socket for continuous us of small appliances, f.e. a respirator)	450,00
034202 / 03	External shower	300,00 +
034214 / 08	Fresh water tank 300 litres instead of 200 litres	290,00
035990 / 05	Greywater pump for transfer of wastewater into the toilet tank (only for fixed-tank toilet)	890,00
018143 / 02	Pressure sensors for precise mesuring of fresh water and wastewater tank levels	580,00
018142 / 03	Pressure sensors for precise mesuring of fresh water, wastewater and toilet tank levels	870,00
018145 / 02	Bluetooth box for precise mesuring of levels (only in combination with pressure sensors)	550,00
033022 / 02	Gas alarm, to monitor living area	420,00
034190 / 03	Heat regulator in bedroom	420,00
044000 / 14	Floor heating in living room and bathroom	2.500,00
018600 / 15	Diesel auxiliary heating, with convenient continuous heating via heat exchanger (5.200 W) incl. timer	2.950,00
033026 / 03	Outside gas point (passenger's side)	290,00
033004 / 73	70 litres gas tank, with remote filling in the side wall and level indicator	2.590,00
050100 / 0	Microfibre upholstery, in variety of patterns	seria
050505 / 0	BiColour microfibre upholstery, in variety of patterns	300,00
050502 / 08	Microleather upholstery, in variety of patterns	690,00
050507 / 20	Fabric-Leather "Trendline" upholstery combination, in variety of patterns	2.990,00
050500 / 27	Leather upholstery, in variety of patterns	3.590,00
050506 / 27	BiColor leather upholstery, in variety of patterns	3.890,00
051302 / 20	Living area carpet in Sisal Sierra or velours colours Coco 830 beige, 865 grey-brown and 2051 schoko	890,00
051302 / 20	Living area carpet in special velours colour Living area carpet in special velours colour	1.040,00
051276 / 05	Decoration package "Trendline" consisting of 8 cushions and Trendline decorative side curtains instead of the standard ones, in variety of patterns	650,00
051271 / 3	Venetian blinds in the living room, pleated blinds in the bedroom	590,00
051271 / 3	Venetian blinds in the living room, pleated blinds in the bedroom Venetian blinds in the living room and in the bedroom	1.090,00
090000 / 0	Vehicle delivery at the factory, with extensive briefing in German language, handover inspection,	1.070,00

Prices in Euro (incl. 20 % VAT)



APPEALING APPEARANCE

A little bit more of everything. Even the standard equipment on the new MORELO LOFT is very impressive: More load capacity thanks to a stronger chassis, a 3 litre engine with more torque, 2.4 m width for even more space in the living room. Excellent quality and first-class convenience combine with a compact look and versatile mobility.

LOFT 74 H



LOFT 79 F



LOFT 79 L



LOFT 84 M



LOFT 77 HB



LOFT 82 FB



LOFT 82 LB



LOFT 87 MB





LOFT 74 H





incl. scooter garage

LOFT 77 HB





incl. scooter garage

	IVECO Daily 70 C 18 (7.200 kg)	IVECO Daily 70 C 18 (7.200 kg)
Serial diesel engine (cylinders)	4	4
Cubic capacity (litres)	3	3
Max. power (KW/HP)	132 / 180	132 / 180
Max. torque (Nm)	430	430
Emission class	EURO 6d	EURO 6d
Technically permissible max. weight (kg) ¹	7.200 (7.490) ²	7.200 (7.490)²
Mass in running order (kg) ¹	4.725	4.845
Payload (kg) ¹	2.475 (2.765) ²	2.355 (2.645) ²
Tow load with fixed / removable ball head (kg)	3.500	3.500
Permissible max. train weight w. fixed / removable ball head (kg)	10.700	10.700
Total length (mm)	7.740	8.040
Total width (mm)	2.400	2.400
Total height (mm)	3.410 ³	3.410 ³
Wheel base (mm)	4.100	4.350
Lounge bench, left (mm)	1.440 x 1.000	1.740 × 1.000
Couch, right (mm)	880 x 650	880 × 650
Rear bed (mm)	2.140 x 1.500	2.140 × 1.500
Folding bed (option) (mm)	2.000 x 1.300	2.000 x 1.300
Garage door (driver's side / passenger's side h x w in mm)	650 x 950 / 1.150 x 950	650 x 950 / 1.150 x 950
	182.900,00 €	183.900,00 €

LOFT 79 F

LOFT 82 FB





الم

incl scooter garage

جان

incl. scooter garage

	(7.200 kg)	(7.200 kg)
Serial diesel engine (cylinders)	4	4
Cubic capacity (litres)	3	3
Max. power (KW/HP)	132 / 180	132 / 180
Max. torque (Nm)	430	430
Emission class	EURO 6d	EURO 6d
Technically permissible max. weight (kg) ¹	7.200 (7.490)²	7.200 (7.490)²
Mass in running order (kg) ¹	5.020	5.100
Payload (kg) ¹	2.180 (2.470) ²	2.100 (2.390)²
Tow load with fixed / removable ball head (kg)	3.500	3.500
Permissible max. train weight w. fixed / removable ball head (kg)	10.700	10.700
Total length (mm)	8.310	8.610
Total width (mm)	2.400	2.400
Total height (mm)	3.410 ³	3.410 ³
Wheel base (mm)	4.350	4.750
Lounge bench, left (mm)	1.440 x 1.000	1.740 x 1.000
Couch, right (mm)	1.130 x 650	1.130 x 650
Rear bed (mm)	1.950 x 1.580	1.950 x 1.580
Folding bed (option) (mm)	2.000 x 1.300	2.000 x 1.300
Garage door (driver's side / passenger's side h x w in mm)	650 x 950 / 1.150 x 950	650 x 950 / 1.150 x 950

LOFT 79 L

LOFT 82 LB







incl scooter garage

والم

incl. scooter garage

	IVECO Daily 70 C 18 (7.200 kg)	IVECO Daily 70 C 18 (7.200 kg)
Serial diesel engine (cylinders)	4	4
Cubic capacity (litres)	3	3
Max. power (KW/HP)	132 / 180	132 / 180
Max. torque (Nm)	430	430
Emission class	EURO 6d	EURO 6d
Technically permissible max. weight (kg) ¹	7.200 (7.490)²	7.200 (7.490) ²
Mass in running order (kg) ¹	5.000	5.100
Payload (kg) ¹	2.200 (2.490) ²	2.100 (2.390) ²
Tow load with fixed / removable ball head (kg)	3.500	3.500
Permissible max. train weight w. fixed / removable ball head (kg)	10.700	10.700
	0.010	1
Total length (mm)	8.240	8.540
Total width (mm)	2.400	2.400
Total height (mm)	3.410 ³	3.410 ³
Wheel base (mm)	4.350	4.750
Lounge bench, left (mm)	1.440 x 1.000	1.740 x 1.000
Couch, right (mm)	880 × 650	880 x 650
Rear bed (mm)	2 × 2.000 × 1.060	2 x 2.000 x 1.060
Folding bed (option) (mm)	2.000 x 1.300	2.000 x 1.300
Garage door (driver's side / passenger's side h x w in mm)	650 x 950 / 1.150 x 950	650 x 950 / 1.150 x 950
		ı

LOFT 84 M

LOFT 87 MB







incl. scooter garage

والم

incl. scooter garage

4 3 132 / 180 430 EURO 6d
132 / 180
430
EURO 6d
7.200 (7.490) ²
5.225
1.975 (2.265) ²
3.500
10.700
9.040
2.400
3.410 ³
4.750
1.740 x 1.000
880 x 650
2.000 x 1.630
2.000 x 1.300
650 x 950 / 1.150 x 950

ENGINE . CHASSIS . COCKPIT . LIGHTS . STRUCTURE

	Turbo diesel engine, 3 litres, 132 KW / 180 HP, with rear wheel drive
	Fuel tank, 90 litres
Щ	Emission class EURO 6d, AdBlue
HZ OZH	Manual transmission
Ž	Alternator 14 V / 220 A / 3.080 W
	All season tires (Continental Vanco Four Season) 225 / 75 R 16
	Disc brakes, on front and rear axle
S	Electronic anti-lock braking system (ABS)
S S	Traction control system (ASR)
CHASSI	Electronical Stability Program (ESP)
\Box	Breakdown set, with warning triangle, first-aid kit, warning light, wheel chock and tire pressure kit
	Driver's cab seats, swiveling, with armrests and integrated belt system
	Roller plissee behind windscreen, electrically activated, darkening blind with privacy screen and sunblind function
	Panoramic windscreen with laminated glass, tinted, heatable
	Flush, double-glazed driver's cab side windows, mechanically activated
	Cruise control
<u> </u>	Steering wheel, adjustable in height and angle
U Ā	Outside mirrors (incl. wide-angle and front mirror) and windscreen wiper system in bus-style
	Sockets, 1 x USB charging and 2 x 230 V at the side
O	Optimized noise insulation of engine compartment
	Fully insulated driver's cab, new GRP module
	Independent premium dashboard, with ambient lighting, cupholder and cooled refreshment compartment
	Halogen main headlights, with optical lens and additional main beam
თ -	Fog lights
LIGHTS	LED daytime running lights
	Side walls and roof are 42 mm thick, 38 mm of which consists of closed-cell RTM hard foam
	Aluminium side bars on the roof, with rainwater channels to help keeping side walls clean
	Side walls in ALU-RTM-ALU sandwich design, smooth and high-gloss
Ш	Roof in GRP-RTM-ALU sandwich design, hail protection and low heat conductivity
	Underfloor in GRP-RTM-GRP sandwich design, robust, corrosion-free, no timber used
	Cold-bridge-free wall joint technology, using highly compressed rigid PU profiles
\square	Lightning protection, Faraday cage
STRUCTUR	Heatable double floor, 366 mm high, side access via external flaps
	Entrance door with window, extra large, electric with code lock and remote control, flyscreen and mechanical emergency unlocking
	Interior entrance step, heated and illuminated
	Exterior entrance step, 2-step, electrically extendable with safety circuit

STRUCTURE. LIVING ROOM + BEDROOM. KITCHEN

	Ц	
	ſ	
H		
(ر	
ſ	٢	
П		

Rear garage with doors to the right and the left, floor rails with lashing eyelets and 230 V socket

Rear wall with fibreglass compound sandwich design, PU foam core

Plastic windows in living area, double-glazed and tinted, collapsible outwards or sliding, with pleated blackout blind and flyscreen

Entirely wood-free exterior structure

Front and lateral skirting, from highly sturdy fibreglass compound

External adhesives in black

Floor covering made from easy-care, high-grade vinyl

Flat living area floor, from the rear to the dashboard

Skylight, with flyscreen and pleated blackout blind in the bedroom

Double-glazed, Midi roof window with flyscreen and pleated blackout blind in the living area

Lighting canopies with LED spots incl. indirect lighting, dimmable

Rear bed with multi-zone mattress and slatted frame

Wardrobes with LED lighting

Microfibre upholstery, including driver and passenger seats

Seating group with ergonomic upholstery, comfortable multi-layer design with diol-based padding and zip fasteners

Extensible, sturdy table, with extensive sliding range, laminated

Glass cabinet with LED lighting at the entrance, with assorted glassware and space for a TV set, incl. small pull-out furniture

Sockets in the living area and in the bedroom

Wall panelling with colour-coordinated carpet

Elegant pleated curtains

177 litres AES refrigerator with separate freezer compartment, dark mirrored fridge door, automatic and manual energy selection

Morelosan kitchen worktop with seamlessly integrated wash/waste bowl and domestic drains

3-flame stainless steel gas cooker, installed countersunk with automatic ignition and glass cover

Single-lever mixer tap, chrome

Drawers with super-soft closing and cutlery insert

Pull-out waste bin with two removable containers

Skylight, with flyscreen and pleated blackout blind

LED spots, in lighting canopy

Sockets 2 x 230 V

PROFESSIONAL CHIP TUNING

QUALITY CAN BE PROGRAMMED


Expert engine optimisation: port timing, injection volume and boost pressure are tuned individually for your MORELO to achieve optimum performance.

More power Optimised torque Lower fuel consumption (0.5 - 1 l / 100 km) Insurance and registration unaffected 30-day money-back guarantee

As a premium partner in the chip tuning sector, we have already increased the performance of over 300 MORELO motorhomes. We have been on the market for 19 years and are Europe's leading motorhome tuner - engines are our passion!

⊘ www.tec-power.de





MORELO LOFT 22 | 23

BATHROOM . INSTALLATIONS . ELECTRONICS . CONTROL PANEL

	Separate toilet area (except F layouts)
	Skylight, with flyscreen and pleated blackout blind
	Washstand, with seamlessly integrated sink, push open valve and domestic drain
	Single-lever mixer tap, chrome
	Soap dispenser, cup holder and towel hook
	Lighted wardrobe
	Separate shower, with wall rail, height-adjustable showerhead and drying rail
	Cassette toilet
	Toilet paper holder and toilet brush
	Spacious wardrobe with LED lighting
	LED spots
	Sockets 2 x 230 V
	300ACt3 2 × 230 V
-	Gas bottle compartment, for 2 x 11 kg gas bottles side by side, with gas controller gas leak protection, gas filter and automatic switchover
	5.500W hot water gas central heating, with thermostat control, automatic ventilation valve and backflow shut-off
	Electrical heating element, 230V, up to 3.000W
	Heat regulating thermostat in bedroom and rear garage
	Integrated hot water boiler, serving all tapping points
	300 litres fresh water tank, 200 litres wastewater tank, situated in the heated double floor
	Emptying of wastewater and toilet tank, via drain tap with large cross section in heated double floor and drain hose with bayonet connection
	Domestic style wastewater pipes
	Flushing connections for wastewater tank and optional toilet tank
	Central pressure water supply
-	230 V socket in the garage
	230 V CEE connection, with insulated floor inlet
	140 Ah gel battery in intermediate floor including battery monitoring system with overloading and total discharge protection
	Automatic charger, electronically controlled, with battery temperature sensor, maximum charge rate of 25 A
	Central control and monitoring panel, with colour touch screen
	Shut-off function for on-board electrical system, in case of undervoltage/overheating
	On-board electronics, microprocessor-controlled
	Buttons for switching on/off, lighting, water pump and special equipment, including main switch for all consumers
	Alarm devices for 'step extended', 'fresh water tank empty', reserve gas bottle in use' and diverse others
	LCD control panel for monitoring of external and internal temperature, external mains supply, parallel battery circuit, battery voltage of the vehicle and leisure batteries

CHASSIS PACKAGE. CHASSIS. COCKPIT

011317 / 78	Chassis Package IVECO Daily 70 C 18	13.000,00 €
011317778	L Engine version C 21, 154 kW / 210 HP	13.000,00 €
	L Technically permissible max. weight 7.490 kg	
	L ZF 8-gear torque converter transmission	
	L Airconditioning in driver's cab	
	L Electrical and technical preparation for trailer coupling	
	Lengine heat exchanger	
	L Heated windscreen	
	L Differential lock for rear axle	
	Differential took for real axte	
018175 / 26	Daily "wide axle" front axle (spur widening on front axle +200 mm)	7.290,00
011218 / 128	Original IVECO retarder (standard 70 l fuel tank)	7.990,00
018152 / 120	200 litres fuel tank (instead of serial standard) ³	2.290,00
018214D / 25	Air suspension on rear axle only	5.800,00
018212D / 63	Air suspension on front and rear axle, automatic leveling and various special features (only combined with light metal rims)	9.990,00
018225 / 05	Active-Air Chassis (only in combination with air suspension on front and rear axle)	4.990,00
018178-02 / 08	Light metal rims "Radial" on front axle with spur widening, steel rims with wheel trims on rear axle	2.790,00
018166 / 08	Light metal rims "Radial" front and rear axle, on front axle with spur widening, steel valves	3.990,00
018178 / 08	Light metal rims "BiColor" on front axle with spur widening, steel rims with wheel trims on rear axle	2.790,00
018167 / 08	Light metal rims "BiColor" front and rear axle, on front axle with spur widening, steel valves	3.990,00
018178-01 / 08	Light metal rims "Silver" on front axle with spur widening, steel rims with wheel trims on rear axle	2.790,00
018168D / 08	Light metal rims "Silver" front and rear axle, on front axle with spur widening, steel valves	3.990,00
018170D / 08	Electrical and technical preparation for trailer coupling	490,00
018181 / 16	Spur widening on rear axle, only for steel rims	790,00
018103 / 34	Fixed trailer coupling up to max. 3.500 kg (in combination with chassis package)	1.590,00
018099D / 41	Fixed trailer coupling up to max. 3.500 kg (incl. electrical and technical preparation for trailer coupling)	2.290,00
018120D / 03	Surcharge for removable trailer coupling head (only in combination with trailer coupling)	500,00
017002 / 0	LED headlights 12 V (only combined with rear axle air suspension)	2.190,00
018233 / 99	Hydraulic leveling jacks with automatic leveling ²	8.490,00
018321 / 55	Spare wheel with steel rim and bracket, situated underneath lowered rear end	490,00
017306 / 04	MORELO Select leather steering wheel, removable to improve seat rotation and deter theft	1.450,00
052038 / 04	Heating for standard cab seats	580,00
052130 / 45	Luxury driver's cab seats, air suspended and heated, with lumbar support, armrests	3.990,00
024951 / 05	Flush, double-glazed driver's cab side windows, electrically activated	1.250,00
021039 / 06	Double horn air fanfare (only in combination with luxury driver's cab seats)	890,00

SPECIAL EQUIPMENT MORELO LOFT

SAFETY PACKAGE . STRUCTURE . KITCHEN

011280 / 20	Driving safety package	7.900,00
	^L Electric parking brake	
	L Emergency brake assits, adaptive cruise control	
	L Active lane departure warning with warning tone	
	L ESP with crosswind assist	
	L Traction PLUS with downhill assist	
	L Active tire pressure monitoring system	
022002 / 50	Electrically operated roof awning 5.0 m, with LED lighting, dimmable with remote control ²	2.890,00
022007 / 60	Electrically operated roof awning 6.0 m, with LED lighting, dimmable with remote control ² (as from model 79)	2.990,00
022051 / 03	LED lighting underneath of roof profile on driver's side with remote control	690,00
020554 / 15	"TOP-Class" entrance door, extra-large with code lock and remote control, window with darkening blind and flyscreen	1 .490,00
025264 / 07	Midi roof window in bedroom (instead of standard mini heki)	690,00
025265 / 13	Panoramic roof window Heki 3 in bedroom (instead of standard mini heki)	1.290,00
025266 / 08	Panoramic roof window Heki 3 in living room (instead of standard midi roof window)	890,00
037500 / 07	Furniture safe with electronic locking, motor-driven locking system, 8.3 l volume	320,00
020263 / 05	Carbon look exterior for sidewalls (PALACE style)	1.990,00
031945 / 05	Double floor lighting	690,00
021030 / 03	Parking sensors in the rear bumper	790,00
020438 / 04	Garage door driver's side 1.150 x 950 mm	790,00
043105 / 15	Mineral material kitchen worktop, mat finish, flush sink covers, in various designs	1.490,00
043054 / 19	Microwave oven in stainless steel, with grill function underneath of worktop (230 V via mains connection, not in combination with dishwasher or double pull-out drawers)	1.290,00
043030 / 32	Luxury dishwasher, pull-out underneath cooker (230 V via mains connection, not in combination with dishwasher or double pull-out drawers)	2.190,00
043275 / 05	Double pull-out drawers underneath cooker (not in combination with microwave or dishwasher)	390,00
043268 / 05	Nespresso coffee machine with capsule holder, shelf and 230 V socket ²	490,00
025161 / 05	Extractor fan instead of standard mini heki	790,00
043010 / 20	Gas oven above 177-litres AES refrigerator, with separate freezer compartment, dark mirrored, with automatic and manual energy selection	1.190,00

LIVING ROOM . BATHROOM . BEDROOM

Item / Weight ¹		all models
050600 / 05	Wall and ceiling covering in smooth finish, with artificial leather	1.500,00 €
036600 / 0	Decor change for furniture fronts (price per unit, position and number may be freely selected, not for curved overhead locker doors)	90,00 €
035339 / 86	Bar seating group (passenger's side) with adjustable single seat and multifunctional bench (incl. homologation for one additional person, only for 77 HB, 79 F, 82 LB, 82 FB and 87 MB)	2.290,00€
035250 / 40	Seat belt for 1 person on single seating bench	790,00 €
035984 / 45	Seat belts for 2 persons on multifunctional seating bench	890,00€
042204 / 07	Height-adjustable table column, with extra cushion insert (only for standard lounge seating group)	790,00€
044102 / 05	Central vacuum cleaner, with convenient emptying	990,00€
042913 / 35	NOVEL living world	6.490,00€
	L Multifunctional L-bench opened towards the living area, gas oven above refrigerator, kitchen worktop in mineral material, double sink, generous worktop, fully deep pull-out drawers in the kitchen block, Nespresso coffee machine with capusule holder, 230 V socket ²	
036002 / 12 036133 / 43 025268 / 05 036093 / 06	Ceramic toilet bowl for cassette toilet, incl. SOG toilet ventilation (not in combination with fixed-tank toilet)	490,00 €
036133 / 43	Fixed-tank toilet with ceramic toilet bowl, with 200 litres toilet tank	2.990,00€
025268 / 05	Extractor fan instead of standard mini heki	790,00€
036093 / 06	Bathroom door with satinated glass filling	390,00 €
052207 / 34	Electrically activated folding bed	2.290,00 €
036242 / 05	Rear bed with multizone mattress and "watergel" topping incl. comfort bed suspension	790,00 €
052207 / 34 036242 / 05 050644 / 05	Separated L-beds with bedside table and cushion insert	2.390,00€

DOMETIC 10 SERIES

ABSORPTION REFRIGERATOR WITH UP TO 177 L GROSS CAPACITY, OPTIONALLY **AVAILABLE AS RMDT TEC TOWER WITH OVEN UNIT**

The new 10 Series from Dometic has reset the bar for mobile refrigerators in every way: double-hinged door enables access from both sides, aluminium handles

^> DOMETIC Mobile living made easy.

extending over the entire fridge height, intuitive controls via a TFT display and the best cooling performance in its class!

More than just standard quality and therefore fully in line with MORELO. Dometic. Mobile living made easy.



∂ dometic.com

Prices in Euro (incl. 20 % VAT)

SPECIAL EQUIPMENT MORELO LOFT

ELECTRONICS . MULTIMEDIA

	Item / Weight ¹		all models
	031050 / 02	Alarm system	1.290,00 €
	025237 / 40	Roof air conditioning, in the corridor between shower and washstand with infrared remote control (total vehicle height + 130 mm), functioning via mains connection	3.190,00 €
	037186 / 12	Solar panel, with 130 W maximum power	1.490,00€
	037187 / 23	Solar panels, with 2 x 130 W maximum power	2.190,00 €
(0	037189 / 44	Solar panels, with 4 x 130 W maximum power, (if sufficient space on the roof)	3.990,00€
TRONIC	031372 / 110	Electrical Package "Energy 420 Premium Power" (instead of serial standard) Gel batteries 420 Ah (discharging level 50% = 210 Ah), combined charger / inverter 120 A / 3.000 W, with power sharing, fully automatic top class battery protection, Premium control panel	5.290,00 €
ELEC.	031373 / 0	Electrical Package "Energy Lithium Power" (instead of serial standard) Lithium battery 1 x 160 Ah (discharging level 100% = 160 Ah), combined charger / inverter 120 A / 3.000 W, with power sharing, fully automatic top class battery protection, Premium control panel	7.290,00 €
	031448 / 28	Additional Lithium battery 160 Ah (only combined with electrical package "Lithium Power", max. 4 batteries in total)	2.990,00€
	031450 / 05	Sine wave inverter 300 W (with separate socket for continuous us of small appliances, f.e. a respirator)	450,00€
_	037149 / 08	Double-DIN moniceiver radio with CD / DVD player, monitor, twin reversing camera and 2 loudspeakers in the driver's cabin	1.990,00 €
	037007 / 08	Navigation system with 8" touch screen panel and DAB / DAB+ tuner, four loudspeakers, incl. twin reversing camera with shutter and hands-free set for telephone with Bluetooth	3.690,00 €
	037090 / 04	Twin reversing camera with shutter	1.290,00€
	037527 / 46	Satellite TV system, with 24" flat screen TV and soundlink underneath glass cabinet in the entrance area, 85 cm dish, fully automatic orientation, multi-user facility via TWIN-LNB and 24" flat screen TV in the bedroom (total vehicle height + ca. 80 mm)	5.490,00 €
MULTIMEDIA	037523 / 56	Satellite TV system, with 32" flat screen TV in overhead locker (passenger's side) with glasses, electrically lowerable, 85 cm dish, fully automatic orientation, multi-user facility via TWIN-LNB and 24" flat screen TV in the bedroom (total vehicle height + ca. 80 mm)	6.290,00 €
MULT	037519 / 56	Satellite TV system, with 32" flat screen TV in overhead locker (driver's side for bar seating group) with glasses, electrically lowerable, 85 cm dish, fully automatic orientation, multi-user facility via TWIN-LNB and 24" flat screen TV in the bedroom (total vehicle height + ca. 80 mm)	7.280,00 €
	037531 / 54	Satellite TV system, with 32" flat screen TV in the overhead locker above the dashboard, electrically lowerable, 85 cm dish, fully automatic orientation, multi-user facility via TWIN-LNB and 24" flat screen TV in the bedroom (total vehicle heigth + ca. 80 mm), overhead locker (passenger's side) with glasses, not in comibination with drop-down bed	6.290,00 €
	037064 / 05	Soundbar	290,00€

3.890,00€

890,00€

1.040.00 €

650,00€

590,00€

1.090.00€

1.590,00€

SUPPLY. UPHOLSTERY + DECORATION

Item / Weight ¹		all models
035990 / 05	Greywater pump for transfer of wastewater into the toilet tank (only for fixed-tank toilet)	890,00 €
034202 / 03	External shower	300,00 €
018143 / 02	Pressure sensors for precise mesuring of fresh water and wastewater tank levels	580,00€
018142 / 03	Pressure sensors for precise mesuring of fresh water, wastewater and toilet tank levels	870,00 €
018145 / 02	Bluetooth box for precise mesuring of levels (only in combination with pressure sensors)	550,00€
033022 / 02	Gas alarm, to monitor living area	420,00€
034190 / 03	Heat regulator in bedroom	420,00€
044000 / 14	Floor heating in living room and bathroom	2.500,00€
018600 / 15	Diesel auxiliary heating, with convenient continuous heating via heat exchanger (5.200 W) incl. timer	2.950,00€
033026 / 03	Outside gas point, fixed to the side wall on the passenger's side	290,00€
033007 / 111	120 litres gas tank, with remote filling in the side wall and level indicator	2.790,00€
023103 / 77	2.600 W fuel generator with 10 l petrol tank, fixed installation	4.990,00€
050100 / 0	Microfibre upholstery, in variety of patterns	serial
050505 / 0	BiColour microfibre upholstery, in variety of patterns	300,00€
050502 / 08	Microleather upholstery, in variety of patterns	690,00€
050507 / 20	Fabric-Leather "Trendline" upholstery combination, in variety of patterns	2.990,00€
050500 / 27	Leather upholstery, in variety of patterns	3.590,00€

Living area carpet in Sisal Sierra or velours colours Coco 830 beige, 865 grey-brown and 2051 schoko

Decoration package "Trendline" consisting of 8 cushions and Trendline decorative side curtains

Vehicle delivery at the factory, with extensive briefing in **German language**, handover inspection,

WELCOME TO THE WARM

BiColor leather upholstery, in variety of patterns

instead of the standard ones, in variety of patterns

Venetian blinds in the living room and in the bedroom

Venetian blinds in the living room, pleated blinds in the bedroom

Living area carpet in special velours colour

diesel tank filling and factory tour

ALDE FLOW

Alde Flow is a separate hot water tank that you can connect to the water-glycol circuit of the heating system. The hot water tank preheats the fresh water before it gets into the actual hot water tank of the boiler.



Alde Flow, along with the Alde Compact 3020HE (valid as of 2016 model), with Boost mode activated and a flow rate of 3.5 l / min (capacity of a normal shower tap), will provide continuous 40 ° C shower water as long as the fresh water supply is sufficient.



Prices in Euro (incl. 20 % VAT)

050506 / 27

051312 / 20

051311 / 20

051276 / 05

051271 / 0

051272 / 0

090000 / 0



NEXT LEVEL TRAVEL COMFORT

How do you make First Class even better? By taking the best and making it even better. The new MORELO PALACE fascinates with a particularly striking, modern and dynamic design. The clean lines give your travels an elegant touch. Thanks to the extra wide WideAxle (optional), you have a whole new driving experience. And so you travel in even more comfort to the most beautiful places in the world.

PALACE 85 L



PALACE 90 LS



PALACE 90 M



PALACE 90 G



PALACE 88 LB



PALACE 93 LSB



PALACE 93 MB



All floor plans on IVECO Daily also available in **XL-width**.



PALACE 85 L

PALACE 88 LB







not sonoter darage

الله الله

incl. scooter garage

	IVECO Daily 70 C 18 (7.490 kg)	IVECO Daily 70 C 18 (7.490 kg)
Serial diesel engine (cylinders)	4	4
Cubic capacity (litres)	3	3
Max. power (KW/HP)	132 / 180	132 / 180
Max. torque (Nm)	430	430
Emission class	EURO 6d	EURO 6d
Technically permissible max. weight (kg) ¹	7.490	7.490
Mass in running order (kg) ¹	5.350	5.420
Payload (kg) ¹	2.140	2.070
Tow load with fixed / removable ball head (kg)	3.500	3.500
Permissible max. train weight w. fixed / removable ball head (kg)	10.700	10.700
Total length (mm)	8.690	8.990
Total width (mm)	2.400 / 2.500 ²	2.400 / 2.500 ²
Total height (mm)	3.4903	3.4903
Wheel base (mm)	4.750	4.900 / 4.750 4
Lounge bench, left (mm)	1.440 x 1.000	1.740 x 1.000
Couch, right (mm)	1.250 x 650	1.250 x 650
Rear bed (mm)	2 x 2.000 x 1.060 / 1110 ²	2 x 2.000 x 1.060 / 1110 ²
Folding bed (option) (mm)	2.000 x 1.300	2.000 x 1.300
Garage door (driver's side / passenger's side h x w in mm)	1.230 x 1.120	1.230 x 1.120
2) Surcharge for XL width (payload -40 kg)	223.900,00 € 5.000,00 €	228.900,00 € 5.000,00 €

PALAC

PALACE 90 LS

PALACE 93 LSB







incl. scooter garage



incl. scooter garage

	IVECO Daily 70 C 18 (7.490 kg)	IVECO Daily 70 C 18 (7.490 kg)
Serial diesel engine (cylinders)	4	4
Cubic capacity (litres)	3	3
Max. power (KW/HP)	132 / 180	132 / 180
Max. torque (Nm)	430	430
Emission class	EURO 6d	EURO 6d
Technically permissible max. weight (kg)¹	7.490	7.490
Mass in running order (kg) ¹	5.500	5.600
Payload (kg) ¹	1.990	1.890
Tow load with fixed / removable ball head (kg)	3.500	3.500
Permissible max. train weight w. fixed / removable ball head $(k g)$	10.700	10.700
Total length (mm)	9.190	9.490
Total width (mm)	2.400 / 2.500 ²	2.400 / 2.500 ²
Total height (mm)	3.490 ³	3.490 ³
Wheel base (mm)	5.100 / 4.9004	5.100
Lounge bench, left (mm)	1.440 x 1.000	1.740 x 1.000
Couch, right (mm)	1.250 × 650	1.250 x 650
Rear bed (mm)	2 x 2.000 x 1.060 / 1110 ²	2 x 2.000 x 1.060 / 1110 ²
Folding bed (option) (mm)	2.000 x 1.300	2.000 x 1.300
Garage door (driver's side / passenger's side h x w in mm)	1.230 x 1.120	1.230 x 1.120
2) Surcharge for XL width (payload -40 kg)	228.900,00 € 5.000,00 €	230.900,00 € 5.000,00 €

Prices in Euro (incl. 20 % VAT)

PALACE 90 M

PALACE 93 MB







incl. scooter garage



incl. scooter garage

	IVECO Daily 70 C 18 (7.490 kg)	IVECO Daily 70 C 18 (7.490 kg)
Serial diesel engine (cylinders)	4	4
Cubic capacity (litres)	3	3
Max. power (KW/HP)	132 / 180	132 / 180
ax. torque (Nm) 430		430
Emission class	EURO 6d	EURO 6d
Technically permissible max. weight (kg) ¹	7.490	7.490
Mass in running order (kg) ¹	5.500	5.600
Payload (kg) ¹	1.990	1.890
Tow load with fixed / removable ball head $(\mbox{\ensuremath{kg}})$	3.500	3.500
Permissible max. train weight w. fixed / removable ball head (kg)	10.700	10.700
Total length (mm)	9.190	9.490
Total width (mm)	2.400 / 2.500 2	2.400 / 2.500 ²
Total height (mm)	3.490 ³	3.490 ³
Wheel base (mm)	5.100 / 4.9004	5.100
Lounge bench, left (mm)	1.440 x 1.000	1.740 x 1.000
Couch, right (mm)	1.250 x 650	1.250 x 650
Rear bed (mm)	2.000 x 1.630	2.000 x 1.630
Folding bed (option) (mm)	2.000 x 1.300	2.000 x 1.300
Garage door (driver's side / passenger's side h x w in mm)	1.230 x 1.120	1.230 x 1.120
2) Surcharge for XL width (payload -40 kg)	228.900,00 € 5.000,00 €	230.900,00 € 5.000,00 €

ALACE

PALACE 90 G



≤ 2,70 m

Note:

Starting in 2020, the Smart will only be powered by electricity. With an additional weight of 250 kg it is too heavy for the Palace 90 G. So get hold of a Smart with fuel engine in time!

Attention:

Observe the technically permissible max. weight!

IVECO Daily 70 C 18

(7.490 kg)

Serial diesel engine (cylinders)	4	
Cubic capacity (litres)	3	
$\textbf{Max. power} \; (KW/HP)$	132 / 180	
Max. torque (Nm)	430	
Emission class	EURO 6d	
Technically permissible max. weight (kg) ¹	7.490	
Mass in running order (kg) ¹	5.720	
Payload (kg) ¹	1.770	
Tow load with fixed / removable ball head (kg)	2.500	
Permissible max. train weight w. fixed / removable ball head (kg)	10.700	
Total length (mm)	9.540	
Total width (mm)	2.400 / 2.500 ²	
Total height (mm)	3.490 ³	
Wheel base (mm)	5.100	
Lounge bench, left (mm)	1.440 × 1.000	
Couch, right (mm)	1.250 × 650	
Rear bed (mm)	2.000 x 1.630	
Folding bed (option) (mm)	2.000 x 1.300	
Rear garage door electric (passage H x W in mm)	1.570 × 2.000 / 2100 ²	
2) Surcharge for XL width (payload -40 kg)	253.900,00 € 5.000,00 €	

Prices in Euro (incl. 20 % VAT)

PALACE LINER 85 L



PALACE LINER 90 LS



PALACE LINER 90 M



PALACE LINER 90 G



PALACE LINER 99 GSB



PALACE LINER 110 GSB



PALACE LINER 88 LB



PALACE LINER 93 LSB



PALACE LINER 93 MB



PALACE LINER 95 GB



PALACE LINER 103 GSB



All Palace Liner are in **XL-width.**

PALACE LINER 85 L

PALACE LINER 88 LB







incl. scooter garage



incl. scooter garage

_	IVECO Eurocargo 100 E 25	Mercedes-Benz Atego 924	IVECO Eurocargo 100 E 25	Mercedes-Benz Ateg
Serial diesel engine (cylinders)	6	6	6	6
Cubic capacity (litres)	6,7	7,7	6,7	7,7
Max. power (KW/HP)	185 / 251	175 / 238	185 / 251	175 / 238
Max. torque (Nm)	850	1.000	850	1.000
Emission class	EURO 6d	EURO 6d	EURO 6d	EURO 6d
Technically permissible max. weight (kg) ¹	10.000	10.500	10.000	10.500
Mass in running order $(kg)^1$	6.755	7.150	6.825	7.220
Payload (kg) ¹	3.245	3.350	3.175	3.280
Tow load with fixed / removable ball head (kg)	3.500 / 3.500	3.500 / 3.020	3.500 / 3.500	3.500 / 3.020
Permissible max. train weight w. fixed / removable ball head (kg)	13.500 / 13.500	14.000 / 13.520	13.500 / 13.500	14.000 / 13.520
Total length (mm)	8.690	8.690	8.990	8.990
Total width (mm)	2.500	2.500	2.500	2.500
Total height (mm)	3.610	3.610	3.610	3.610
Wheel base (mm)	4.455	4.520	4.455	4.520
Lounge bench, left (mm)	1.440 x 1.000	1.440 x 1.000	1.740 x 1.000	1.740 x 1.000
Couch, right (mm)	1.250 x 650	1.250 x 650	1.250 x 650	1.250 x 650
Rear bed (mm)	2 x 2.000 x 1110	2 x 2.000 x 1110	2 × 2.000 × 1110	2 x 2.000 x 1110
Folding bed (option) (mm)	2.100 x 1.300	2.100 x 1.300	2.100 x 1.300	2.100 x 1.300
Garage door (driver's side / passenger's side h x w in mm)	1.230 x 1.120	1.230 x 1.120	1.230 x 1.120	1.230 x 1.120
	269.900,00€	290.900,00€	273.900,00 €	294.900,00€

PALACE LINER 90 LS

PALACE LINER 93 LSB







incl. scooter garage



incl. scooter garage

_	IVECO Eurocargo 100 E 25	Mercedes-Benz Atego 924	IVECO Eurocargo 100 E 25	Mercedes-Benz Ateg 924
Serial diesel engine (cylinders)	6	6	6	6
Cubic capacity (litres)	6,7	7,7	6,7	7,7
Max. power (KW/HP)	185 / 251	175 / 238	185 / 251	175 / 238
Max. torque (Nm)	850	1.000	850	1.000
Emission class	EURO 6d	EURO 6d	EURO 6d	EURO 6d
Technically permissible max. weight (kg) ¹	10.000	10.500	10.000	10.500
Mass in running order (kg) ¹	6.805	7.200	6.905	7.300
Payload (kg) ¹	3.195	3.300	3.095	3.200
Tow load with fixed / removable ball head (kg)	3.500 / 3.500	3.500 / 3.020	3.500 / 3.500	3.500 / 3.020
Permissible max. train weight w. fixed / removable ball head (kg)	13.500 / 13.500	14.000 / 13.520	13.500 / 13.500	14.000 / 13.520
Total length (mm)	9.190	9.190	9.490	9.490
Total width (mm)	2.500	2.500	2.500	2.500
Total height (mm)	3.610	3.610	3.610	3.610
Wheel base (mm)	4.670	4.520	4.815	4.820
Lounge bench, left (mm)	1.440 x 1.000	1.440 x 1.000	1.740 x 1.000	1.740 x 1.000
Couch, right (mm)	1.250 x 650	1.250 x 650	1.250 x 650	1.250 x 650
Rear bed (mm)	2 x 2.000 x 1110	2 x 2.000 x 1110	2 x 2.000 x 1110	2 x 2.000 x 1110
Folding bed (option) (mm)	2.100 x 1.300	2.100 x 1.300	2.100 x 1.300	2.100 x 1.300
Garage door (driver's side / passenger's side h x w in mm)	1.230 x 1.120	1.230 x 1.120	1.230 x 1.120	1.230 x 1.120
	275.900,00 €	296.900,00 €	276.900,00€	297.900,00€

PALACE LINER 90 M

PALACE LINER 93 MB









_	IVECO Eurocargo 100 E 25	Mercedes-Benz Atego 924	IVECO Eurocargo 100 E 25	Mercedes-Benz Ateg 924
Serial diesel engine (cylinders)	6	6	6	6
Cubic capacity (litres)	6,7	7,7	6,7	7,7
Max. power (KW/HP)	185 / 251	175 / 238	185 / 251	175 / 238
Max. torque (Nm)	850	1.000	850	1.000
Emission class	EURO 6d	EURO 6d	EURO 6d	EURO 6d
Technically permissible max. weight (kg) ¹	10.000	10.500	10.000	10.500
Mass in running order $(kg)^{1}$	6.805	7.200	6.905	7.300
Payload (kg) ¹	3.195	3.300	3.095	3.200
Tow load with fixed / removable ball head (kg)	3.500 / 3.500	3.500 / 3.020	3.500 / 3.500	3.500 / 3.020
Permissible max. train weight w. fixed / removable ball head (kg)	13.500 / 13.500	14.000 / 13.520	13.500 / 13.500	14.000 / 13.520
Total length (mm)	9.190	9.190	9.490	9.490
Total width (mm)	2.500	2.500	2.500	2.500
Total height (mm)	3.610	3.610	3.610	3.610
Wheel base (mm)	4.670	4.520	4.815	4.820
Lounge bench, left (mm)	1.440 x 1.000	1.440 x 1.000	1.740 x 1.000	1.740 x 1.000
Couch, right (mm)	1.250 x 650	1.250 x 650	1.250 x 650	1.250 x 650
Rear bed (mm)	2.000 x 1.630	2.000 x 1.630	2.000 x 1.630	2.000 x 1.630
Folding bed (option) (mm)	2.100 x 1.300	2.100 x 1.300	2.100 x 1.300	2.100 x 1.300
Garage door (driver's side / passenger's side h x w in mm)	1.230 x 1.120	1.230 x 1.120	1.230 x 1.120	1.230 x 1.120
	275.900,00€	296.900,00 €	276.900,00 €	297.900,00€

PALACE LINER 90 G PALACE LINER 95 GB







≤ 2,72 m*

_	IVECO Eurocargo 120 E 28	Mercedes-Benz Atego 1230	IVECO Eurocargo 120 E 28	Mercedes-Benz Atego 1230
Serial diesel engine (cylinders)	6	6	6	6
Cubic capacity (litres)	6,7	7,7	6,7	7,7
Max. power (KW/HP)	205 / 279	220 / 299	205 / 279	220 / 299
Max. torque (Nm)	1.000	1.200	1.000	1.200
Emission class	EURO 6d	EURO 6d	EURO 6d	EURO 6d
Technically permissible max. weight (kg) ¹	11.990	11.990	11.990	11.990
Mass in running order $(kg)^{1}$	7.895	8.120	8.175	8.400
Payload (kg) ¹	4.095	3.870	3.815	3.590
Tow load with fixed / removable ball head (kg)	3.500 / 2.910	3.500 / 2.910	3.500 / 2.910	3.500 / 2.910
Permissible max. train weight w. fixed / removable ball head (kg)	15.490 / 14.900	15.490 / 14.900	15.490 / 14.900	15.490 / 14.900
Total length (mm)	9.650	9.650	9.850	9.850
Total width (mm)	2.500	2.500	2.500	2.500
Total height (mm)	3.720	3.720	3.720	3.720
Wheel base (mm)	4.815	4.820	5.000	5.060
Lounge bench, left (mm)	1.440 x 1.000	1.440 x 1.000	1.740 x 1.000	1.740 x 1.000
Couch, right (mm)	1.250 x 650	1.250 x 650	1.250 x 650	1.250 x 650
Rear bed (mm)	2.000 x 1.630	2.000 x 1.630	2.000 x 1.630	2.000 x 1.630
Folding bed (option) (mm)	2.100 x 1.300	2.100 x 1.300	2.100 x 1.300	2.100 x 1.300
Rear garage door electric (passage H x W in mm)	1.570 x 2.100	1.570 x 2.100	1.570 x 2.100	1.570 x 2.100
	311.900,00€	329.900,00 €	314.900,00€	332.900,00€

PALACE LINER 99 GSB PALACE LINER 103 GSB







≤ 3,55 m*

_	IVECO Eurocargo 120 E 28	Mercedes-Benz Atego 1230	IVECO Eurocargo 120 E 28	Mercedes-Benz Ateg 1230
Serial diesel engine (cylinders)	6	6	6	6
Cubic capacity (litres)	6,7	7,7	6,7	7,7
Max. power (KW/HP)	205 / 279	220 / 299	205 / 279	220 / 299
Max. torque (Nm)	1.000	1.200	1.000	1.200
Emission class	EURO 6d	EURO 6d	EURO 6d	EURO 6d
Technically permissible max. weight (kg) ¹	11.990	11.990	11.990	11.990
$\textbf{Mass in running order} \ (kg)^{1}$	8.355	8.580	8.965	9.190
Payload (kg) ¹	3.635	3.410	3.025	2.800
Tow load with fixed / removable ball head (kg)	3.500 / 2.910	3.500 / 2.910	3.500 / 2.910	3.500 / 2.910
Permissible max. train weight w. fixed / removable ball head (kg)	15.490 / 14.900	15.490 / 14.900	15.490 / 14.900	15.490 / 14.900
Total length (mm)	10.250	10.250	10.850	10.850
Total width (mm)	2.500	2.500	2.500	2.500
Total height (mm)	3.720	3.720	3.720	3.720
Wheel base (mm)	5.175	5.360	5.670	5.660
Lounge bench, left (mm)	1.740 x 1.000	1.740 x 1.000	1.740 x 1.000	1.740 x 1.000
Couch, right (mm)	1.250 x 650	1.250 x 650	1.250 x 650	1.250 x 650
Rear bed (mm)	2.000 x 1.630	2.000 x 1.630	2.000 x 1.630	2.000 x 1.630
Folding bed (option) (mm)	2.100 x 1.300	2.100 x 1.300	2.100 x 1.300	2.100 x 1.300
Rear garage door electric (passage H x W in mm)	1.570 × 2.100	1.570 × 2.100	1.570 x 2.100	1.570 × 2.100
	317.900,00 €	335.900,00€	325.900,00 €	343.900,00€

MORELO PALACE LINER

PALACE LINER 110 GSB





	IVECO Eurocargo 120 E 28	Mercedes-Benz Atego 1230
Serial diesel engine (cylinders)	6	6
Cubic capacity (litres)	6,7	7,7
Max. power (KW/HP)	205 / 279	220 / 299
Max. torque (Nm)	1.000	1.200
Emission class	EURO 6d	EURO 6d
Technically permissible max. weight $(kg)^{\rm T}$	11.990	11.990
Mass in running order (kg) ¹	9.495	9.720
Payload (kg) ¹	2.495	2.270
Tow load with fixed / removable ball head (kg)	3.500 / 2.910	3.500 / 2.910
Permissible max. train weight w. fixed / removable ball head (\mbox{kg})	15.490 / 14.900	15.490 / 14.900
Total length (mm)	11.280	11.280
Total width (mm)	2.500	2.500
Total height (mm)	3.720	3.720
Wheel base (mm)	5.800	5.660
Lounge bench, left (mm)	1.740 x 1.000	1.740 × 1.000
Couch, right (mm)	1.250 x 650	1.250 x 650
Rear bed (mm)	2.000 x 1.630	2.000 x 1.630
Folding bed (option) (mm)	2.100 x 1.300	2.100 × 1.300
Rear garage door electric (passage H x W in mm)	1.570 × 2.100	1.570 x 2.100
	332.900,00 €	350.900,00 €

PALACE LINER 90 LO



PALACE LINER 95 LSO



PALACE LINER 101 GSO



PALACE LINER 112 GSO



PALACE LINER 95 MO



PALACE LINER 97 GO



PALACE LINER 105 GSO



All PALACE LINER are in XL-width.



PALACE LINER 90 LO

PALACE LINER 95 MO







incl. scooter garage



incl. scooter garage

_	IVECO Eurocargo 120 E 28	Mercedes-Benz Atego 1230	IVECO Eurocargo 120 E 28	Mercedes-Benz Ateg 1230
Serial diesel engine (cylinders)	6	6	6	6
Cubic capacity (litres)	6,7	7,7	6,7	7,7
Max. power (KW/HP)	205 / 279	220 / 299	205 / 279	220 / 299
Max. torque (Nm)	1.000	1.200	1.000	1.200
Emission class	EURO 6d	EURO 6d	EURO 6d	EURO 6d
Technically permissible max. weight (kg) ¹	11.990	11.990	11.990	11.990
$\textbf{Mass in running order} \ (kg)^{1}$	7.945	8.270	8.125	8.350
Payload (kg) ¹	4.045	3.720	3.865	3.640
Tow load with fixed / removable ball head (kg)	3.500 / 2.910	3.500 / 2.910	3.500 / 2.910	3.500 / 2.910
Permissible max. train weight w. fixed / removable ball head (kg)	15.490 / 14.900	15.490 / 14.900	15.490 / 14.900	15.490 / 14.900
Total length (mm)	9.190	9.190	9.690	9.690
Total width (mm)	2.500	2.500	2.500	2.500
Total height (mm)	3.720	3.720	3.720	3.720
Wheel base (mm)	4.670	4.760	5.000	4.760
Lounge bench, left (mm)	1.440 x 1.000	1.440 x 1.000	1.440 x 1.000	1.440 x 1.000
Couch, right (mm)	1.250 x 650	1.250 x 650	1.250 x 650	1.250 x 650
Rear bed (mm)	2 x 2.000 x 1110	2 x 2.000 x 1110	2.000 x 1.630	2.000 x 1.630
Folding bed (option) (mm)	2.100 x 1.300	2.100 x 1.300	2.100 x 1.300	2.100 x 1.300
Garage door (driver's side / passenger's side h x w in mm)	1.230 x 1.120	1.230 x 1.120	1.230 x 1.120	1.230 x 1.120
	320.900,00€	338.900,00€	325.900,00€	343.900,00€

PALACE LINER 95 LSO





incl. scooter garage

	IVECO Eurocargo 120 E 28	Mercedes-Benz Atego 1230
Serial diesel engine (cylinders)	6	6
Cubic capacity (litres)	6,7	7,7
Max. power (KW/HP)	205 / 279	220 / 299
Max. torque (Nm)	1.000	1.200
Emission class	EURO 6d	EURO 6d
Technically permissible max. weight (kg) ¹	11.990	11.990
Mass in running order (kg) ¹	8.125	8.350
Payload (kg) ¹	3.865	3.640
Tow load with fixed / removable ball head (kg)	3.500 / 2.910	3.500 / 2.910
Permissible max. train weight w. fixed / removable ball head (kg)	15.490 / 14.900	15.490 / 14.900
Total length (mm)	9.690	9.690
Total width (mm)	2.500	2.500
Total height (mm)	3.720	3.720
Wheel base (mm)	5.000	4.760
Lounge bench, left (mm)	1.440 x 1.000	1.440 x 1.000
Couch, right (mm)	1.250 x 650	1.250 x 650
Rear bed (mm)	2 x 2.000 x 1110	2 x 2.000 x 1110
Folding bed (option) (mm)	2.100 x 1.300	2.100 x 1.300
Garage door (driver's side / passenger's side h x w in mm)	1.230 x 1.120	1.230 x 1.120
	325.900,00 €	343.900,00 €

Prices in Euro (incl. 20 % VAT)

1) see back *) Cars that can not be towed on request

PALACE LINER 97 GO PALACE LINER 101 GSO









_	IVECO Eurocargo 120 E 28	Mercedes-Benz Atego 1230	IVECO Eurocargo 120 E 28	Mercedes-Benz Atego 1230
Serial diesel engine (cylinders)	6	6	6	6
Cubic capacity (litres)	6,7	7,7	6,7	7,7
Max. power (KW/HP)	205 / 279	220 / 299	205 / 279	220 / 299
Max. torque (Nm)	1.000	1.200	1.000	1.200
Emission class	EURO 6d	EURO 6d	EURO 6d	EURO 6d
Technically permissible max. weight (kg) ¹	11.990	11.990	11.990	11.990
$\textbf{Mass in running order} \ (kg)^{1}$	8.275	8.750	8.905	9.130
Payload (kg) ¹	3.715	3.240	3.085	2.860
Tow load with fixed / removable ball head (kg)	3.500 / 2.910	3.500 / 2.910	3.500 / 2.910	3.500 / 2.910
Permissible max. train weight w. fixed / removable ball head (kg)	15.490 / 14.900	15.490 / 14.900	15.490 / 14.900	15.490 / 14.900
Total length (mm)	10.500	10.500	10.450	10.450
Total width (mm)	2.500	2.500	2.500	2.500
Total height (mm)	3.720	3.720	3.720	3.720
Wheel base (mm)	5.175	5.060	5.360	5.360
Lounge bench, left (mm)	1.440 x 1.000	1.440 x 1.000	1.440 x 1.000	1.440 x 1.000
Couch, right (mm)	1.250 x 650	1.250 x 650	1.250 x 650	1.250 x 650
Rear bed (mm)	2.000 x 1.630	2.000 x 1.630	2.000 x 1.630	2.000 x 1.630
Folding bed (option) (mm)	2.100 x 1.300	2.100 x 1.300	2.100 x 1.300	2.100 x 1.300
Rear garage door electric (passage H x W in mm)	1.570 × 2.100	1.570 x 2.100	1.570 x 2.100	1.570 × 2.100
	344.900,00€	362.900,00€	347.900,00€	365.900,00€

PALACE LINER

PALACE LINER 105 GSO PALACE LINER 112 GSO









_	IVECO Eurocargo 120 E 28	Mercedes-Benz Atego 1230	IVECO Eurocargo 120 E 28	Mercedes-Benz Ateg 1230
Serial diesel engine (cylinders)	6	6	6	6
Cubic capacity (litres)	6,7	7,7	6,7	7,7
Max. power (KW/HP)	205 / 279	220 / 299	205 / 279	220 / 299
Max. torque (Nm)	1.000	1.200	1.000	1.200
Emission class	EURO 6d	EURO 6d	EURO 6d	EURO 6d
Technically permissible max. weight (kg) ¹	11.990	11.990	11.990	11.990
Mass in running order $(kg)^{1}$	8.545	9.540	9.845	10.070
Payload (kg) ¹	3.445	2.450	2.145	1.920
Tow load with fixed / removable ball head (kg)	3.500 / 2.910	3.500 / 2.910	3.500 / 2.910	3.500 / 2.910
Permissible max. train weight w. fixed / removable ball head (kg)	15.490 / 14.900	15.490 / 14.900	15.490 / 14.900	15.490 / 14.900
Total length (mm)	11.050	11.050	11.480	11.480
Total width (mm)	2.500	2.500	2.500	2.500
Total height (mm)	3.720	3.720	3.720	3.720
Wheel base (mm)	5.670	5.660	5.800	5.960
Lounge bench, left (mm)	1.440 x 1.000	1.440 x 1.000	1.440 x 1.000	1.440 x 1.000
Couch, right (mm)	1.250 x 650	1.250 x 650	1.250 x 650	1.250 x 650
Rear bed (mm)	2.000 x 1.630	2.000 x 1.630	2.000 x 1.630	2.000 x 1.630
Folding bed (option) (mm)	2.100 x 1.300	2.100 x 1.300	2.100 x 1.300	2.100 x 1.300
Rear garage door electric (passage H x W in mm)	1.570 x 2.100	1.570 x 2.100	1.570 x 2.100	1.570 x 2.100
	355.900,00€	373.900,00 €	361.900,00 €	379.900,00€

ENGINE . CHASSIS . DRIVING SAFETY PACKAGE

BASE VEHICLE MORELO PALACE	IVECO Daily 7,49 t
Turbo diesel engine, 3 litres, 132 KW / 180 HP, with rear wheel drive	•
Turbo diesel engine, 3 litres, 132 KW / 180 HP, with rear wheel drive Fuel tank, in litres Emission class EURO 6d	90
Emission class EURO 6d	AdBlue
Manual transmission	•
Alternator	14 V / 220 A / 3.080 W
All season tires (Continental Vanco Four Season)	225 / 75 R 16
Dual-circuit compressed air brake and engine brake	×
Disc brakes, on front and rear axle	•
Electronic anti-lock braking system (ABS)	•
Traction control system (ASR)	•
Electronical Stability Program (ESP)	•
Breakdown set, with warning triangle, first-aid kit, warning light, wheel chock and tire pressure kit	-
Air suspension on rear axle for PALACE 90 G	

BASE VEHIC	LE MORELO PALACE LINER	IVECO Eurocargo	Mercedes-Benz Atego
Turbo diesel e	engine, with rear wheel drive	•	•
Differential lo	ck	•	•
Fuel tank, in l	itres	190	180
Emission clas	ss EURO 6d	AdBlue	AdBlue
Automatized	transmission	6-speed	6- / 8-speed as from 12 t
Alternator		28 V / 120 A / 3.360 W	28 V / 150 A / 4.200 W
Additional alt	ernator 12 V	14V / 80 A / 1.120 W	×
Tires 10 t - 10	0.5 t chassis, rear axle with traction profile	245 / 70 R 17.5	245 / 70 R 17.5
Tires 12 t - 15	t chassis, rear axle with traction profile	285 / 70 R 19.5	285 / 70 R 19.5
Stainless stee	el wheel covers 17.5 "	•	•
Stainless stee	el wheel covers 19.5 "	•	•
Dual-circuit c	ompressed air brake and engine brake	•	•
Disc brakes, o	on front and rear axle	-	•
Electronic and	:i-lock braking system (ABS)	•	•
Traction contr	rol system (ASR)	•	•
Electronical S	tability Program (ESP)	-	•
Air suspensio	n on rear axle only 'lifting and lowering'	×	924
Air suspensio	n on front and rear axle 'lifting and lowering'	100 E 25/120 E 28/150 E32	1230 / 1530
	et, with warning triangle, first-aid kit, warning light, and spare wheel	•	•
Lane Departu	re Warning	=	•
Emergency B	rake Assist	•	•
Adaptive Crui	se Control	-	×
Reinforced M	otor Brake	×	•
Underride pro	etection	-	•

Driver's cab seats, swiveling, with armrests and integrated belt system Roller plissee behind windscreen, electrically activated, darkening blind with privacy screen and sunblind function Panoramic windscreen with laminated glass, tinted, heatable Flush, double-glazed driver's cab side windows, mechanically activated Air conditioning in driver's cab Cruise control Steering wheel, adjustable in height and angle Outside mirrors (incl. wide-angle and front mirror) and windscreen wiper system in bus-style Radio in driver's cab, with CD and MP3 player High-performance 2-way loudspeakers in driver's cab side panelling Sockets, 1 x USB charging and 2 x 230 V Optimized noise insulation of engine compartment Fully insulated driver's cab, new GRP module Independent premium dashboard, with ambient lighting, cupholder and cooled refreshment compartment Halogen main headlights, with optical lens and additional main beam Fog lights LED daytime running lights LED rear lights Side walls and roof are 42 mm thick, 38 mm of which consists of closed-cell RTM hard foam Aluminium side bars on the roof, with rainwater channels to help keeping side walls clean Side walls in ALU-RTM-ALU sandwich design, smooth and high-gloss Roof in GRP-RTM-ALU sandwich design, hail protection and low heat conductivity Underfloor in GRP-RTM-GRP sandwich design, robust, corrosion-free, no timber used Cold-bridge-free wall joint technology, using highly compressed rigid PU profiles Garage door with electrical unlocking or electrical rear hatch for car garages Lightning protection, Faraday cage Heatable double floor, approximately 420 mm high, 480mm for Mercedes-Benz and IVECO Eurocargo, side access via external flaps "Top Class" entrance door with window, extra large, electric with code lock and remote control, flyscreen and mechanical emergency unlocking Interior entrance step, heated, with two incorporated pull-out drawers Exterior entrance step, 2-step, electrically extendable with safety circuit for chassis up to 10 to Exterior entrance step, 3-step, electrically extendable with safety circuit, for chassis as from 10.5 t Rear garage with doors to the right and to the left, floor rails with lashing eyelets and 230 V socket, electrical release (not for G models) Rear wall with fibreglass compound sandwich design, PU foam core Plastic windows in living area, double-glazed and tinted, collapsible outwards or sliding, with pleated blackout blind and flyscreen Storage space flaps thermally separated with electrical release, carpeted inside Entirely wood-free exterior structure Front and lateral skirting, from highly sturdy fibreglass compound External adhesives in black and silver Sturdy handle for easy entry, backlighted

STANDARD EQUIPMENT MORELO PALACE. PALACE LINER

LIVING ROOM + BEDROOM . KITCHEN

Floor covering made from easy-care, high-grade vinyl

Flat living area floor, from the rear to the dashboard

Skylight, with flyscreen and pleated blackout blind in the bedroom

Double-glazed, panoramic roof window with flyscreen and pleated blackout blind in the living area

Lighting canopies with LED spots incl. indirect lighting, dimmable

Rear bed with comfortably suspended multi-zone mattress and adjustable head part

Wardrobes with LED lighting

Microfibre upholstery, including driver and passenger seats

Seating group with ergonomic upholstery, comfortable multi-layer design with diol-based padding and zip fasteners

Extensible, sturdy table, with extensive sliding range, laminated

Ceiling high double pull-out furniture at the entrance

Sockets in the living area and in the bedroom

Wall panelling with colour-coordinated carpet

Elegant pleated curtains

177 litres AES refrigerator with separate freezer compartment, automatic and manual energy selection, incl. gas oven

Morelosan kitchen worktop with seamlessly integrated wash/waste bowl and domestic drains

3-flame stainless steel gas cooker, installed countersunk with automatic ignition and glass cover

Single-lever mixer tap, chrome

Drawers with super-soft closing and cutlery insert

Pull-out waste bin with two removable containers

Skylight, with flyscreen and pleated blackout blind

LED spots, in lighting canopy

Sockets 2 x 230 V



LIVING BOOM + BED

	Skylight, with flyscreen and pleated blackout blind
	Washstand, with seamlessly integrated sink, push open valve and domestic drain
	Extensible single-lever mixer tap, chrome
	Soap dispenser, cup holder and towel hook
	Lighted closet
	Separate shower, with wall rail, height-adjustable showerhead and drying rail
	Toilet window, with flyscreen and pleated blackout blind with premium bathroom
	Ceramic toilet bowl with 250 litres toilet tank
	Toilet paper holder and toilet brush
	Spacious wardrobe with LED lighting
	LED spots
	Sockets 2 x 230 V
_	
	Gas bottle compartment, for 2 x 11 kg gas bottles side by side, with gas controller gas leak protection, gas filter and automatic switchover
	120 litres gas tank instead of gas bottle compartment for PALACE LINER with slide-out
	5.500W hot water gas central heating, with thermostat control, automatic ventilation valve and backflow shut-off
	Electrical heating element, 230V, up to 3.000W
	Engine heat exchanger, for using engine calories to heat up the living area
	Floor heating in living area and bathroom and driver's cab
	Heat regulating thermostat in bedroom and rear garage
	Towel dryer radiator in bathroom, with thermostat control
	Integrated hot water boiler, serving all tapping points
	360 litres fresh water tank, 250 litres wastewater tank and 250 litres toilet tank, situated in the heated double floor
	Emptying of wastewater and toilet tank, via drain tap with large cross section in heated double floor and drain hose with bayonet connection
	Domestic style wastewater pipes
	Flushing connections for wastewater tank and toilet tank
	Central pressure water supply
_	220 V applied in the appear
	230 V socket in the garage 230 V CEE connection, with insulated floor inlet
	140 Ah gel battery in intermediate floor including battery monitoring system with overloading and total discharge protection Automatic charger, electronically controlled, with battery temperature sensor, maximum charge rate of 25 A
	Automatic charger, electronically controlled, with battery temperature sensor, maximum charge rate of 25 A
_	Central control and monitoring panel, with colour touch screen
	Shut-off function for on-board electrical system, in case of undervoltage/overheating
	On-board electronics, microprocessor-controlled with bus technology
	Buttons for switching on/off, lighting, water pump and special equipment, including main switch for all consumers
	Alarm devices, for 'wastewater tank full', 'step extended', 'fresh water tank empty', reserve gas bottle in use' and diverse others
	LCD control panel for monitoring of external and internal temperature, external mains supply, parallel battery circuit,
	battery voltage of the vehicle and leisure batteries
	LCD control panel for monitoring of wastewater tank and fresh water tank levels, gas level (when a gas tank is fitted),
	charging and discharging amperage, date and time with alarm clock

SPECIAL EQUIPMENT MORELO PALACE . PALACE LINER

CHASSIS IVECO DAILY. DRIVING SAFETY PACKAGE

Item / Weight¹

	CHASSIS MORELO PALACE IVECO DAILY	IVECO Daily
011230 / 15	Engine version C 21,155 kW / 210 HP (only combined with 011203 torque converter transmission)	2.600,00 €
011203 / 10	ZF 8-gear torque converter transmission	4.990,00 €
017000D / 15	Differential lock for rear axle	990,00 €
018175 / 26	Daily "wide axle" front axle (spur widening on front axle +200 mm)	7.290,00 €
011218 / 128	Original IVECO retarder (standard 70 l fuel tank)	7.990,00 €
018152 / 120	200 litres fuel tank (instead of serial standard) ³	2.290,00 \$
018214D / 25	Air suspension on rear axle only (serial standard for PALACE 90 G)	5.800,00
018212D / 63	Air suspension on front and rear axle, automatic leveling and various special features (only combined with light metal rims)	9.990,00
018225 / 05	Active-Air Chassis (only in combination with air suspension on front and rear axle)	4.990,00
018178-02 / 08	Light metal rims "Radial" on front axle with spur widening, steel rims with wheel trims on rear axle	2.790,00
018166 / 08	Light metal rims "Radial" front and rear axle, on front axle with spur widening, steel valves	3.990,00
018178 / 08	Light metal rims "BiColor" on front axle with spur widening, steel rims with wheel trims on rear axle	2.790,00
018167 / 08	Light metal rims "BiColor" front and rear axle, on front axle with spur widening, steel valves	3.990,00
018178-01 / 08	Light metal rims "Silver" on front axle with spur widening, steel rims with wheel trims on rear axle	2.790,00
018168D / 08	Light metal rims "Silver" front and rear axle, on front axle with spur widening, steel valves	3.990,00
018170D / 08	Electrical and technical preparation for trailer coupling	490,00
018181 / 16	Spur widening on rear axle, only for steel rims	790,00
018131D / 08	Electrical and technical preparation for trailer coupling	790,00
018099D / 41	Fixed trailer coupling up to max. 3.500 kg (incl. electrical and technical preparation for trailer coupling)	2.290,00
018120D / 03	Surcharge for removable trailer coupling head (only in combination with trailer coupling)	500,00
017006 / 0	LED headlights 12 V (only combined with rear axle air suspension)	2.190,00
018234D / 99	Hydraulic leveling jacks with automatic leveling ²	8.490,00
017100 / 40	XL-width 2.500 mm	5.000,00
017306 / 04	MORELO Select leather steering wheel, removable to improve seat rotation and deter theft	1.450,00
052038 / 04	Heating for standard cab seats	580,00
052130 / 45	Luxury driver's cab seats, air suspended and heated, with lumbar support, armrests	3.990,00
024954 / 05	Flush, double-glazed driver's cab side windows, electrically activated	1.250,00
021039 / 06	Double horn air fanfare (only in combination with luxury driver's cab seats)	890,00
018321 / 55	Spare wheel with steel rim and bracket, situated underneath lowered rear end	490,00

011280 / 20	Driving safety package	7.900,00 €
	L Electric parking brake	
	L Emergency brake assits, adaptive cruise control	
	L Active lane departure warning with warning tone	
	L ESP with crosswind assist	
	L Traction PLUS with downhill assist	
	L Active tire pressure monitoring system	

Item / Weight¹

	CHASSIS MORELO PALACE LINER IVECO EUROCARGO 100 E 25 / 120 E 28 / 150 E 32	10 t / 12 t / 15 t
018131E / 12	Electrical and technical preparation for trailer coupling	990,00 €
018099E / 47	Fixed trailer coupling up to max. 3.500 kg (incl. electrical and technical preparation for trailer coupling)	2.290,00 €
018120E / 03	Surcharge for removable trailer coupling head (only in combination with trailer coupling)	500,00€
017003 / 0	LED headlights 12 V, main-/high beam and indicators	2.190,00€
018235E / 120	Hydraulic leveling jacks with automatic leveling ²	8.490,00€
017304 / 04	MoreloExclusiv leather steering wheel, removable to improve seat rotation and deter theft	1.550,00 €
024955 / 05	Flush, double-glazed driver's cab side windows, electrically activated	1.250,00 €
021040 / 06	Double horn air fanfare	890,00€
052135 / 45	Luxury driver's cab seats, air suspended and heated, with lumbar support, armrests	3.990,00€
017105 / 130	Supplement 150 E 32 to 120 E 28 (mass in running order + 130 kg, payload + 2.880kg)	15.000,00€

	CHASSIS MORELO PALACE LINER MERCEDES-BENZ ATEGO 924 / 1230 / 1530	MB Atego 10,5 / 12 t / 15 t
018148 / 80	280 litres fuel tank instead of 180 litres serial standard (if sufficient space)	500,00€
017212 / 0	Light metal rims ALCOA Dura Bright on front and rear axle 17,5" (MB Atego 924) ⁴	4.690,00 €
018169 / 0	Light metal rims ALCOA Dura Bright on front and rear axle 19,5" (MB Atego 1230 / 1530)4	5.990,00€
018131E / 12	Electrical and technical preparation for trailer coupling	990,00€
018099E / 47	Fixed trailer coupling up to max. 3.500 kg (incl. electrical and technical preparation for trailer coupling)	2.290,00 €
018120E / 03	Surcharge for removable trailer coupling head (only in combination with trailer coupling)	500,00 €
017003 / 0	LED headlights 12 V, main-/high beam and indicators	2.190,00 €
018239 / 120	Hydraulic leveling jacks with automatic leveling ²	8.490,00 €
024955 / 05	Flush, double-glazed driver's cab side windows, electrically activated	1.250,00 €
021040 / 06	Double horn air fanfare	890,00 €
052135 / 45	Luxury driver's cab seats, air suspended and heated, with lumbar support, armrests	3.990,00 €
017106 / 130	Supplement 1530 to 1230 (mass in running order + 100 kg, payload + 2.910 kg)	13.000,00 €

CARRY ON AT THE PUSH OF A BUTTON

LOCKING DIFFERENTIAL FOR MOTORHOMES.

Who has the biggest motorhome on the slippery camping site? And who will pull it out of trouble? The IVECO Daily does not need outside help as it is equipped with a locking differential. This piece of technology, which is usually an indispensable piece of equipment in proper off-road vehicles, is far more effective than wheel-selective braking

IVECO

systems often found in cars or SUVs. Each drive axle has a differential gear which allows both wheels to turn at different speeds in corners. However, if one wheel starts spinning in slippery conditions, the other wheel does not transfer any power. Activating the locking differential from the dashboard locks both wheels on the drive axle. Now, the spinning wheel no longer holds you up, but the wheel that has traction will keep you moving.



SPECIAL EQUIPMENT MORELO PALACE . PALACE LINER

STRUCTURE . KITCHEN . LIVING ROOM

Item / Weight ¹		all models
022004 / 60	Electrically operated roof awning 6.0 m, with LED lighting, dimmable with remote control ²	2.990,00
022051 / 03	LED lighting underneath of roof profile on driver's side, dimmable with remote control	690,00
025186 / 115	Double-glazed projecting windows (EMPIRE style) (not for PALACE 90 G on Iveco Daily)	8.900,00
025244 / 08	Midi roof window in bedroom (instead of standard mini heki)	690,00
025092 / 13	Panoramic roof window Heki 3 in bedroom (instead of standard mini heki)	1.290,00
025106 / 26	Double panoramic roof window, 2 x Heki 3, in living room (not in combination with folding bed)	1.590,00
037500 / 07	Furniture safe with electronic locking, motor-driven locking system, 8.3 l volume	320,00
020291 / 02	Carbon look exterior for side walls	1.490,00
031945 / 05	Double floor lighting	690,00
021031 / 03	Parking sensors in the rear bumper	790,00
020481 / 50	Bicycle elevator for two bicycles with charging socket for e-bikes (only for PALACE LINER model 110)	2.990,00
043105 / 15	Mineral material kitchen worktop, mat finish, flush sink covers, in various designs	1.490,00
043054 / 22	Microwave oven in stainless steel, with grill function underneath of worktop (230 V via mains connection, not in combination with dishwasher or double pull-out drawers)	1.290,00
043030 / 30	Luxury dishwasher, pull-out underneath cooker (230 V via mains connection, not in combination with dishwasher or double pull-out drawers)	2.190,00
043275 / 05	Double pull-out drawers underneath cooker (not in combination with microwave or dishwasher)	390,00
043268 / 05	Nespresso coffee machine, with shelf and 230 V socket ²	490,00
025161 / 05	Extractor fan instead of standard mini heki	790,00
050600 / 05	Wall and ceiling covering in smooth finish, with artificial leather	1.500,00
036600 / 0	Decor change for furniture fronts (price per unit, position and number may be freely selected, not for curved overhead locker doors)	90,00
035330 / 106	Bar seating group (passenger's side) with adjustable single seat (incl. homologation for one additional person)	2.290,00
035983 / 30	Seat belt for 1 person on single seating bench	790,00
035984 / 45	Seat belts for 2 persons on multifunctional seating bench	890,00
035985 / 45	Seat belt for 1 person on single seating bench (for slide-out models only)	3.500,00
035986 / 50	Seat belts for 2 persons on multifunctional seating bench (for slide-out models only)	3.500,00
042204 / 07	Height-adjustable table column, with extra cushion insert (only for standard lounge seating group)	790,00
044102 / 05	Central vacuum cleaner, with convenient emptying	990,00
	NOVEL living world	5.290,00
042914 / 35	NOVEE tiving worth	0.270,00

	l	
ĺ		١
١		١
į	>	
ĺ		١
	1	
	_	
ŀ		
ſ	Υ	
ĺ	Ī	ı
ĺ	٦	
i	ï	ı

Item / Weight ¹		all models
052205 / 54	Electrically activated folding bed (instead of front overhead lockers)	2.490,00 €
036242 / 05	Rear bed with multizone mattress and "watergel" topping	490,00€
036300 / 07	Rear bed with lying surface over the entire width, for L-layouts, incl. EvoPore mattress with "watergel" topping	1.490,00€
036302 / 40	Rear bed with lying surface over the entire width, for M- and G-layouts, with overhead lockers like in L-version, incl. multi-zone EvoPore mattress with "watergel" topping	2.490,00€
050654 / 05	Separated L-beds with bedside table and cushion insert	2.390,00 €
036130 / 0	Ceramic toilet bowl for cassette toilet, including SOG toilet ventilation (instead of standard fixed-tank toilet)	no supplement
035990 / 05	Greywater pump for transfer of wastewater into the toilet tank	890,00€
036071 / 44	Luxury bathroom with separate toilet area, window and mini heki	2.990,00€
036068 / 0	Towel radiator in chrome finish instead of white	790,00€
036033 / 03	Extensible shower next to the toilet	300,00€
031053 / 02	Alarm system	1.290,00 €
025043 / 40	Roof air conditioning, for living area with infrared remote control (total vehicle height + 130 mm)	3.190,00 €
025044 / 40	Roof air conditioning, for bedroom with infrared remote control (total vehicle height + 130 mm, not in combination with panoramic roof window)	3.190,00€
037186 / 12	Solar panel, with 130 W maximum power	1.490,00€
037187 / 23	Solar panels, with 2 x 130 W maximum power	2.190,00€
037189 / 44	Solar panels, with 4 x 130 W maximum power, (if sufficient space on the roof)	3.990,00 €
031381 / 110	Electrical Package "Energy 420 Premium Power" (instead of serial standard) Gel batteries 420 Ah (discharging level 50% = 210 Ah), combined charger / inverter 120 A / 3.000 W, with power sharing, fully automatic top class battery protection, Premium control panel	5.290,00 €
031382 / 0	Electrical Package "Energy Lithium Power" (instead of serial standard) Lithium battery 1 x 160 Ah (discharging level 100% = 160 Ah), combined charger / inverter 120 A / 3.000 W, with power sharing, fully automatic top class battery protection, Premium control panel	7.290,00 €
031448 / 28	Additional Lithium battery 160 Ah (only combined with electrical package "Lithium Power", max. 4 batteries in total)	2.990,00 €
031450 / 05	Sine wave inverter 300 W (with separate socket for continuous us of small appliances, f.e. a respirator)	450,00€

STABILITY + SECURITY

VB-ACTIVEAIR

The VB-ActiveAir is the combination of a 4-channel air suspension and an active cushioning system. Did you know that the VB FullAir 4C systems also provide the following functions?

Auto level function (optional) Off-road function (up to 25 km/h) Process water discharge function Rear garage entry function Ferry boarding function Manual raising Manual lowering Comfort mode Sport mode

The VB-ActiveAir is the only system with ESC approval from the vehicle manufacturer.





SPECIAL EQUIPMENT MORELO PALACE . PALACE LINER

MULTIMEDIA . SUPPLY

	Item / Weight ¹	I	all models
-	037004 / 08	Navigation system with 9" touch screen panel and DAB / DAB+ tuner, two additional loudspeakers, incl. twin reversing camera with shutter and hands-free set for telephone with Bluetooth	3.790,00 €
	037103 / 04	Twin reversing camera with shutter	1.290,00€
	037443 / 46	Satellite TV system, with 24" flat screen TV and soundlink underneath glass cabinet in the entrance area, 85 cm dish, fully automatic orientation, multi-user facility via TWIN-LNB and 24" flat screen TV in the bedroom (total vehicle height + ca. 80 mm)	5.490,00 €
YIQ	037439 / 56	Satellite TV system, with 32" flat screen TV in overhead locker (passenger's side) with glasses, electrically lowerable, 85 cm dish, fully automatic orientation, multi-user facility via TWIN-LNB and 24" flat screen TV in the bedroom (total vehicle height + ca. 80 mm)	6.290,00 €
MULTIMED	037435 / 56	Satellite TV system, with 32" flat screen TV in overhead locker (driver's side for bar seating group) with glasses, electrically lowerable, 85 cm dish, fully automatic orientation, multi-user facility via TWIN-LNB and 24" flat screen TV in the bedroom (total vehicle height + ca. 80 mm) (not for slide-out models)	7.280,00 €
$\sum_{i=1}^{n}$	037447 / 54	Satellite TV system, with 32" flat screen TV in the overhead locker above the dashboard, electrically lowerable, 85 cm dish, fully automatic orientation, multi-user facility via TWIN-LNB and 24" flat screen TV in the bedroom (total vehicle height + ca. 80 mm), overhead locker (passenger's side) with glasses, (not in comibination with drop-down bed)	6.290,00 €
	037064 / 05	Soundbar	290,00€
	037061 / 15	Sound package for satellite TV system consisting of 4 additional loudspeakers and a subwoofer in the living room	990,00€
	034202 / 03	External shower on the driver's side in the rear	300,00€
	034202 / 03	Pressure sensors for precise mesuring of fresh water and wastewater tank levels	580,00 €
	018142 / 03	Pressure sensors for precise mesuring of fresh water, wastewater and toilet tank levels	870,00 €
	018145 / 02	Bluetooth box for precise mesuring of levels (only in combination with pressure sensors)	550,00 €
	018600 / 15	Diesel auxiliary heating, with continuous heating via heat exchanger (5.200 W) incl. timer	2.950,00 €
	033026 / 03	External gas connection, on side wall at passenger's side	290,00 €
	033004 / 88	70 litres gas tank, with remote filling in the side wall and level indicator in control panel display	2.380,00 €
	033005 / 111	120 litres gas tank, with remote filling in the side wall and level indicator in control panel display	2.790,00 €
	033004 / 145	150 litres gas tank, with remote filling in the side wall and level indicator in control panel display (only PALACE LINER)	2.950,00€
	023103 / 77	2.600 W fuel generator with 10 l petrol tank, fixed installation	4.990,00€
	023105 / 100	4.000 W diesel generator with noise insulating cover, fixed installation (only EC 120 E 28 / 150 E 32 and ATEGO 1230 / 1530)	9.800,00 €
	034203 / 20	Fresh water tanks 2 x 250 litres instead of standard tank (PALACE, reduced storage space in the double floor)	690,00€
	034204 / 20	Fresh water tanks 2 x 280 litres instead of standard tank (PALACE, reduced storage space in the double floor)	690,00 €
	034206 / 20	410 litres fresh water tank / 280 litres wastewater tank / 280 litres toilet tank, instead of serial tank (only for PALACE LINER)	1.490,00 €

Item / Weight¹

all models

050100 / 0	Microfibre upholstery, in variety of patterns	serial
050505 / 0 050524 / 20 050500 / 27 050506 / 27	BiColour microfibre upholstery, in variety of patterns	500,00 €
050524 / 20	Fabric-Leather "Trendline" upholstery combination, in variety of patterns	3.390,00€
050500 / 27	Leather upholstery, in variety of patterns	3.990,00€
050506 / 27	BiColor leather upholstery, in variety of patterns	4.290,00€
051305 / 20	Living area carpet in Sisal Sierra or velours colours Coco 830 beige, 865 grey-brown and 2051 schoko	990,00€
051311 / 20	Living area carpet in special velours colour	1.140,00 €
051276 / 05	Decoration package "Trendline" consisting of 8 cushions and Trendline decorative side curtains instead of the standard ones, in variety of patterns	650,00€
051271 / 0	Venetian blinds in the living room, pleated blinds in the bedroom	590,00€
051271 / 0	Venetian blinds in the living room and in the bedroom	1.090,00 €
090000 / 0	Vehicle delivery at the factory, with extensive briefing in German language, handover inspection, diesel tank filling and factory tour	1.590,00 €

NOTHING UNDERNEATH?

OUR ADVICE? DON'T SKIMP ON THE CHASSIS!

Our many years of experience shows that when it comes to buying a new motorhome, many people tend to be frugal when it comes to technical equipment.

The disadvantages of this tactic will become apparent during your first holiday: While other motorhome owners float down the road on VB ActiveAir air suspension, wide front axles and air-suspended seats,

frugal owners will be at their wits' end with even just small bumps affecting the ride quality and the quality of life.

Many retrofits can be realized only with additional effort and higher costs compared to the original equipment. Enjoy the full comfort of your MORELO right from the start, with chassis technology from Fahrzeugbau Meier!







Prices in Euro (incl. 20 % VAT)



TRAVEL BLISS ON A GRAND SCALE

The MORELO EMPIRE is not just grand in size - it is grand in every aspect. The vehicle certainly makes a statement on the road thanks to its elegant and sporty design, yet it is off the beaten track where our luxury motorhome really comes into its own. Unlimited driving pleasure and comfort are guaranteed, and to ensure you can enjoy the "Welcome Home" feeling wherever you are in the world, the EMPIRE has enough space for all your possessions.

EMPIRE 88 L



EMPIRE 92 LS



EMPIRE 90 L



EMPIRE 92 M





EMPIRE 88 L

EMPIRE 90 L







incl constar sarana

الم

incl. scooter garage

	IVECO Daily 70 C 21 (7.490 kg)	IVECO Daily 70 C 21 (7.490 kg)
Serial diesel engine (cylinders)	4	4
Cubic capacity (litres)	3	3
Max. power (KW/HP)	155 / 210	155 / 210
Max. torque (Nm)	470	470
Emission class	EURO 6d	EURO 6d
Technically permissible max. weight $(kg)^{\rm T}$	7.4902	7.4902
$ \textbf{Mass in running order} \ (kg)^1 $	6.225	6.325
Payload (kg) ¹	1.265	1.165
Tow load with fixed / removable ball head (kg)	3.500	3.500
Permissible max. train weight w. fixed / removable ball head (kg)	10.700	10.700
Total length (mm)	9.140	9.340
Total width (mm)	2.500	2.500
Total height (mm)	3.470	3.470
Wheel base (mm)	4.750	4.900
Lounge bench, left (mm)	1.500 x 1.000	1.500 × 1.000
Couch, right (mm)	1.250 × 650	1.250 x 650
Rear bed (mm)	2 x 2.000 x 1.060	2 × 2.000 × 1.060
Folding bed (option) (mm)	2.080 x 1.300	2.080 x 1.300
Garage door (driver's side / passenger's side h x w in mm)	1.230 x 1.120	1.230 x 1.120
	311.900,00 €	312.900,00 €

EMPIRE 92 LS

EMPIRE 92 M







incl. scooter garage

والم

incl. scooter garage

	IVECO Daily 70 C 21 (7.490 kg)	IVECO Daily 70 C 21 (7.490 kg)
Serial diesel engine (cylinders)	4	4
Cubic capacity (litres)	3	3
Max. power (KW/HP)	155 / 210	155 / 210
Max. torque (Nm)	470	470
Emission class	EURO 6d	EURO 6d
Technically permissible max. weight (kg) ¹	7.4902	7.490²
Mass in running order $(kg)^{1}$	6.380	6.380
Payload (kg) ¹	1.110	1.110
Tow load with fixed / removable ball head (kg)	3.500	3.500
Permissible max. train weight w. fixed / removable ball head (kg)	10.700	10.700
Total length (mm)	9.540	9.540
Total width (mm)	2.500	2.500
Total height (mm)	3.470	3.470
Wheel base (mm)	5.000	5.000
Lounge bench, left (mm)	1.500 x 1.000	1.500 x 1.000
Couch, right (mm)	1.250 x 650	1.250 × 650
Rear bed (mm)	2 x 2.000 x 1.060	2.000 x 1.630
Folding bed (option) (mm)	2.080 x 1.300	2.080 x 1.300
Garage door (driver's side / passenger's side h x w in mm)	1.230 x 1.120	1.230 x 1.120
	315.900,00 €	315.900,00 €

EMPIRE LINER 90 L

EMPIRE LINER 93 LO

EMPIRE LINER 95 M



EMPIRE LINER 98 MO



EMPIRE LINER 100 GB



EMPIRE LINER 110 GSB



EMPIRE LINER 118 GSB



EMPIRE LINER 93 LB



EMPIRE LINER 94 LS



EMPIRE LINER 98 MB



EMPIRE LINER 99 MS



EMPIRE LINER 100 GO



EMPIRE LINER 110 GSO



EMPIRE LINER 118 GSO



EMPIRE LINER

EMPIRE LINER 90 L

EMPIRE LINER 93 LB







incl. scooter garage

الله الله

incl. scooter garage

	Mercedes-Benz Atego 1230 L	Mercedes-Benz Atego 1230 L
Serial diesel engine (cylinders)	6	6
Cubic capacity (litres)	7,7	7,7
Max. power (KW/HP)	220 / 299	220 / 299
Max. torque (Nm)	1.200	1.200
Emission class	EURO 6d	EURO 6d
Technically permissible max. weight (kg) ¹	11.990	11.990
Mass in running order (kg) ¹	8.725	8.785
Payload (kg) ¹	3.255	3.205
Tow load with fixed / removable ball head (kg)	2.910	2.910
Permissible max. train weight w. fixed / removable ball head (kg)	14.900	14.900
Total length (mm)	9.340	9.640
Total width (mm)	2.500	2.500
Total height (mm)	3.760	3.760
Wheel base (mm)	4.760	4.760
Lounge bench, left (mm)	1.500 x 1.000	1.800 x 1.000
Couch, right (mm)	1.250 x 650	1.250 x 650
Rear bed (mm)	2 x 2.000 x 1.060	2 × 2.000 × 1.060
Folding bed (option) (mm)	2.080 x 1.300	2.080 x 1.300
Garage door (driver's side / passenger's side h x w in mm)	1.230 x 1.120	1.230 x 1.120
	383.900,00 €	386.900,00 €

 $\textbf{Prices in Euro} \ (\textbf{incl.} \ 20 \ \% \ \textbf{VAT})$

EMPIRE LINER 93 LO

(incl. slide-out





EMPIRE LINER 94 LS



incl. scooter garage



incl. scooter garage

	Mercedes-Benz Atego 1230 L	Mercedes-Benz Atego 1230 L
Serial diesel engine (cylinders)	6	6
Cubic capacity (litres)	7.7	7.7
Max. power (KW/HP)	220 / 299	220 / 299
Max. torque (Nm)	1.200	1.200
Emission class	EURO 6d	EURO 6d
Technically permissible max. weight $(kg)^{\rm T}$	11.990	11.990
Mass in running order $(kg)^1$	9.025	8.805
Payload (kg) ¹	3.065	3.185
Tow load with fixed / removable ball head (kg)	2.910	2.910
Permissible max. train weight w. fixed / removable ball head (kg)	14.900	14.900
		1
Total length (mm)	9.650	9.750
Total width (mm)	2.500	2.500
Total height (mm)	3.760	3.760
Wheel base (mm)	4.760	4.760
Lounge bench, left (mm)	1.600 x 1.000	1.500 x 1.000
Couch, right (mm)	1.250 x 650	1.250 x 650
Rear bed (mm)	2 × 2.000 × 1.060	2 x 2.000 x 1.060
Folding bed (option) (mm)	2.080 x 1.300	2.080 x 1.300
Garage door (driver's side / passenger's side h x w in mm)	1.230 x 1.120	1.230 x 1.120
	417.900,00 €	387.900,00 €

EMPIRE LINER 95 M

EMPIRE LINER 98 MB









	Mercedes-Benz Atego 1230 L	Mercedes-Benz Atego 1230 L
Serial diesel engine (cylinders)	6	6
Cubic capacity (litres)	7,7	7,7
Max. power (KW/HP)	220 / 299	220 / 299
Max. torque (Nm)	1.200	1.200
Emission class	EURO 6d	EURO 6d
Technically permissible max. weight (kg) ¹	11.990	11.990
Mass in running order (kg) ¹	9.280	9.425
Payload (kg) ¹	2.710	2.565
Tow load with fixed / removable ball head (kg)	2.910	2.910
Permissible max. train weight w. fixed / removable ball head (kg)	14.900	14.900
Total length (mm)	9.850	10.050
Total width (mm)	2.500	2.500
Total height (mm)	3.760	3.760
Wheel base (mm)	5.060	5.060
Lounge bench, left (mm)	1.500 x 1.000	1.800 x 1.000
Couch, right (mm)	1.250 x 650	1.250 x 650
Rear bed (mm)	2.000 x 1.630	2.000 x 1.630
Folding bed (option) (mm)	2.080 x 1.300	2.080 x 1.300
Garage door (driver's side / passenger's side h x w in mm)	1.230 x 1.120	1.230 x 1.120
	388.900,00 €	391.900,00 €

MORELO EMPIRE LINER

EMPIRE LINER 98 MO

(incl. slide-out

EMPIRE LINER 99 MS







incl. scooter garage



incl. scooter garage

	Mercedes-Benz Atego 1230 L	Mercedes-Benz Atego 1230 L
Serial diesel engine (cylinders)	6	6
Cubic capacity (litres)	7,7	7,7
Max. power (KW/HP)	220 / 299	220 / 299
Max. torque (Nm)	1.200	1.200
Emission class	EURO 6d	EURO 6d
Technically permissible max. weight (kg) ¹	11.990	11.990
Mass in running order (kg) ¹	9.665	9.525
Payload (kg) ¹	2.325	2.465
Tow load with fixed / removable ball head (kg)	2.910	2.910
Permissible max. train weight w. fixed / removable ball head (kg)	14.900	14.900
Total length (mm)	10.050	10.150
Total width (mm)	2.500	2.500
Total height (mm)	3.760	3.760
Wheel base (mm)	5.060	5.360
Lounge bench, left (mm)	1.600 x 1.000	1.500 x 1.000
Couch, right (mm)	1.250 x 650	1.250 × 650
Rear bed (mm)	2.000 x 1.630	2.000 x 1.630
Folding bed (option) (mm)	2.080 x 1.300	2.080 x 1.300
Garage door (driver's side / passenger's side h x w in mm)	1.230 x 1.120	1.230 x 1.120
	422.900,00 €	392.900,00 €

EMPIRE LINER 100 GB

EMPIRE LINER 100 GO









_	Mercedes-Benz Atego 1230 L	Mercedes-Benz Atego 1530 L	Mercedes-Benz Atego 1530 L
Serial diesel engine (cylinders)	6	6	6
Cubic capacity (litres)	7,7	7,7	7,7
Max. power (KW/HP)	220 / 299	220 / 299	220 / 299
Max. torque (Nm)	1.200	1.200	1.200
Emission class	EURO 6d	EURO 6d	EURO 6d
Technically permissible max. weight (kg) ¹	11.990	15.000	15.000
Mass in running order (kg) ¹	9.700	9.790	10.030
Payload (kg) ¹	2.290	5.210	4.970
Tow load with fixed / removable ball head (kg)	2.910	2.780	2.780
Permissible max. train weight w. fixed / removable ball head (kg)	14.900	17.780	17.780
Total length (mm)	10.300	10.300	10.300
Total width (mm)	2.500	2.500	2.500
Total height (mm)	3.760	3.760	3.760
Wheel base (mm)	5.360	5.360	5.360
Lounge bench, left (mm)	1.800 x 1.000	1.800 x 1.000	1.600 x 1.000
Couch, right (mm)	1.250 x 650	1.250 x 650	1.250 x 650
Rear bed (mm)	2.000 x 1.630	2.000 x 1.630	2.000 x 1.630
Folding bed (option) (mm)	2.080 x 1.300	2.080 x 1.300	2.080 x 1.300
Rear garage door electric (passage H x W in mm)	1.570 x 2.100	1.570 x 2.100	1.570 x 2.100
	410.900,00 €	423.900,00 €	453.900,00 €

EMPIRE LINER 110 GSB

EMPIRE LINER 110 GSO

(incl_slide-out









	Mercedes-Benz Atego 1530 L	Mercedes-Benz Atego 1530 L
Serial diesel engine (cylinders)	6	6
Cubic capacity (litres)	7,7	7,7
Max. power (KW/HP)	220 / 299	220 / 299
Max. torque (Nm)	1.200	1.200
Emission class	EURO 6d	EURO 6d
Technically permissible max. weight (kg) ¹	15.000	15.000
$\textbf{Mass in running order} \ (kg)^{1}$	10.440	10.680
Payload (kg) ¹	4.560	4.320
Tow load with fixed / removable ball head $(k g)$	2.780	2.780
Permissible max. train weight w. fixed / removable ball head (kg)	17.780	17.780
Total length (mm)	11.400	11.400
Total width (mm)	2.500	2.500
Total height (mm)	3.760	3.760
Wheel base (mm)	5.960	5.960
Lounge bench, left (mm)	1.800 x 1.000	1.600 x 1.000
Couch, right (mm)	1.250 x 650	1.250 x 650
Rear bed (mm)	2.000 x 1.630	2.000 x 1.630
Folding bed (option) (mm)	2.080 x 1.300	2.080 x 1.300
Rear garage door electric (passage H x W in mm)	1.570 × 2.100	1.570 × 2.100
	433.900,00 €	463.900,00 €

EMPIRE LINER

EMPIRE LINER 118 GSB

EMPIRE LINER 118 GSO

(incl_slide-out









	Mercedes-Benz Atego 1530 L	Mercedes-Benz Atego 1530 L
Serial diesel engine (cylinders)	6	6
Cubic capacity (litres)	7,7	7,7
Max. power (KW/HP)	220 / 299	220 / 299
Max. torque (Nm)	1.200	1.200
Emission class	EURO 6d	EURO 6d
Technically permissible max. weight (kg) ¹	15.000	15.000
Mass in running order $(kg)^{1}$	10.680	10.920
Payload (kg) ¹	4.320	4.080
Tow load with fixed / removable ball head (kg)	2.780	2.780
Permissible max. train weight w. fixed / removable ball head (kg)	17.780	17.780
Total length (mm)	11.990	11.990
Total width (mm)	2.500	2.500
Total height (mm)	3.760	3.760
Wheel base (mm)	6.260	6.260
Lounge bench, left (mm)	1.800 x 1.000	1.600 x 1.000
Couch, right (mm)	1.250 x 650	1.250 × 650
Rear bed (mm)	2.000 x 1.630	2.000 x 1.630
Folding bed (option) (mm)	2.080 x 1.300	2.080 x 1.300
Rear garage door electric (passage H x W in mm)	1.570 x 2.100	1.570 × 2.100
	450.900,00 €	480.900,00 €

ENGINE . CHASSIS . DRIVING SAFETY PACKAGE

ASE VEHICLE MORELO EMPIRE	IVECO Daily 7.49 t
Turbo diesel engine, with rear wheel drive	.,,,,
Fuel tank, in litres	90
Emission class EURO 6d	AdBlue
Alternator	14 V / 220 A / 3.080 W
ZF 8-gear torque converter transmission	•
Differential lock for rear axle	•
Engine version C21, 155 KW / 210 HP	•
All season tires (Continental Vanco Four Season)	225 / 75 R 16
Disc brakes, on front and rear axle	•
Air suspension front and rear axle, "Auto-Level" and various special features	_
(on steel rims)	•
Electronic anti-lock braking system (ABS)	•
Traction control system (ASR)	•
Electronical Stability Program (ESP)	-
Breakdown set, with warning triangle, first-aid kit,	_
warning light, wheel chock and tire pressure kit	•

ASE VEHICLE MORELO EMPIRE LINER	Mercedes-Benz Atego 12 t / 15 t
	12 t / 15 t
Turbo diesel engine, with rear wheel drive	•
Differential lock	
Fuel tank, in litres	180
Emission class EURO 6d	AdBlue
Automatized transmission	8-gear
Alternator	28 V / 150 A / 4.200 W
Tires rear axle with traction profile	285 / 70 R 19.5
Dual-circuit compressed air brake and engine brake	•
Disc brakes, on front and rear axle	•
Electronic anti-lock braking system (ABS)	•
Traction control system (ASR)	•
Electronical Stability Program (ESP)	•
Air suspension on front and rear axles, with 'lifting and lowering' function	•
Air suspension on rear axle, with 'lifting and lowering' function	•
Breakdown set, with warning triangle, first-aid kit, warning light and wheel chock	-
Spare wheel with bracket	•
Lane Departure Warning	
Emergency Brake Assist	•
Reinforced Motor Brake	•
Underride protection	•

	Roller plissee behind windscreen, electrically activated, darkening blind with privacy screen and sunblind function
F	Panoramic windscreen with laminated glass, tinted, heatable
F	Flush, double-glazed driver's cab side windows, electrically activated
A	Air conditioning in driver's cab
(Cruise control
(Steering wheel, adjustable in height and angle
(Outside mirrors and windscreen wiper system in bus-style with wide-angle and front mirror
I	Independent premium dashboard, with ambient lighting, cupholder and cooled refreshment compartment
1	Navigation system with 9" touch screen panel and DAB / DAB+ tuner, incl. twin reversing camera with shutter, hands-free set for Bluetooth telepho
ŀ	High-performance 2-way loudspeakers in driver's cab side panelling
(Sockets, 1 x 12 V, 1 x USB and 2 x 230 V
(Optimized noise insulation of engine compartment
F	Fully insulated driver's cab, new GRP module
Į	LED headlights with additional high beam
F	Fog lights
Į	LED daytime running lights
Į	LED rear lights
	Side walls and roof are 52 mm thick, 48 mm of which consists of closed-cell RTM hard foam
A	Aluminium side bars on the roof, with rainwater channels to help keeping side walls clean
4	Aluminium side bars on the roof, with rainwater channels to help keeping side walls clean Side walls in ALU-RTM-ALU sandwich design, smooth and high-gloss
F	Aluminium side bars on the roof, with rainwater channels to help keeping side walls clean Side walls in ALU-RTM-ALU sandwich design, smooth and high-gloss Roof in GRP-RTM-ALU sandwich design, hail protection and low heat conductivity
, (Aluminium side bars on the roof, with rainwater channels to help keeping side walls clean Side walls in ALU-RTM-ALU sandwich design, smooth and high-gloss Roof in GRP-RTM-ALU sandwich design, hail protection and low heat conductivity Underfloor in GRP-RTM-GRP sandwich design, robust, corrosion-free, no timber used
FF (Aluminium side bars on the roof, with rainwater channels to help keeping side walls clean Side walls in ALU-RTM-ALU sandwich design, smooth and high-gloss Roof in GRP-RTM-ALU sandwich design, hail protection and low heat conductivity Underfloor in GRP-RTM-GRP sandwich design, robust, corrosion-free, no timber used Cold-bridge-free wall joint technology, using highly compressed rigid PU profiles
F (Aluminium side bars on the roof, with rainwater channels to help keeping side walls clean Side walls in ALU-RTM-ALU sandwich design, smooth and high-gloss Roof in GRP-RTM-ALU sandwich design, hail protection and low heat conductivity Underfloor in GRP-RTM-GRP sandwich design, robust, corrosion-free, no timber used Cold-bridge-free wall joint technology, using highly compressed rigid PU profiles Garage door with electrical unlocking
F (Aluminium side bars on the roof, with rainwater channels to help keeping side walls clean Side walls in ALU-RTM-ALU sandwich design, smooth and high-gloss Roof in GRP-RTM-ALU sandwich design, hail protection and low heat conductivity Underfloor in GRP-RTM-GRP sandwich design, robust, corrosion-free, no timber used Cold-bridge-free wall joint technology, using highly compressed rigid PU profiles Garage door with electrical unlocking Lightning protection, Faraday cage
# S S S S S S S S S S S S S S S S S S S	Aluminium side bars on the roof, with rainwater channels to help keeping side walls clean Side walls in ALU-RTM-ALU sandwich design, smooth and high-gloss Roof in GRP-RTM-ALU sandwich design, hail protection and low heat conductivity Underfloor in GRP-RTM-GRP sandwich design, robust, corrosion-free, no timber used Cold-bridge-free wall joint technology, using highly compressed rigid PU profiles Garage door with electrical unlocking Lightning protection, Faraday cage Heatable double floor, ca. 420 mm high for EMPIRE / ca. 480 mm high for EMPIRE LINER, side access via external flaps
, , , , , , , , , , , , , , , , , , ,	Aluminium side bars on the roof, with rainwater channels to help keeping side walls clean Side walls in ALU-RTM-ALU sandwich design, smooth and high-gloss Roof in GRP-RTM-ALU sandwich design, hail protection and low heat conductivity Underfloor in GRP-RTM-GRP sandwich design, robust, corrosion-free, no timber used Cold-bridge-free wall joint technology, using highly compressed rigid PU profiles Garage door with electrical unlocking Lightning protection, Faraday cage Heatable double floor, ca. 420 mm high for EMPIRE / ca. 480 mm high for EMPIRE LINER, side access via external flaps 'Top Class' entrance door with window, extra large, electric with code lock and remote control, flyscreen and mechanical emergency unlocking
# (C)	Aluminium side bars on the roof, with rainwater channels to help keeping side walls clean Side walls in ALU-RTM-ALU sandwich design, smooth and high-gloss Roof in GRP-RTM-ALU sandwich design, hail protection and low heat conductivity Underfloor in GRP-RTM-GRP sandwich design, robust, corrosion-free, no timber used Cold-bridge-free wall joint technology, using highly compressed rigid PU profiles Garage door with electrical unlocking Lightning protection, Faraday cage Heatable double floor, ca. 420 mm high for EMPIRE / ca. 480 mm high for EMPIRE LINER, side access via external flaps 'Top Class' entrance door with window, extra large, electric with code lock and remote control, flyscreen and mechanical emergency unlocking interior entrance step, heated and illuminated, with two incorporated pull-out drawers
# S S S S S S S S S S S S S S S S S S S	Aluminium side bars on the roof, with rainwater channels to help keeping side walls clean Side walls in ALU-RTM-ALU sandwich design, smooth and high-gloss Roof in GRP-RTM-ALU sandwich design, hail protection and low heat conductivity Underfloor in GRP-RTM-GRP sandwich design, robust, corrosion-free, no timber used Cold-bridge-free wall joint technology, using highly compressed rigid PU profiles Garage door with electrical unlocking Lightning protection, Faraday cage Heatable double floor, ca. 420 mm high for EMPIRE / ca. 480 mm high for EMPIRE LINER, side access via external flaps Top Class" entrance door with window, extra large, electric with code lock and remote control, flyscreen and mechanical emergency unlocking Interior entrance step, heated and illuminated, with two incorporated pull-out drawers Exterior entrance step, 2-step, electrically extendable with safety circuit (EMPIRE)
() () () () () () () () () (Aluminium side bars on the roof, with rainwater channels to help keeping side walls clean Side walls in ALU-RTM-ALU sandwich design, smooth and high-gloss Roof in GRP-RTM-ALU sandwich design, hail protection and low heat conductivity Underfloor in GRP-RTM-GRP sandwich design, robust, corrosion-free, no timber used Cold-bridge-free wall joint technology, using highly compressed rigid PU profiles Garage door with electrical unlocking Lightning protection, Faraday cage Heatable double floor, ca. 420 mm high for EMPIRE / ca. 480 mm high for EMPIRE LINER, side access via external flaps 'Top Class' entrance door with window, extra large, electric with code lock and remote control, flyscreen and mechanical emergency unlocking interior entrance step, heated and illuminated, with two incorporated pull-out drawers Exterior entrance step, 2-step, electrically extendable with safety circuit (EMPIRE) Exterior entrance step, 3-step, very sturdy, illuminated, electrically extendable with safety circuit (EMPIRE LINER)
# S S S S S S S S S S S S S S S S S S S	Aluminium side bars on the roof, with rainwater channels to help keeping side walls clean Side walls in ALU-RTM-ALU sandwich design, smooth and high-gloss Roof in GRP-RTM-ALU sandwich design, hail protection and low heat conductivity Underfloor in GRP-RTM-GRP sandwich design, robust, corrosion-free, no timber used Cold-bridge-free wall joint technology, using highly compressed rigid PU profiles Garage door with electrical unlocking Lightning protection, Faraday cage Heatable double floor, ca. 420 mm high for EMPIRE / ca. 480 mm high for EMPIRE LINER, side access via external flaps 'Top Class' entrance door with window, extra large, electric with code lock and remote control, flyscreen and mechanical emergency unlocking interior entrance step, heated and illuminated, with two incorporated pull-out drawers Exterior entrance step, 2-step, electrically extendable with safety circuit (EMPIRE) Exterior entrance step, 3-step, very sturdy, illuminated, electrically extendable with safety circuit (EMPIRE LINER) Rear garage with doors to the right and to the left, floor rails with lashing eyelets and 230 V socket, electrical release (not for G-models)
#	Aluminium side bars on the roof, with rainwater channels to help keeping side walls clean Side walls in ALU-RTM-ALU sandwich design, smooth and high-gloss Roof in GRP-RTM-ALU sandwich design, hail protection and low heat conductivity Underfloor in GRP-RTM-GRP sandwich design, robust, corrosion-free, no timber used Cold-bridge-free wall joint technology, using highly compressed rigid PU profiles Garage door with electrical unlocking Lightning protection, Faraday cage Heatable double floor, ca. 420 mm high for EMPIRE / ca. 480 mm high for EMPIRE LINER, side access via external flaps Top Class" entrance door with window, extra large, electric with code lock and remote control, flyscreen and mechanical emergency unlocking interior entrance step, heated and illuminated, with two incorporated pull-out drawers Exterior entrance step, 2-step, electrically extendable with safety circuit (EMPIRE) Exterior entrance step, 3-step, very sturdy, illuminated, electrically extendable with safety circuit (EMPIRE LINER) Rear garage with doors to the right and to the left, floor rails with lashing eyelets and 230 V socket, electrical release (not for G-models) Rear wall with fibreglass compound sandwich design, PU foam core
# S S S S S S S S S S S S S S S S S S S	Aluminium side bars on the roof, with rainwater channels to help keeping side walls clean Side walls in ALU-RTM-ALU sandwich design, smooth and high-gloss Roof in GRP-RTM-ALU sandwich design, hail protection and low heat conductivity Underfloor in GRP-RTM-GRP sandwich design, robust, corrosion-free, no timber used Cold-bridge-free wall joint technology, using highly compressed rigid PU profiles Garage door with electrical unlocking Lightning protection, Faraday cage Heatable double floor, ca. 420 mm high for EMPIRE / ca. 480 mm high for EMPIRE LINER, side access via external flaps Top Class' entrance door with window, extra large, electric with code lock and remote control, flyscreen and mechanical emergency unlocking interior entrance step, heated and illuminated, with two incorporated pull-out drawers Exterior entrance step, 2-step, electrically extendable with safety circuit (EMPIRE) Exterior entrance step, 3-step, very sturdy, illuminated, electrically extendable with safety circuit (EMPIRE LINER) Rear garage with doors to the right and to the left, floor rails with lashing eyelets and 230 V socket, electrical release (not for G-models) Rear wall with fibreglass compound sandwich design, PU foam core Genuine glass windows in living area, double-glazed and tinted, collapsible outwards, with pleated blackout blind and flyscreen
	Aluminium side bars on the roof, with rainwater channels to help keeping side walls clean Side walls in ALU-RTM-ALU sandwich design, smooth and high-gloss Roof in GRP-RTM-ALU sandwich design, hail protection and low heat conductivity Underfloor in GRP-RTM-GRP sandwich design, robust, corrosion-free, no timber used Cold-bridge-free wall joint technology, using highly compressed rigid PU profiles Garage door with electrical unlocking Lightning protection, Faraday cage Heatable double floor, ca. 420 mm high for EMPIRE / ca. 480 mm high for EMPIRE LINER, side access via external flaps 'Top Class' entrance door with window, extra large, electric with code lock and remote control, flyscreen and mechanical emergency unlocking interior entrance step, heated and illuminated, with two incorporated pull-out drawers Exterior entrance step, 2-step, electrically extendable with safety circuit (EMPIRE) Exterior entrance step, 3-step, very sturdy, illuminated, electrically extendable with safety circuit (EMPIRE LINER) Rear garage with doors to the right and to the left, floor rails with lashing eyelets and 230 V socket, electrical release (not for G-models) Rear wall with fibreglass compound sandwich design, PU foam core Genuine glass windows in living area, double-glazed and tinted, collapsible outwards, with pleated blackout blind and flyscreen Storage space flaps in RTM technology, perfectly insulated
	Aluminium side bars on the roof, with rainwater channels to help keeping side walls clean Side walls in ALU-RTM-ALU sandwich design, smooth and high-gloss Roof in GRP-RTM-ALU sandwich design, hail protection and low heat conductivity Underfloor in GRP-RTM-GRP sandwich design, robust, corrosion-free, no timber used Cold-bridge-free wall joint technology, using highly compressed rigid PU profiles Garage door with electrical unlocking Lightning protection, Faraday cage Heatable double floor, ca. 420 mm high for EMPIRE / ca. 480 mm high for EMPIRE LINER, side access via external flaps 'Top Class' entrance door with window, extra large, electric with code lock and remote control, flyscreen and mechanical emergency unlocking interior entrance step, heated and illuminated, with two incorporated pull-out drawers Exterior entrance step, 2-step, electrically extendable with safety circuit (EMPIRE) Exterior entrance step, 3-step, very sturdy, illuminated, electrically extendable with safety circuit (EMPIRE) Rear garage with doors to the right and to the left, floor rails with lashing eyelets and 230 V socket, electrical release (not for G-models) Rear wall with fibreglass compound sandwich design, PU foam core Genuine glass windows in living area, double-glazed and tinted, collapsible outwards, with pleated blackout blind and flyscreen Storage space flaps in RTM technology, perfectly insulated LED lighted double floor lockers
	Aluminium side bars on the roof, with rainwater channels to help keeping side walls clean Side walls in ALU-RTM-ALU sandwich design, smooth and high-gloss Roof in GRP-RTM-ALU sandwich design, hail protection and low heat conductivity Underfloor in GRP-RTM-GRP sandwich design, robust, corrosion-free, no timber used Cold-bridge-free wall joint technology, using highly compressed rigid PU profiles Garage door with electrical unlocking Lightning protection, Faraday cage Heatable double floor, ca. 420 mm high for EMPIRE / ca. 480 mm high for EMPIRE LINER, side access via external flaps 'Top Class' entrance door with window, extra large, electric with code lock and remote control, flyscreen and mechanical emergency unlocking interior entrance step, heated and illuminated, with two incorporated pull-out drawers Exterior entrance step, 2-step, electrically extendable with safety circuit (EMPIRE) Exterior entrance step, 3-step, very sturdy, illuminated, electrically extendable with safety circuit (EMPIRE LINER) Rear garage with doors to the right and to the left, floor rails with lashing eyelets and 230 V socket, electrical release (not for G-models) Rear wall with fibreglass compound sandwich design, PU foam core Genuine glass windows in living area, double-glazed and tinted, collapsible outwards, with pleated blackout blind and flyscreen Storage space flaps in RTM technology, perfectly insulated LED lighted double floor lockers Entirely wood-free exterior structure
	Aluminium side bars on the roof, with rainwater channels to help keeping side walls clean Side walls in ALU-RTM-ALU sandwich design, smooth and high-gloss Roof in GRP-RTM-ALU sandwich design, hail protection and low heat conductivity Underfloor in GRP-RTM-GRP sandwich design, robust, corrosion-free, no timber used Cold-bridge-free wall joint technology, using highly compressed rigid PU profiles Garage door with electrical unlocking Lightning protection, Faraday cage Heatable double floor, ca. 420 mm high for EMPIRE / ca. 480 mm high for EMPIRE LINER, side access via external flaps 'Top Class' entrance door with window, extra large, electric with code lock and remote control, flyscreen and mechanical emergency unlocking interior entrance step, heated and illuminated, with two incorporated pull-out drawers Exterior entrance step, 2-step, electrically extendable with safety circuit (EMPIRE) Exterior entrance step, 3-step, very sturdy, illuminated, electrically extendable with safety circuit (EMPIRE) Rear garage with doors to the right and to the left, floor rails with lashing eyelets and 230 V socket, electrical release (not for G-models) Rear wall with fibreglass compound sandwich design, PU foam core Genuine glass windows in living area, double-glazed and tinted, collapsible outwards, with pleated blackout blind and flyscreen Storage space flaps in RTM technology, perfectly insulated LED lighted double floor lockers

LIVING ROOM + BEDROOM . KITCHEN . BATHROOM

	Floor covering made from easy-care, high-grade vinyl
-	Flat living area floor, from the rear to the dashboard
	Midi roof window, with flyscreen and pleated blackout blind in the bedroom
	Double-glazed, panoramic roof window with flyscreen and pleated blackout blind in the living area
\geq	Lighting canopies with LED spots incl. indirect lighting, dimmable
	Rear bed comfortably suspended with multi-zone mattress and "water gel" - topping, with adjustable head part
	Wardrobes with LED lighting
Ш М	Microfibre upholstery, including driver and passenger seats
+	Seating group with ergonomic upholstery, comfortable multi-layer design with diol-based padding and zip fasteners
LIVING ROOM + BEDROOM	Extensible, sturdy table, with extensive sliding range, laminated
O O	Ceiling high pull-out furniture at the entrance, lower part for bottles and upper part as a wardrobe
LL .	Sockets in the living area and in the bedroom
Ž	Wall and ceiling panelling with artificial leather, smooth finishing
<u>></u>	Elegant venetian blinds
-	
	177 litres AES refrigerator with separate freezer compartment, automatic and manual energy selection, incl. gas oven
	Mineral material kitchen worktop with seamlessly integrated wash/waste bowl and domestic drains, fully deep drawers, incl. Nespresso coffee machine
	3-flame stainless steel gas cooker, installed countersunk with automatic ignition and glass cover
	Single-lever mixer tap, chrome
Z	Drawers with super-soft closing and cutlery insert
Z W T O H Y	Pull-out waste bin with two removable containers
	LED spots
¥	Sockets 2 x 230 V
	Skylight, with flyscreen and pleated blackout blind
	Washstand, with seamlessly integrated sink, push open valve and domestic drain
	Extensible single-lever mixer tap, chrome
	Soap dispenser, cup holder and pull-out towel bars
	Lighted closet
>	Separate shower, with rain shower and additional handheld shower
	Toilet window, with flyscreen and pleated blackout blind for premium bathroom
T T	Ceramic toilet bowl with 250 litres toilet tank (EMPIRE) / 280 litres toilet tank (EMPIRE LINER)
BATHROOM	Toilet paper holder and toilet brush
m m	Spacious wardrobe with LED lighting
	LED spots
	Sockets 2 x 230 V

INSTALLATIONS . ELECTRONICS . CONTROL PANEL

Electrical harting element, 2007, up to 2,00009 Enjoh hout exchanger, for using range coulories to hout up the Uving area Electrical harting element, 2007, up to 2,00009 Enjoh hout exchanger, for using range coulories to hout up the Uving area Floor heating in Iving area and hartincom Chromed towal driyer radiator in bethroom, with thermostal control. Pear ren, lating thermostal in hedroom and ren grange Integrated but water too lier, serving all tapping points. 2018 three freed water tank, 200 litres wastewater tank and 200 litres follet tank, situated in the heated double floor (EMPRE) 1 MFP) Employing of wastewater and to field tank, via drain tap with large cross section in heated double floor (EMPRE) 1 MFP) Employing of wastewater and to field tank, via drain tap with large cross section in heated double floor and drain hose with bayonet connection Central pressure water supply 230 V socket in the garage 230 V CCC connection, with insoluted floor initit Lithium battery 2 x 100 Ah 1100% energy withdrawal combined charger / inverter 120 A / 3,000 W, with power abrain, sully automate battery protection, premium control panel. TV Sound system with 4 coudspeakers and solwoofer when optional TV peckage Solar panel with 120W maximum power Central control and monitoring point, with colour footh screen Shubstiff function for on-hourd electrical system, in case of undervotrage/overheating On-board electrical system, in case of undervotrage/overheating On-board electrical system, in case of undervotrage/overheating Chabbard in control for wastewater tank full; 'step excended, Tesh water tank early reserve gas bottle in use' and diverse others LEC control power for monitoring of certainal and monated tensor tank and fresh water tank keets, pas level (when a gas tank is fitted), charging and a schoring amperage, dote and time with alarm clock	70	Electron and total (EMDIDE) / 120 litera and took (EMDIDE LINED) with level indicator in the control panel display and external gas bottle connection
Electrical heating element, 230V, up to \$0,000W Engine heat exchanger, for using engine calories to heat up the living area Floor heating in living area and bathroom (hormed towel doyer radiator in bathroom, with thermostat control Floot regulating thermostatin bedracom and roar garage Integrated hot water boiler, serving all tapping points 350 litres fresh water tank, 250 litres wastewater tank and 250 litres toilet tank, situated in the heated double floor (EMPIRE) 410 litres fresh water tank, 250 litres wastewater tank and 250 litres toilet tank, situated in the heated double floor (EMPIRE) LINER) Emplying of wastewater and toilet tank via drain tap with large cross section in heated double floor and drain hose with bayonet connection Emplying of wastewater pipes Flushing connections for wastewater tank and toilet tank Central pressure water supply 230 V socket in the garage 230 V Socket in the		litres gas tank (EMPIRE) / 120 litres gas tank (EMPIRE LINER) with level indicator in the control panel display and external gas bottle connection
Engine heat exchanger, for using engine catories to heat up the living area Floor heating in living area and bathroom. Chromed towel dryer redictor in bathroom, with thermostat control Heat regulating thermostat in bedroom and rear garage Integrated his water boilers serving all tapping points 360 titres fresh water tank, 250 titres wastewater tank and 250 titres toilet tank, situated in the heated double floor (EMPIRE) LIVER) Employing of wastewater and toilet tank via drain tap with large cross section in heated double floor and drain hose with bayonet connection obmestic style wastewater pipes Flushing connections for wastewater tank and toilet tank Central pressure water supply 230 V socket in the garage 230 V Socket in the garage 230 V EE connection, with insulated floor inlet Lithium battery 2 x 160 Ah (100% energy withdrawai) combined charger / inverter 120 A / 3,000 W, with power sharing, fully automatic battery protection, premium control panel TV-Sound system with 4 loudspeakers and subwooter when optional TV package Solar panel with 130W maximum power Central control and monitoring panel, with colour touch screen Shut-off function for on-board electrical system, in case of undervoltage/overheating On-board electronics, microprocessor-controlled with bus technology Buttors for wootsthing on/off, lighting, water pump and special equipment, including main switch for all consumers Alarm devices, for "wastewater tank full," step extended, "fresh water tank empty," reserve gas bottle in user and diverse eithers LCD control panel for monitoring af wastewater tank and fresh water tank empty, reserve gas bottle in user and diverse eithers LCD control panel for monitoring af wastewater tank and fresh water tank levels, gas level		
Enor heating in living area and bathroom. Chromed towel dryer rad afor in bathroom, with thermostat control. Iteat regulating thermostat in bedroom and rear garage. Integrated het water bolder, serving all tapping points. 368 sites fresh water tank, 258 litres wastewater tank and 250 litres toilet tank, situated in the heated double (floor (EMPIRE). 410 litres fresh water tank, 250 litres wastewater tank and 250 litres toilet tank, situated in the heated double (floor (EMPIRE) LINER). Emptying of wastewater and toilet tank, via oran tap with large crass section in heated double (floor and drain hose with bayonet connection.) Demestic style wastewater pipes. Flushing connections for wastewater tank and toilet tank. Central pressure water supply. 230 V socket in the garage. 230 V Socket in the garage. 230 V Socket in the garage. 240 V CEP connection, with insulated floor inlet. Lithium battery 2 x 160 An (100% energy withdrawal) combined charger / inverter 120 A / 3,000 W, with power sharing, fully submatic battery protection, premium control panel. TV-Sound system with 4 boudseakers and subwoother when optional TV package. Salar panel with 130W maximum power. Central control and menitoring panel, with colour touch screen. Shut-off function for on-board electrical system, in case of undervoltage/overheating. On-board electronics, microprocessor-controlled with bus technology. Buttons for switching on/off, lighting, water pump and special equipment, including main swetch for all consumers. Alarm devices, for 'wastewater tank full,' step extended,' fresh water tank mapty,' reserve gas bottle in user' and diverse others. LCD control panel for monitoring of external and internal temperature, external mains supply, parallel battery circuit, battery voltage of the vehicle and tosure batteries.		
Chromed toward dryer radiator in bathroom, with thermostat control Heat regulating thermostat in bedroom and rear garage Integrated hot water boiler, serving all tapping points 360 litres fresh water tenk, 250 litres wastewater tank and 250 litres toilet tank, situated in the heated double floor (EMPIRE LINER) Highlying of wastewater and toilet tank, via drain tap with large cross section in heated double floor and drain hose with bayonet connection Domestic style wastewater pipes Fushing connections for wastewater tank and toilet tank Central pressure water supply 220 V socket in the garage 230 V CEE connection, with insulated floor inlet Lithium battery 2 x 160 Ah (100% energy withdrawal) combined charger / inverter 120 A / 3,000 W, with power sharing, fully automatic battery protection, premium control panel TV-Sound system with 4 loudspeakers and subworfer when optional TV package Solar panel with 130W maximum power Central control and monitoring panel, with colour touch screen Shut-off function for on-board electrical system, in case of undervoltage/overheating On-board electronics, microprocessor-controlled with bus technology Buttors for switching on/off, lighting, water pump and special equipment, including main switch for all consumers Alarm devices, for 'wastewater tank full,' step extended,' fresh water tank levels, gas tevel LCC control panel for monitoring of wastewater tank and fresh water tank levels, gas tevel		
Integrated hot water boiler, serving all tapping points 360 litres fresh water tank, 260 litres wastewater tank and 260 litres tolet tank, situated in the heated double floor (EMPIRE LINER) 410 litres fresh water tank, 260 litres wastewater tank and 260 litres tolet tank, situated in the heated double floor (EMPIRE LINER) Emplying of wastewater and tolet tank, via drain tap with large cross section in heated double floor (EMPIRE LINER) Domestic style wastewater pipes Flushing connections for wastewater tank and tolet tank Central pressure water supply 230 V socket in the garage 230 V Socket on the table of the socket in the garage 230 V Socket on the table of the socket in the garage 230 V Socket on the table of the socket in the garage 230 V Socket on the garage 230 V Socket on the table of the socket in the garage 230 V Socket on the table of the socket in the garage 230 V Socket on the table of the socket in the garage 230 V Socket on the garage 23		
Integrated hot water boiler, serving all tapping points 360 litres fresh water tank, 250 litres wastewater tank and 250 litres toilet tank, situated in the heated double floor (EMPIRE) 410 litres fresh water tank, 250 litres wastewater tank and 280 litres toilet tank, situated in the heated double floor (EMPIRE LINER) Emptying of wastewater and toilet tank via drain tap with large cross section in heated double floor and drain hose with bayonet connection Damestic style wastewater pipes Flushing connections for wastewater tank and toilet tank Central pressure water supply 230 V socket in the garage 230 V socket in the garage 230 V CEE connection, with insulated floor intet Lithium battery 2 x 160 Ah (100% energy withdrawal) combined charger / inverter 120 A / 3,000 W, with power sharing, Itily automatic battery protection, premium control panel TV-Sound system with 4 loudspeakers and subwoofer when optional TV package Solar panel with 130W maximum power Central control and monitoring panel, with colour touch screen Shut-off function for on-board electrical system, in case of undervoltage/overheating On-board electronics, microprocessor-controlled with bus technology Buttons for switching on/off, lighting, water pump and special equipment, including main switch for all consumers Alarm devices, for 'wastewater tank full;' step extended; 'fresh water tank empty; reserve gas bottle in use' and diverse others LCD control panel for monitoring of external and internal temperature, external mains supply, parallel battery circuit, battery voltage of the vehicle and leisure batteries LCD control panel for monitoring of wastewater tank and fresh water tank levels, gas level		
300 litres fresh water tank, 250 litres wastewater tank and 250 litres tollet tank, situated in the heated double floor (EMPIRE) 410 litres fresh water tank, 280 litres wastewater tank and 280 litres toilet tank, situated in the heated double floor (EMPIRE LINER) Emptying of wastewater and toilet tank, via drain tap with large crass section in heated double floor and drain hase with bayonet connection Domestic style wastewater pipes Flushing connections for wastewater tank and toilet tank Central pressure water supply 230 V socket in the garage 230 V Soc		
Emptying of wastewater and toilet tank, via drain tap with large cross section in heated double floor (EMPIRE LINER) Emptying of wastewater and toilet tank, via drain tap with large cross section in heated double floor and drain hose with bayonet connection Damestic style wastewater pipes Flushing connections for wastewater tank and toliet tank Central pressure water supply 230 V socket in the garage 230 V socket in the garage 230 V Ecce connection, with insulated floor inlet Lithium battery 2 x 160 Ah (100% energy withdrawal) combined charger / inverter 120 A / 3,000 W, with power sharing, fully automatic battery protection, premium control panel TV-Sound system with 4 loudspeakers and subwoofer when optional TV package Solar panel with 130W maximum power Central control and monitoring panel, with colour touch screen Shut-off function for on-board electrical system, in case of undervoltage/overheating On-board electronics, microprocessor-controlled with bus technology Buttons for switching microprocessor-controlled with bus technology Buttons for switching microprocessor-controlled with bus technology LCD control panel for monitoring of external and internal temperature, external mains supply, parallel battery circuit, battery voltage of the vehicle and leisure batteries LCD control panel for monitoring of wastewater tank and fresh water tank empty, reserve gas bottle in use' and diverse others LCD control panel for monitoring of wastewater tank and fresh water tank empty, reserve gas bottle in use' and diverse others LCD control panel for monitoring of wastewater tank and fresh water tank empty, reserve gas bottle in use' and diverse others		
Emptying of wastewater and toilet tank, via drain tap with large cross section in heated double floor and drain hose with bayonet connection Domestic style wastewater pipes Flushing connections for wastewater tank and toilet tank Central pressure water supply 230 V socket in the garage 230 V Socket in the garage 230 V Socket in the garage 230 V CEE connection, with insulated floor inlet Lithium battery 2 x 160 Ah (100% energy withdrawai) combined charger / inverter 120 A / 3 000 W, with power sharing, fully automatic battery protection, premium control panel TV-Sound system with 4 loudspeakers and subwoofer when optional TV package Solar panel with 130W maximum power Central control and monitoring panel, with colour touch screen Shut-off function for on-board electrical system, in case of undervoltage/overheating On-board electronics, microprocessor-controlled with bus technology Buttons for switching on/off, lighting, water pump and special equipment, including main switch for all consumers Alarm devices, for Wastewater tank full, 'step extended,' fresh water tank empty', reserve gas bottle in use' and diverse others LCD control panel for monitoring of wastewater tank and fresh water tank levels, gas level		
Domestic style wastewater pipes Flushing connections for wastewater tank and toilet tank Central pressure water supply 230 V socket in the garage 230 V Socket in the garage 230 V CEE connection, with insulated floor inlet Lithium battery 2 x 160 Ah (100% energy withdrawall combined charger / inverter 120 A / 3,000 W, with power sharing, fully automatic battery protection, premium control panel TV-Sound system with 4 loudspeakers and subwoofer when optional TV package Solar panel with 130W maximum power Central control and monitoring panel, with colour touch screen Shut-off function for on-board electrical system, in case of undervoltage/overheating On-board electronics, microprocessor-controlled with bus technology Buttons for switching on/off, lighting, water pump and special equipment, including main switch for all consumers Alarm devices, for 'wastewater tank full,' step extended,' fresh water tank empty,' reserve gas bottle in use' and diverse others LCD control panel for monitoring of wastewater tank and fresh water tank levels, gas level LCD control panel for monitoring of wastewater tank and fresh water tank levels, gas level		
Elushing connections for wastewater tank and toilet tank Central pressure water supply Central pressure water supply 230 V socket in the garage 230 V socket in the garage 230 V EE connection, with insulated floor inlet Lithium battery 2 x 160 Ah (100% energy withdrawal) combined charger / inverter 120 A / 3,000 W, with power sharing, fully automatic battery protection, premium control panel TV-Sound system with 4 loudspeakers and subwoofer when optional TV package Solar panel with 130W maximum power Central control and monitoring panel, with colour touch screen Shut-off function for on-board electrical system, in case of undervoltage/overheating On-board electronics, microprocessor-controlled with bus technology Buttons for switching on/off, lighting, water pump and special equipment, including main switch for all consumers Alarm devices, for 'wastewater tank full,' step extended', fresh water tank empty, reserve gas bottle in use' and diverse others LCD control panel for monitoring of wastewater tank and fresh water tank levels, gas level		
Central pressure water supply 230 V socket in the garage 230 V CEE connection, with insulated floor inlet Lithium battery 2 x 160 Ah (100% energy withdrawal) combined charger / inverter 120 A / 3,000 W, with power sharing, fully automatic battery protection, premium control panel TV-Sound system with 4 loudspeakers and subwoofer when optional TV package Solar panel with 130W maximum power Central control and monitoring panel, with colour touch screen Shut-off function for on-board electrical system, in case of undervoltage/overheating On-board electronics, microprocessor-controlled with bus technology Buttons for switching on/off, lighting, water pump and special equipment, including main switch for all consumers LCD control panel for monitoring of external and internal temperature, external mains supply, parallel battery circuit, battery voltage of the vehicle and leisure batteries LCD control panel for monitoring of wastewater tank and fresh water tank levels, gas level		
230 V socket in the garage 230 V CEE connection, with insulated floor inlet Lithium battery 2 x 160 Ah (100% energy withdrawal) combined charger / inverter 120 A / 3,000 W, with power sharing, fully automatic battery protection, premium control panel TV-Sound system with 4 loudspeakers and subwoofer when optional TV package Solar panel with 130W maximum power Central control and monitoring panel, with colour touch screen Shut-off function for on-board electrical system, in case of undervoltage/overheating On-board electronics, microprocessor-controlled with bus technology Buttons for switching on/off, lighting, water pump and special equipment, including main switch for all consumers Alarm devices, for 'wastewater tank full,' 'step extended', 'fresh water tank empty', reserve gas bottle in use' and diverse others LCD control panel for monitoring of external and internal temperature, external mains supply, parallel battery circuit, battery voltage of the vehicle and leisure batteries LCD control panel for monitoring of wastewater tank and fresh water tank levels, gas level		
230 V CEE connection, with insulated floor inlet Lithium battery 2 x 160 Ah (100% energy withdrawal) combined charger / inverter 120 A / 3.000 W, with power sharing, fully automatic battery protection, premium control panel TV-Sound system with 4 loudspeakers and subwoofer when optional TV package Solar panel with 130W maximum power Central control and monitoring panel, with colour touch screen Shut-off function for on-board electrical system, in case of undervoltage/overheating On-board electronics, microprocessor-controlled with bus technology Buttons for switching on/off, lighting, water pump and special equipment, including main switch for all consumers Alarm devices, for 'wastewater tank full,' istep extended,' fresh water tank empty', reserve gas bottle in use' and diverse others LCD control panel for monitoring of wastewater tank and fresh water tank levels, gas level	Len	tral pressure water supply
230 V CEE connection, with insulated floor inlet Lithium battery 2 x 160 Ah (100% energy withdrawal) combined charger / inverter 120 A / 3.000 W, with power sharing, fully automatic battery protection, premium control panel TV-Sound system with 4 loudspeakers and subwoofer when optional TV package Solar panel with 130W maximum power Central control and monitoring panel, with colour touch screen Shut-off function for on-board electrical system, in case of undervoltage/overheating On-board electronics, microprocessor-controlled with bus technology Buttons for switching on/off, lighting, water pump and special equipment, including main switch for all consumers Alarm devices, for 'wastewater tank full', 'step extended', 'fresh water tank empty', reserve gas bottle in use' and diverse others LCD control panel for monitoring of wastewater tank and fresh water tank levels, gas level LCD control panel for monitoring of wastewater tank and fresh water tank levels, gas level		
230 V CEE connection, with insulated floor inlet Lithium battery 2 x 160 Ah (100% energy withdrawal) combined charger / inverter 120 A / 3.000 W, with power sharing, fully automatic battery protection, premium control panel TV-Sound system with 4 loudspeakers and subwoofer when optional TV package Solar panel with 130W maximum power Central control and monitoring panel, with colour touch screen Shut-off function for on-board electrical system, in case of undervoltage/overheating On-board electronics, microprocessor-controlled with bus technology Buttons for switching on/off, lighting, water pump and special equipment, including main switch for all consumers Alarm devices, for 'wastewater tank full', 'step extended', 'fresh water tank empty', reserve gas bottle in use' and diverse others LCD control panel for monitoring of wastewater tank and fresh water tank levels, gas level LCD control panel for monitoring of wastewater tank and fresh water tank levels, gas level		
230 V CEE connection, with insulated floor inlet Lithium battery 2 x 160 Ah (100% energy withdrawal) combined charger / inverter 120 A / 3.000 W, with power sharing, fully automatic battery protection, premium control panel TV-Sound system with 4 loudspeakers and subwoofer when optional TV package Solar panel with 130W maximum power Central control and monitoring panel, with colour touch screen Shut-off function for on-board electrical system, in case of undervoltage/overheating On-board electronics, microprocessor-controlled with bus technology Buttons for switching on/off, lighting, water pump and special equipment, including main switch for all consumers Alarm devices, for 'wastewater tank full', 'step extended', 'fresh water tank empty', reserve gas bottle in use' and diverse others LCD control panel for monitoring of wastewater tank and fresh water tank levels, gas level LCD control panel for monitoring of wastewater tank and fresh water tank levels, gas level		
230 V CEE connection, with insulated floor inlet Lithium battery 2 x 160 Ah (100% energy withdrawal) combined charger / inverter 120 A / 3.000 W, with power sharing, fully automatic battery protection, premium control panel TV-Sound system with 4 loudspeakers and subwoofer when optional TV package Solar panel with 130W maximum power Central control and monitoring panel, with colour touch screen Shut-off function for on-board electrical system, in case of undervoltage/overheating On-board electronics, microprocessor-controlled with bus technology Buttons for switching on/off, lighting, water pump and special equipment, including main switch for all consumers Alarm devices, for 'wastewater tank full,' istep extended,' fresh water tank empty', reserve gas bottle in use' and diverse others LCD control panel for monitoring of wastewater tank and fresh water tank levels, gas level		
Lithium battery 2 x 160 Ah (100% energy withdrawal) combined charger / inverter 120 A / 3.000 W, with power sharing, fully automatic battery protection, premium control panel TV-Sound system with 4 loudspeakers and subwoofer when optional TV package Solar panel with 130W maximum power Central control and monitoring panel, with colour touch screen Shut-off function for on-board electrical system, in case of undervoltage/overheating On-board electronics, microprocessor-controlled with bus technology Buttons for switching on/off, lighting, water pump and special equipment, including main switch for all consumers Alarm devices, for 'wastewater tank full,' step extended, 'fresh water tank empty', reserve gas bottle in use' and diverse others LCD control panel for monitoring of wastewater tank and fresh water tank levels, gas level		
with power sharing, fully automatic battery protection, premium control panel TV-Sound system with 4 loudspeakers and subwoofer when optional TV package Solar panel with 130W maximum power Central control and monitoring panel, with colour touch screen Shut-off function for on-board electrical system, in case of undervoltage/overheating On-board electronics, microprocessor-controlled with bus technology Buttons for switching on/off, lighting, water pump and special equipment, including main switch for all consumers Alarm devices, for 'wastewater tank full', 'step extended', 'fresh water tank empty', reserve gas bottle in use' and diverse others LCD control panel for monitoring of external and internal temperature, external mains supply, parallel battery circuit, battery voltage of the vehicle and leisure batteries LCD control panel for monitoring of wastewater tank and fresh water tank levels, gas level	230	y V CEE connection, with insulated floor inlet
Solar panel with 130W maximum power Solar panel with 130W maximum power Central control and monitoring panel, with colour touch screen Shut-off function for on-board electrical system, in case of undervoltage/overheating On-board electronics, microprocessor-controlled with bus technology Buttons for switching on/off, lighting, water pump and special equipment, including main switch for all consumers Alarm devices, for 'wastewater tank full', 'step extended', 'fresh water tank empty', reserve gas bottle in use' and diverse others LCD control panel for monitoring of external and internal temperature, external mains supply, parallel battery circuit, battery voltage of the vehicle and leisure batteries LCD control panel for monitoring of wastewater tank and fresh water tank levels, gas level		
Central control and monitoring panel, with colour touch screen Shut-off function for on-board electrical system, in case of undervoltage/overheating On-board electronics, microprocessor-controlled with bus technology Buttons for switching on/off, lighting, water pump and special equipment, including main switch for all consumers Alarm devices, for 'wastewater tank full', 'step extended', 'fresh water tank empty', reserve gas bottle in use' and diverse others LCD control panel for monitoring of external and internal temperature, external mains supply, parallel battery circuit, battery voltage of the vehicle and leisure batteries LCD control panel for monitoring of wastewater tank and fresh water tank levels, gas level	TV-	-Sound system with 4 loudspeakers and subwoofer when optional TV package
Shut-off function for on-board electrical system, in case of undervoltage/overheating On-board electronics, microprocessor-controlled with bus technology Buttons for switching on/off, lighting, water pump and special equipment, including main switch for all consumers Alarm devices, for 'wastewater tank full', 'step extended', 'fresh water tank empty', reserve gas bottle in use' and diverse others LCD control panel for monitoring of external and internal temperature, external mains supply, parallel battery circuit, battery voltage of the vehicle and leisure batteries LCD control panel for monitoring of wastewater tank and fresh water tank levels, gas level	Sol	ar panel with 130W maximum power
Shut-off function for on-board electrical system, in case of undervoltage/overheating On-board electronics, microprocessor-controlled with bus technology Buttons for switching on/off, lighting, water pump and special equipment, including main switch for all consumers Alarm devices, for 'wastewater tank full', 'step extended', 'fresh water tank empty', reserve gas bottle in use' and diverse others LCD control panel for monitoring of external and internal temperature, external mains supply, parallel battery circuit, battery voltage of the vehicle and leisure batteries LCD control panel for monitoring of wastewater tank and fresh water tank levels, gas level		
Shut-off function for on-board electrical system, in case of undervoltage/overheating On-board electronics, microprocessor-controlled with bus technology Buttons for switching on/off, lighting, water pump and special equipment, including main switch for all consumers Alarm devices, for 'wastewater tank full', 'step extended', 'fresh water tank empty', reserve gas bottle in use' and diverse others LCD control panel for monitoring of external and internal temperature, external mains supply, parallel battery circuit, battery voltage of the vehicle and leisure batteries LCD control panel for monitoring of wastewater tank and fresh water tank levels, gas level		
Shut-off function for on-board electrical system, in case of undervoltage/overheating On-board electronics, microprocessor-controlled with bus technology Buttons for switching on/off, lighting, water pump and special equipment, including main switch for all consumers Alarm devices, for 'wastewater tank full', 'step extended', 'fresh water tank empty', reserve gas bottle in use' and diverse others LCD control panel for monitoring of external and internal temperature, external mains supply, parallel battery circuit, battery voltage of the vehicle and leisure batteries LCD control panel for monitoring of wastewater tank and fresh water tank levels, gas level		
Shut-off function for on-board electrical system, in case of undervoltage/overheating On-board electronics, microprocessor-controlled with bus technology Buttons for switching on/off, lighting, water pump and special equipment, including main switch for all consumers Alarm devices, for 'wastewater tank full', 'step extended', 'fresh water tank empty', reserve gas bottle in use' and diverse others LCD control panel for monitoring of external and internal temperature, external mains supply, parallel battery circuit, battery voltage of the vehicle and leisure batteries LCD control panel for monitoring of wastewater tank and fresh water tank levels, gas level		
Shut-off function for on-board electrical system, in case of undervoltage/overheating On-board electronics, microprocessor-controlled with bus technology Buttons for switching on/off, lighting, water pump and special equipment, including main switch for all consumers Alarm devices, for 'wastewater tank full', 'step extended', 'fresh water tank empty', reserve gas bottle in use' and diverse others LCD control panel for monitoring of external and internal temperature, external mains supply, parallel battery circuit, battery voltage of the vehicle and leisure batteries LCD control panel for monitoring of wastewater tank and fresh water tank levels, gas level		
Shut-off function for on-board electrical system, in case of undervoltage/overheating On-board electronics, microprocessor-controlled with bus technology Buttons for switching on/off, lighting, water pump and special equipment, including main switch for all consumers Alarm devices, for 'wastewater tank full', 'step extended', 'fresh water tank empty', reserve gas bottle in use' and diverse others LCD control panel for monitoring of external and internal temperature, external mains supply, parallel battery circuit, battery voltage of the vehicle and leisure batteries LCD control panel for monitoring of wastewater tank and fresh water tank levels, gas level		
Shut-off function for on-board electrical system, in case of undervoltage/overheating On-board electronics, microprocessor-controlled with bus technology Buttons for switching on/off, lighting, water pump and special equipment, including main switch for all consumers Alarm devices, for 'wastewater tank full', 'step extended', 'fresh water tank empty', reserve gas bottle in use' and diverse others LCD control panel for monitoring of external and internal temperature, external mains supply, parallel battery circuit, battery voltage of the vehicle and leisure batteries LCD control panel for monitoring of wastewater tank and fresh water tank levels, gas level	Cer	atral control and monitoring panel, with colour touch screen
On-board electronics, microprocessor-controlled with bus technology Buttons for switching on/off, lighting, water pump and special equipment, including main switch for all consumers Alarm devices, for 'wastewater tank full', 'step extended', 'fresh water tank empty', reserve gas bottle in use' and diverse others LCD control panel for monitoring of external and internal temperature, external mains supply, parallel battery circuit, battery voltage of the vehicle and leisure batteries LCD control panel for monitoring of wastewater tank and fresh water tank levels, gas level		
Buttons for switching on/off, lighting, water pump and special equipment, including main switch for all consumers Alarm devices, for 'wastewater tank full', 'step extended', 'fresh water tank empty', reserve gas bottle in use' and diverse others LCD control panel for monitoring of external and internal temperature, external mains supply, parallel battery circuit, battery voltage of the vehicle and leisure batteries LCD control panel for monitoring of wastewater tank and fresh water tank levels, gas level		
Alarm devices, for 'wastewater tank full', 'step extended', 'fresh water tank empty', reserve gas bottle in use' and diverse others LCD control panel for monitoring of external and internal temperature, external mains supply, parallel battery circuit, battery voltage of the vehicle and leisure batteries LCD control panel for monitoring of wastewater tank and fresh water tank levels, gas level		
LCD control panel for monitoring of external and internal temperature, external mains supply, parallel battery circuit, battery voltage of the vehicle and leisure batteries LCD control panel for monitoring of wastewater tank and fresh water tank levels, gas level		
parallel battery circuit, battery voltage of the vehicle and leisure batteries LCD control panel for monitoring of wastewater tank and fresh water tank levels, gas level		
(when a gas tank is fitted), charging and discharging amperage, date and time with alarm clock		
	(wh	en a gas tank is fitted), charging and discharging amperage, date and time with alarm clock

SPECIAL EQUIPMENT MORELO EMPIRE . EMPIRE LINER

CHASSIS . SAFETY PACKAGE

Item / Weight¹

	CHASSIS MORELO PALACE IVECO DAILY	IVECO Daily
011218 / 128	Original IVECO retarder (standard 70 l fuel tank)	7.990,00 €
018152D / 110	200 litres fuel tank (instead of serial standard) ²	2.290,00 €
018225 / 05	Active-Air Chassis	4.990,00 €
018160D-01 / 0	Light metal rims "Radial" on front axle with spur widening, steel rims with wheel trims on rear axle	3.290,00 €
018177 / 0	Light metal rims "BiColor" on front axle with spur widening, steel rims with wheel trims on rear axle	3.290,00 €
018178-01 / 0	Light metal rims "Silver" on front axle with spur widening, steel rims with wheel trims on rear axle	3.290,00 €
018170D / 08	Electrical and technical preparation for trailer coupling	490,00 €
018180 / 20	Spur widening on rear axle for steel rims	790,00 €
018175 / 32	Daily "wide axle" front axle (spur widening on front axle +200 mm)	7.290,00 €
018131D / 08	Electrical and technical preparation for trailer coupling	790,00 €
018119 / 38	Trailer coupling with removable head up to max. 3.500 kg (incl. electrical and technical preparation for trailer coupling)	2.690,00 €
018234D / 99	Hydraulic leveling jacks with automatic leveling ²	8.490,00 €
018321 / 55	Spare wheel with steel rim and bracket, situated underneath lowered rear end	490,00 €
021031 / 03	Rear parking sensors	790,00 €
011280 / 20	Driving safety package	7.900,00 €
011280 / 20	L Electric parking brake	7.900,00 €
011280 / 20	L Electric parking brake L Emergency brake assits, adaptive cruise control	7.900,00 €
011280 / 20	L Electric parking brake L Emergency brake assits, adaptive cruise control L Active lane departure warning with warning tone	7.900,00 €
011280 / 20	L Electric parking brake L Emergency brake assits, adaptive cruise control L Active lane departure warning with warning tone L ESP with crosswind assist	7.900,00 €
011280 / 20	L Electric parking brake L Emergency brake assits, adaptive cruise control L Active lane departure warning with warning tone L ESP with crosswind assist L Traction PLUS with downhill assist	7.900,00 €
011280 / 20	L Electric parking brake L Emergency brake assits, adaptive cruise control L Active lane departure warning with warning tone L ESP with crosswind assist	7.900,00
011280 / 20	L Electric parking brake L Emergency brake assits, adaptive cruise control L Active lane departure warning with warning tone L ESP with crosswind assist L Traction PLUS with downhill assist	7.900,00
011280 / 20	L Electric parking brake L Emergency brake assits, adaptive cruise control L Active lane departure warning with warning tone L ESP with crosswind assist L Traction PLUS with downhill assist	7.900,00

018148 / 80	CHASSIS MORELO EMPIRE LINER MERCEDES-BENZ ATEGO 1230 / 1530	Mercedes-Benz Atego 12 t / 15 t
018148 / 80	280 litres fuel tank instead of 180 litres serial standard (if sufficient space)	500,00 €
018169 / 0	Light metal rims ALCOA Dura Bright on front and rear axle, 19,5"4	5.990,00 €
018131 / 12	Electrical and technical preparation for trailer coupling	990,00 €
018106 / 50	Trailer coupling with removable head up to max. 2.910 kg (incl. electrical and technical preparation for trailer coupling)	2.790,00 €
018240 / 120	Hydraulic leveling jacks with automatic leveling	8.490,00 €
021031 / 03	Rear parking sensors	790,00€
018131 / 12 018106 / 50 018240 / 120 021031 / 03		

	T. T	all mode
017305 / 06	MORELO Select leather steering wheel (for EMPIRE) removable to improve seat rotation and deter theft	1550,0
021040 / 06	Double horn air fanfare	890,0
022008 / 60	Electrically operated roof awning 6.0 m, with LED lighting, dimmable with remote control ³	2.990,0
022051 / 03	LED lighting underneath of roof profile on driver's side, dimmable with remote control	690,0
025148 / 07	Panoramic roof window Heki 3 in bedroom (instead of standard midi roof window)	890,0
037500 / 07	Furniture safe with electronic locking, motor-driven locking system, 8.3 l volume	320,0
020474 / 60	Side walls with outer aluminium sheet thickness of 1.4 mm (only for EMPIRE LINER)	1.490,0
020480 / 50	Bicycle elevator for two bicycles with charging socket for e-bikes (only for EMPIRE LINER as from model 110)	2.990,0
043055 / 19	Microwave oven in stainless steel, with grill function underneath of worktop (230 V via mains connection, not in combination with dishwasher or double pull-out drawers)	1.290,0
043055 / 19		1.290,(1.990,(
	(230 V via mains connection, not in combination with dishwasher or double pull-out drawers) Luxury dishwasher, pull-out underneath cooker (230 V via mains connection,	
043030 / 32	(230 V via mains connection, not in combination with dishwasher or double pull-out drawers) Luxury dishwasher, pull-out underneath cooker (230 V via mains connection, not in combination with dishwasher or double pull-out drawers)	1.990,
043030 / 32	(230 V via mains connection, not in combination with dishwasher or double pull-out drawers) Luxury dishwasher, pull-out underneath cooker (230 V via mains connection, not in combination with dishwasher or double pull-out drawers)	1.990,
043030 / 32	(230 V via mains connection, not in combination with dishwasher or double pull-out drawers) Luxury dishwasher, pull-out underneath cooker (230 V via mains connection, not in combination with dishwasher or double pull-out drawers)	1.990,
043030 / 32	(230 V via mains connection, not in combination with dishwasher or double pull-out drawers) Luxury dishwasher, pull-out underneath cooker (230 V via mains connection, not in combination with dishwasher or double pull-out drawers)	1.990,

FULLY AUTOMATED JACK SYSTEM

JUST LEVEL

Make your stay in your MORELO as comfortable and easy as possible: Our leveling jack system is adapted to your vehicle, just press a button and the system places your vehicle horizontally on 4 jacks. Despite their low weight, each jack can lift up to 10 tons. Of course, our premium system also works purely hydraulically when the lifting supports are moved in,



i.e. even mud submurged jacks are easily fully retracted.

OUR ADVICE

The E + P leveling jack system is very robust and protected against corrosion. Arrive and extend the jacks - just level.

⊘ www.ep-hydraulics.de



 $\textbf{Prices in Euro} \ (\textbf{incl.} \ 20 \ \% \ \textbf{VAT})$

LIVING ROOM + BEDROOM . BATHROOM . ELECTRONICS

		all models
052209 / 54	Electrically activated folding bed (instead of front overhead lockers)	2.490,00 €
042204 / 07	Height-adjustable table column, with extra cushion insert (only for standard lounge seating group)	790,00 €
051806 / 106	Bar seating group (passenger's side) with adjustable single seat (incl. homologation for one additional person)	2.290,00€
044102 / 05	Central vacuum cleaner, with convenient emptying	990,00€
036152 / 07	Rear bed with lying surface over the entire width, for L-layouts	990,00€
036153 / 13	Rear bed with lying surface over the entire width, for M-layouts, overhead lockers like in L-version, additional wardrobes	1.990,00€
036150 / 13	Rear bed with lying surface over the entire width, for G-layouts, overhead lockers like in L-version, additional wardrobes (EMPIRE LINER)	1.990,00 €
045290 / 0	Double pull-out cabinet at the entrance, top one also with shelf	590,00€
045291 / 02	Double pull-out cabinet at the entrance, top one with glasses	590,00€
035983 / 40	Seat belt for 1 person on single seating bench	790,00 €
035984 / 45	Seat belts for 2 extra persons on multifunctional seating bench	890,00 €
035985 / 45	Seat belt for 1 person on single seating bench (for slide-out models only)	3.500,00 €
035986 / 50	Seat belts for 2 persons on multifunctional seating bench (for slide-out models only)	3.500,00 €
033786 / 30		
036186 / 44	Luxury bathroom with separate toilet area, window and mini heki (not for model 118)	
036186 / 44	Luxury bathroom with separate toilet area, window and mini heki (not for model 118) Extractor fan instead of standard mini heki	790,00 €
036186 / 44	Luxury bathroom with separate toilet area, window and mini heki (not for model 118)	790,00 €
036186 / 44 025161 / 05 036182 / 03	Luxury bathroom with separate toilet area, window and mini heki (not for model 118) Extractor fan instead of standard mini heki Extensible shower next to the toilet	790,00 € 300,00 €
036186 / 44 025161 / 05 036182 / 03	Luxury bathroom with separate toilet area, window and mini heki (not for model 118) Extractor fan instead of standard mini heki Extensible shower next to the toilet Alarm system	790,00 € 300,00 € 1.290,00 €
036186 / 44 025161 / 05 036182 / 03	Luxury bathroom with separate toilet area, window and mini heki (not for model 118) Extractor fan instead of standard mini heki Extensible shower next to the toilet	790,00 € 300,00 € 1.290,00 €
036186 / 44 025161 / 05 036182 / 03	Luxury bathroom with separate toilet area, window and mini heki (not for model 118) Extractor fan instead of standard mini heki Extensible shower next to the toilet Alarm system	2.990,00 € 790,00 € 300,00 € 1.290,00 € 3.190,00 €
036186 / 44 025161 / 05 036182 / 03 031050 / 02 025043 / 40	Luxury bathroom with separate toilet area, window and mini heki (not for model 118) Extractor fan instead of standard mini heki Extensible shower next to the toilet Alarm system Roof air conditioning, for living area with infrared remote control (total vehicle height + 130 mm) Roof air conditioning, for bedroom with infrared remote control	790,00 € 300,00 € 1.290,00 € 3.190,00 €
036186 / 44 025161 / 05 036182 / 03 031050 / 02 025043 / 40 025046 / 40	Luxury bathroom with separate toilet area, window and mini heki (not for model 118) Extractor fan instead of standard mini heki Extensible shower next to the toilet Alarm system Roof air conditioning, for living area with infrared remote control (total vehicle height + 130 mm) Roof air conditioning, for bedroom with infrared remote control (total vehicle height + 130 mm, not in combination with panoramic roof window)	790,00 € 300,00 € 1.290,00 € 3.190,00 € 700,00 €
036186 / 44 025161 / 05 036182 / 03 031050 / 02 025043 / 40 025046 / 40 037180 / 12	Luxury bathroom with separate toilet area, window and mini heki (not for model 118) Extractor fan instead of standard mini heki Extensible shower next to the toilet Alarm system Roof air conditioning, for living area with infrared remote control (total vehicle height + 130 mm) Roof air conditioning, for bedroom with infrared remote control (total vehicle height + 130 mm, not in combination with panoramic roof window) Solar panel, with 130 W maximum power (a total of 260 W)	790,00 € 300,00 € 1.290,00 € 3.190,00 € 700,00 € 2.500,00 €
036186 / 44 025161 / 05 036182 / 03 031050 / 02 025043 / 40 025046 / 40 037180 / 12 037182 / 34	Luxury bathroom with separate toilet area, window and mini heki (not for model 118) Extractor fan instead of standard mini heki Extensible shower next to the toilet Alarm system Roof air conditioning, for living area with infrared remote control (total vehicle height + 130 mm) Roof air conditioning, for bedroom with infrared remote control (total vehicle height + 130 mm, not in combination with panoramic roof window) Solar panel, with 130 W maximum power (a total of 260 W) Solar panels, with 3 x 130 W maximum power (a total of 520 W)	790,00 € 300,00 € 1.290,00 € 3.190,00 €

BECOME INDEPENDENT


HIGH-PERFORMANCE SOLAR MODULES FOR YOUR MORELO

With the Black Line modules from Büttner Elektronik, you have a reliable energy supplier on your roof in every situation. The special feature of these highperformance modules are the 72 cells and the associated multicell technology.



Compared to conventional 36-cell modules, the Black Line plays its cards even in difficult weather conditions or in partial shade.

⊘ www.buettner-elektronik.de



~ l	lmad	010

	Item / Weight ¹		all models
	037477 / 56	Satellite TV system, with 32" flat screen TV in overhead locker (driver's side for bar seating group) with glasses, electrically lowerable, 85 cm dish, fully automatic orientation, multi-user facility via TWIN-LNB and 24" flat screen TV in the bedroom (total vehicle height + ca. 80 mm) (not for slide-out models) (only for EMPIRE LINER)	7.290,00 €
TIMEDIA	037481 / 46	Satellite TV system, with 24" flat screen TV and soundlink underneath glass cabinet in the entrance area, 85 cm dish, fully automatic orientation, multi-user facility via TWIN-LNB and 24" flat screen TV in the bedroom (total vehicle height + ca. 80 mm)	5.490,00 €
MULTI	037475 / 56	Satellite TV system, with 32" flat screen TV in overhead locker (passenger's side) with glasses, electrically lowerable, 85 cm dish, fully automatic orientation, multi-user facility via TWIN-LNB and 24" flat screen TV in the bedroom (total vehicle height + ca. 80 mm)	6.290,00€
	037479 / 54	Satellite TV system, with 32" flat screen TV in the overhead locker above the dashboard, electrically lowerable, 85 cm dish, fully automatic orientation, multi-user facility via TWIN-LNB and 24" flat screen TV in the bedroom (total vehicle heigth + ca. 80 mm), overhead locker (passenger's side) with glasses, (not in comibination with drop-down bed)	6.290,00 €



Item / Weight ¹		all models
034202 / 03	External shower on the driver's side in the double floor	300,00€
018143 / 02	Pressure sensors for precise mesuring of fresh water and wastewater tank levels	580,00€
018142 / 03	Pressure sensors for precise mesuring of fresh water, wastewater and toilet tank levels	870,00€
018145 / 02	Bluetooth box for precise mesuring of levels (only in combination with pressure sensors)	550,00€
034213 / 20	Fresh water tank 560 litres (if sufficient space in the double floor)	790,00 €
018600 / 15	Diesel auxiliary heating, with continuous heating via heat exchanger (5.200 W) incl. timer	2.950,00 €
033027 / 03	External gas connection, at passenger's side behind side skirt flap	290,00 €
033013 / 37	120 litres gas tank instead of standard 70 l tank, with remote filling in the side wall (only for EMPIRE, not for model 88 L)	400,00 €
033017 / 34	150 litres gas tank instead of standard 120 l tank, with remote filling in the side wall (only for EMPIRE LINER)	400,00 €
035990 / 05	Greywater pump for transfer of wastewater into the toilet tank	890,00 €
023103 / 77	2.600 W fuel generator with 10 l petrol tank, fixed installation (only for EMPIRE)	4.990,00 €
023105 / 100	4.000 W diesel generator with noise insulating cover, fixed installation (only for EMPIRE LINER)	9.800,00 €

050100 / 0	Microfibre upholstery, in variety of patterns	Serial standard
050505 / 0	BiColour microfibre upholstery, in variety of patterns	500,00€
050500 / 27	Leather upholstery, in variety of patterns	3.990,00 €
050506 / 27	BiColor leather upholstery, in variety of patterns	4.290,00 €
051304 / 20	Living area carpet in Sisal Sierra or velours colours Coco 830 beige, 865 grey-brown and 2051 schoko	1.190,00 €
051311 / 20	Living area carpet in special velours colour	1.340,00 €
090000 / 0	Vehicle delivery at the factory, with extensive briefing in German language, handover inspection, diesel tank filling and factory tour	1.590,00 €

A BRIGHT IDEA!

CERAMIC COATING ENSURES FIRST-CLASS APPEARANCE

Every MORELO driver knows:
Cleaning the vehicle is often a timeconsuming and strenuous task... But it
doesn't have to be! The high-tech ceramic
coating from HOSS provides long-term
protection from dirt for your MORELO and
even protects the GRP parts against UV
radiation.

Outstanding deep shine
Far less cleaning effort
Increased UV protection, especially for GRP parts
Hydrophobic effect: self cleaning
in rainy conditions
Increased protection against micro-scratches
5 year guarantee

Preserve the value of your MORELO and save time and money when cleaning the exterior!





EXPERT,

UPHOLSTERY + DECORATION





MORELO Reisemobile GmbH · Helmut-Reimann-Straße 2 · D-96132 Schlüsselfeld · Fon: +49 (0) 95 52 - 9296 00 · www.morelo-reisemobile.de

Subject to technical changes and errors. Please note that some of the illustrations in this catalogue show alternative designs or optional extra fittings, which would incur additional costs.

Variations in colour may arise during printing. This document, including extracts thereof, may only be reproduced with the written permission of MORELO Reisemobile GmbH.

The prices listed for vehicles and extras apply to their purchase and licensing in Germany. They are given in Euro and include VAT at 20%. We reserve the right to adjust prices accordingly in the event of VAT increases during the delivery period. All prices represent nonbinding recommendations ex works. Price changes for basic vehicles will cause price adjustments based on the additional price for the basic vehicle. The prices for extras are only valid if they are fitted in the factory and scheduled in due time. Retrofitted extras will incur additional material and assembly costs. Prices include ancillary costs for pre-shipment of the chassis and TÜV certification. Transport costs to abroad or foreign registration costs are not included.

We reserve the right to make technical modifications, providing overall product quality is maintained or improved and there is no restriction in terms of the designated use.

This price list applies to orders as from the 1st of August 2019. All previous price lists will cease to be valid. Errors and omissions excepted.

¹The mass of the vehicle in running order includes: driver (75 kg), full fuel tank, 100 litres of fresh water (HOME 40 litres), full gas bottles and the tool kit. The fitting of extras and accessories may alter the weight and dimensions. All dimensions and weights are based on the knowledge available at the time of going to print.

Deviations of +/- 5% are possible and deemed acceptable.