

Models 2023

Technical data



NEO | M-Line | F-Line | TITAN | PLATIN
P1-2023

FRANKIA

FRANKIA NEO

See for yourself!

Highlights of the FRANKIA NEO

The FRANKIA NEO knows the way: It's all about innovative light-weight design with a total weight of 3.5 or 4.5 t and an agile length of under 7 m. The Sprinter by Mercedes-Benz provides a great basis with powerful front wheel drive.



Priority No. 1: Setting new standards

Never rest, push the limits, create something new – this has always been the spirit that connects FRANKIA and Mercedes-Benz. 49 years ago, today and tomorrow.



Get out there, no matter when

Perfect for winter travel: New ThermoProtect wall structure made of high-quality aluminium alloy, durable GFRP roof and heated double floor



Luckily you discovered the NEO formula

Exceptional spaciousness + lightness + class = NEO! It's that easy with 2 m of headroom and high-quality light-weight design according to FRANKIA standards



It suits me

Now, in addition to the MT / MI 7 GDK with twin beds, the NEO is also available as an MT / MI 7 BD model – with crosswise bed in the rear and spacious seating area. Both are equipped with a large kitchen and 84 l refrigerator.



Everything's so easy

Packing was never easier: Innovative Easy-Load system by FRANKIA (optional) – with extra-large rear flap, lowered rear storage compartment and front load-through storage in the double floor



Everything's so practical

With Light Wing lighting (optional), multifunctional features in the bathroom, driver assistance systems such as Crosswind Assist and Keyless Start, self-retracting cable reel and much more



There's so much space

Full-length double floor with 20 to 40 cm height thanks to special AL-KO frame, large rear storage compartment with 1.20 m height, loads of storage space in the interior



LOW-PROFILE



MT 7 GDK NEO

- Sprinter 415, 150 hp, Euro VI, 3.5 t
- Sprinter 415, 150 hp, Euro VI, 4.5 t



MT 7 BD NEO

- Sprinter 415, 150 hp, Euro VI, 3.5 t
- Sprinter 415, 150 hp, Euro VI, 4.5 t

LOW-PROFILE



MT 7 GDK NEO BLACK LINE

- Sprinter 415, 150 hp, Euro VI, 3.5 t
- Sprinter 415, 150 hp, Euro VI, 4.5 t



MT 7 BD NEO BLACK LINE

- Sprinter 415, 150 hp, Euro VI, 3.5 t
- Sprinter 415, 150 hp, Euro VI, 4.5 t

A-CLASS



MI 7 GDK NEO

- Sprinter 415, 150 hp, Euro VI, 3.5 t
- Sprinter 415, 150 hp, Euro VI, 4.5 t



MI 7 BD NEO

- Sprinter 415, 150 hp, Euro VI, 3.5 t
- Sprinter 415, 150 hp, Euro VI, 4.5 t

BASIC VEHICLE (STANDARD)
Chassis
Cylinder / cubic capacity, ccm
Performance, kW / hp
Tank volume diesel, l
Wheel base, mm
DIMENSIONS
Total length, cm
Total width, cm
Total height, cm
Headroom, cm
WEIGHT SPECIFICATIONS 3.5 T
Mass when ready for driving, kg
Max. perm. total mass, kg
Payload, kg
Trailer load braked / unbraked, kg
Max. perm. mass of the combination, kg
WEIGHT SPECIFICATIONS 4.5 T
Mass when ready for driving, kg
Max. perm. total mass, kg
Payload, kg
Trailer load braked / unbraked, kg
Max. perm. mass of the combination, kg
CONFIGURATION
Fresh / waste water tank, approx., l
Battery capacity, Ah (20 h)
Refrigerator volume, approx., l
Heating

MT 7 GDK NEO	MI 7 GDK NEO	MT 7 BD NEO	MI 7 BD NEO	MT 7 GDK NEO	MT 7 BD NEO
				BLACK LINE	BLACK LINE
Sprinter 415	Sprinter 415	Sprinter 415	Sprinter 415	Sprinter 415	Sprinter 415
Mercedes-Benz	Mercedes-Benz	Mercedes-Benz	Mercedes-Benz	Mercedes-Benz	Mercedes-Benz
4 / 1,950	4 / 1,950	4 / 1,950	4 / 1,950	4 / 1,950	4 / 1,950
110 / 150	110 / 150	110 / 150	110 / 150	110 / 150	110 / 150
65	65	65	65	92	92
3,800	3,800	3,800	3,800	3,800	3,800
Low-Profile	A-Class	Low-Profile	A-Class	Low-Profile	Low-Profile
699	706	682	688	699	682
224	224	224	224	224	224
296	296	296	296	296	296
200	200	200	200	200	200
Low-Profile	A-Class	Low-Profile	A-Class	Low-Profile	Low-Profile
2,923 ¹	3,021 ¹	2,870 ¹	2,968 ¹	2,976 ¹	2,923 ¹
3,500	3,500	3,500	3,500	3,500	3,500
577	479	630	532	524	577
2,000 ² / 750 ²	2,000 ² / 750 ²	2,000 ² / 750 ²	2,000 ² / 750 ²	2,000 ² / 750 ²	2,000 ² / 750 ²
5,880	5,880	5,880	5,880	5,880	5,880
Low-Profile	A-Class	Low-Profile	A-Class	Low-Profile	Low-Profile
2,923 ¹	3,021 ¹	2,870 ¹	2,968 ¹	2,976 ¹	2,923 ¹
4,500	4,500	4,500	4,500	4,500	4,500
1,577	1,479	1,630	1,532	1,524	1,577
2,000 ² / 750 ²	2,000 ² / 750 ²	2,000 ² / 750 ²	2,000 ² / 750 ²	2,000 ² / 750 ²	2,000 ² / 750 ²
5,880	5,880	5,880	5,880	5,880	5,880
125 ³ (20 l drive load) ⁴ / 100	125 ³ (20 l drive load) ⁴ / 100	125 ³ (20 l drive load) ⁴ / 100	125 ³ (20 l drive load) ⁴ / 100	125 ³ (20 l drive load) ⁴ / 100	125 ³ (20 l drive load) ⁴ / 100
1 x 95 AGM	1 x 95 AGM	1 x 95 AGM	1 x 95 AGM	1 x 100 LiFePO4	1 x 100 LiFePO4
84	84	84	84	84	84
Truma Combi CP Plus	Truma Combi CP Plus	Truma Combi CP Plus	Truma Combi CP Plus	Truma Combi CP Plus	Truma Combi CP Plus

1) The vehicle mass when ready for driving has been determined in accordance with Reg (EU) 1230/2012, but reflecting the drive load of the fresh water tank (see Fn. 3 and 4) and one aluminium gas bottle (11 kg)

2) Trailer load may vary depending on the configuration selected

3) Possible with the appropriate setting of the valve on the fresh water tank: max. 125 l

4) Capacity of the fresh water tank acc. to Ann. V, part A, para. 2.6 Fn. (H) Reg (EU) 1230/2012, considering the 20 l drive load

General note

Information on weights and dimensions are implemented in accordance with Reg (EU) 1230/2012 provided that the catalogue including technical data and price list contains no contrary information.

Standard equipment

FRANKIA NEO	MT/MI 7 GDK NEO	MT/MI 7 BD NEO
Chassis Mercedes-Benz Sprinter		
Driver and passenger airbag	■	■
150 hp EURO VI BlueTec engine	■	■
Keyless Start	■	■
Crosswind Assist	■	■
6-speed manual gearbox	■	■
65 l diesel tank	■	■
Automatic headlight control	■	■
Daytime running lights	■	■
More powerful alternator	■	■
Heated side mirrors with power adjustment	■	■
Power windows and locks for driver's cab	■	■
Driver and passenger side cup holders	■	■
Original 16" complete wheel covers	■	■
Increased load for front axle	■	■
Height and tilt adjustable steering wheel	■	■
Hinged lid for storage compartment	■	■
Mercedes-Benz noise reduction measures: Engine compartment insulation and underbody panelling	■	■
Auxiliary air heater	■	■
Body		
Unique FRANKIA ThermoProtect wall structure including 7-year water ingress warranty and hail resistant GRP roof	■	■
Tenorite Grey	■	■
Bumper in body colour	■	■
Side flap on right side of vehicle	■	■
Unique AL-KO low-frame with standard load-through design (depending on the layout)	■	■
Completely stepless, heated double floor with a height of at least 200 mm	■	■
Vehicle rear featuring automotive design with dynamic blinkers standard	■	■
Storage space Windows Doors		
Privacy screen	■	■
Storage space lighting under seating area	■	■

FRANKIA NEO	MT/MI 7 GDK NEO	MT/MI 7 BD NEO
Electrical systems		
AGM Batterie 1 x 95 Ah inkl. 22 Ah Ladegerät	■	■
LED reading lights	■	■
2 x 230 V sockets	■	■
3 x USB sockets	■	■
Multimedia Radio Satellite system		
Car radio ready	■	■
High-quality roof combination antenna UKW/DAB+/Ghp	■	■
Exterior wall colours		
Driver's cab features contrast paintwork in Tenorite Metallic	■	■
Upholstery Cushions		
Wood decor in Manhattan/White	■	■
Floor with wood decor in Anthracite	■	■
Housing recommendation Manhattan/White, Visby/White = surcharge	■	■
Fabric combination of your choice from the cover fabrics of the NEO living worlds: Special equipment against surcharge	■	■
Rear storage compartments Bike mounts		
Rear storage compartment with an interior height of 1.20 m, rear flap and ground level flap on right side	■	■
Washroom Water supply		
Approx. 125 l fresh water tank incl. 20 l drive load	■	■
Approx. 100 l waste water tank	■	■
Fresh water connection in separate flap	■	■
Spacious combo washroom incl. pull-out, gas pressure spring supported bench toilet	■	■
Pull-out sink in washroom	■	■
Air conditioning Heating		
Truma Combi 6 heating incl. CP Plus control	■	■
Kitchen Refrigerator Hob		
Compressor refrigerator	■	■
FRANKIA MaxiFlex kitchen for 3.5 t vehicles	■	■

Additional equipment



FRANKIA NEO BLACK LINE BLACK LINE EQUIPMENT ONLY FOR LOW-PROFILE	MT 7 GDK NEO BLACK LINE	MT 7 BD NEO BLACK LINE
Chassis pack for NEO BLACK LINE		
Semi-automatic climate control	■	■
Cruise control inclusive steering wheel multifunction buttons	■	■
Reinforced front axle	■	■
ECO start/stop function	■	■
Leather steering wheel	■	■
Insulated driver's cab	■	■
Electric parking brake	■	■
Wet Wiper System and rain sensor	■	■
Heat-insulating glass with band filter on windscreen	■	■
High-beam assist	■	■
Lane departure warning system	■	■
Attention Assist	■	■
Fuel tank 92 l	■	■
Mercedes MBUX 10.25 inch multimedia system with DAB+ radio* and navigation	■	■
FRANKIA Easy-Load Pack	■	■
Rear storage compartment with an interior height of 1.20 m, rear flap and ground level flap on right side	■	■
Rear view camera	■	■
Duo Control for gas cylinders	■	■
Solar panel 120 W	■	■
LiFePO4 battery 100 Ah	■	■
Socket pack	■	■
Emergency bed	■	■
Driver's cabin Obsidianblack metallic (Original Mercedes-Benz)	■	■
Exclusive BLACK LINE design on the outside	■	■
16 inch black alloy wheels (Mercedes-Benz original)	■	■
Interior in Visby White with an exclusive leather microfiber combination in anthrazite	■	■
FRANKIA Light Wing lighting in front	■	■
LED dimmable ambient lighting	■	■

■ Standard equipment □ Optional against surcharge – not possible

*Please note when planning your route: The navigation system does not account for specific vehicle weights and vehicle dimensions, meaning you may not be able to travel the proposed routes with your vehicle.



FRANKIA M-LINE

Trendsetting, thrilling, modern

Highlights of the FRANKIA M-Line

FRANKIA makes the Mercedes-Benz star shine bright like never before: From the lightweight 3.5 t Low-Profile (FRANKIA NEO) and the FRANKIA M-Line A-Class premium liner to the fully equipped FRANKIA PLATIN luxury model.



Strong partners, new horizons

Never rest, continue to improve, set new benchmarks – this has always been the spirit that connects FRANKIA and Mercedes-Benz. 49 years ago, today and tomorrow.



One-of-a-kind model, luxury for two

FRANKIA exclusive: 5.5 t Low-Profile on a Mercedes-Benz platform – with gigantic panoramic roof, compartments all the way to the front of the vehicle, separate twin beds and a large seating group



Larger seating area, ideal for large groups

Only FRANKIA has it: Great round seating group meets Mercedes-Benz in the I 7400 PLUS, open floor plan for loft-like charm, sleep lengthwise and the power drop-down bed

*Please note when planning your route: The navigation system does not account for specific vehicle weights and vehicle dimensions, meaning you may not be able to travel the proposed routes with your vehicle.



Powerful base, dynamic driving pleasure

Powerful rear-wheel drive with great traction, FSD technology, infotainment with MBUX*, innovative driver assistance systems (optional)



Maximum space, more out of life

Unbelievably spacious with 2.03 m of headroom in the light-flooded interior, completely stepless double floor, clever storage solutions in every corner – inside and out



Smart details, high-end comfort

Central supply system with self-retracting cable, up to 160 l fresh water tank, Thermo Guard Plus wall structure, Alde Compact hot water heating system – perfect for winter travel, too



Unique lightness, innovative vehicle

FRANKIA M-Line NEO: 3.5 t vehicle with impressive payload, powerful front wheel drive, premium storage space with Easy-Load concept, now with lengthwise or crosswise bed (new)

A-CLASS 7400



I 7400 GD

Sprinter 515, 150 hp, Euro VI, 5.5 t



I 7400 PLUS

Sprinter 515, 150 hp, Euro VI, 5.5 t

LOW-PROFILE 7400



T 7400 GD

Sprinter 515, 150 hp, Euro VI, 5.5 t



	7400	7400
BASIC VEHICLE (STANDARD)	Sprinter 515	Sprinter 515
Chassis	Mercedes-Benz	Mercedes-Benz
Cylinder / cubic capacity, ccm	4 / 1,950	4 / 1,950
Performance, kW / hp	110 / 150	110 / 150
Tank volume diesel, l	71	71
Wheel base, mm	4,325	4,325
DIMENSIONS	A-Class	Low-Profile
Total length, cm	776	768
Total width, cm	230	230
Total height, cm	309	309
Headroom, cm	203	203
WEIGHT SPECIFICATIONS 5.5 T	A-Class	Low-Profile
Mass when ready for driving, kg	3,957 ¹	3,847 ¹
Max. perm. total mass, kg	5,500	5,500
Payload, kg	1,543	1,653
Trailer load braked / unbraked, kg	2,000 ² / 750 ²	2,000 ² / 750 ²
Max. perm. mass of the combination, kg	7,000	7,000
CONFIGURATION		
Fresh / waste water tank, approx., l	160 ⁴ (50 l drive load) ³ / 130 7400 PLUS: 150 ⁴ (50 l drive load) ³ / 130	160 ⁴ (50 l drive load) ³ / 130
Battery capacity, Ah (20 h)	2 x 95 AGM	2 x 95 AGM
Refrigerator volume, approx., l	118 + 29	118 + 29
Heating	Alde WW-heating	Alde WW-heating

1) Die Masse im fahrbereiten Zustand wurde gemäß VO (EU) 1230/2012, aber unter Berücksichtigung der Fahrbefüllung des Frischwassertanks (vgl. Fn. 3 und 4) und einer Alugasflasche (11 kg) ermittelt

2) Anhängelast kann je nach gewählter Ausstattung variieren

3) Fassungsvermögen des Frischwassertanks i. S. d. Anh. V, Teil A, Ziff. 2.6 FN. (h) VO (EU) 1230/2012, unter Berücksichtigung der Fahrbegrenzung 50 l Fahrbefüllung

4) Möglich bei entsprechender Einstellung des Ventils am Frischwassertank: max. 160 Liter (l 7400 PLUS: max. 150 Liter)

Allgemeiner Hinweis

Angaben zu Massen und Gewichten erfolgen gemäß VO (EU) 1230/2012, sofern der Katalog einschließlich Technischer Daten und Preisliste keine abweichenden Angaben beinhaltet.

Standard equipment



Mercedes-Benz

FRANKIA M-LINE	7400 LUXURY
Chassis Mercedes-Benz Sprinter	
Driver and passenger airbag	■
150 hp EURO VI BlueTec engine	■
Antilock braking system (ABS)	■
Traction control system (ASR)	■
Electronic brakeforce distribution (EBD)	■
Electronic stability control (ESP)	■
71 litres diesel tank	■
Manual gearbox	■
Semi-automatic climate control	■
Cruise control	■
200 A alternator	■
5.5 t technically permissible gross weight	■
Steering wheel adjustable in height and depth	■
Electrical auxiliary chassis heater for faster heating of the interior	■
LED high beam and blinker for A-Class	■
Original Mercedes-Benz elevated frame	■
Body	
Thermo Guard Plus side walls with 7-year water ingress warranty	■
GRP gelcoat white – hail resistant	■
Heated double floor with approx. 126/348 mm height	■
Central locking for body door and driver's door via original vehicle key (T 7400 separate remote control)	■
Manual rear supports (n/a if optional air suspension ordered)	■
Power darkening blind instead of manual darkening blind (for A-Class)	■
Storage space Windows Doors	
Storage spaces with LED lighting	■
Storage space lighting underneath the seating area	■
Seitz S7 windows with tinted panes, fly screen and blind, installed flush with the wall	■
Central supply system with water drum and self-retracting cable reel with 15 m of cable	■
Fly screen integrated in the door frame and all roof hatches	■

■ Standard equipment □ Optional against surcharge – not possible

FRANKIA M-LINE		7400 LUXURY
Beds		
Drop-down bed with power adjustment (for A-Class)		■
Electrical systems		
2 x 95 Ah AGM battery		■
2 x 22 A charger		■
CBE BUS control panel with LCD screen		■
LED awning light with separate switchable motion sensor		■
LED dimmable ambient lighting		■
LED dimmable spot lights		■
LED reading lights		■
4x 230 V sockets		■
3x USB sockets (4x for A-Class with drop-down bed)		■
230 V socket in side rear storage compartment (right side)		■
12 V socket in side rear storage compartment (right side)		■
Multimedia Radio Satellite system		
Car radio ready		■
High-quality roof combination antenna UKW/DAB+/Ghp		■
Upholstery Cushions		
Selection of wood/fabric combinations from six different design options		■
Rear storage compartments Bike mounts		
Lashing rail system (for high rear storage compartments)		■
Washroom Water supply		
Approx. 160-litre fresh water tank (I 7400 PLUS: approx. 150 litre) including adjustable 50-litre drive load		■
Approx. 130-litre waste water tank		■
Ceramic toilet		■
Second Thetford cassette		■
Air conditioning Heating		
Alde Compact hot water heating system		■
Kitchen Refrigerator Hob		
FRANKIA MaxiFlex kitchen: Uniquely functional modular kitchen featuring a high-end HPL worktop with expandable surface		■
TecTower 10, opening on both sides		■

Enjoy great freedom with Fiat-Ducato

Highlights of the FRANKIA F-Line

The FRANKIA F-Line offers fascinating configuration options that are only possible on a Fiat Ducato platform in combination with an AL-KO low-frame. A-Class or Coachbuilt, custom compact or luxury liner – choose between 12 unique floor plans with a length of 6.5 to 8.5 metres.



Breaking new ground with strong partners

Never rest, continue to improve, create something special – this has always been our aim with FRANKIA models on a Fiat Ducato platform with an AL-KO low frame. 36 years ago, today and tomorrow.



PLUS more: The FRANKIA floor plans are one of a kind in all respects

The popular and spacious FRANKIA round seating group comes in two different shapes and lengths in four F-Line floor plans (A-Class or Coachbuilt)



The right equipment for every season

Fully insulated Thermo Guard Plus wall structure with 7-year warranty, Alde Compact hot water heating system, full-length, heated double floor with an approx. 350 mm height



**The ideal basis to experience
a new level of driving pleasure**

New cockpit with state-of-the-art assistance systems, up to 90 l diesel tank, 9-speed automatic gearbox (all optional), eco-friendly AdBlue Technology



**Sophisticated features standard –
very FRANKIA**

Stepless interior with over 2 m of headroom, double floor accessible from the interior, extra-large windows, FRANKIA central supply system, XL rear storage compartment with a height of up to 1.24 m and much more



**Between waves
and birdsong**

Unforgettable: Stay a while and enjoy the sound of nature. Spend your free time your way – in the FRANKIA Coachbuilt. You have plenty of space here, even to sleep lengthwise.



**The best short cut
since the launch of the F-Line**

Short but sweet: The I 680 SG with fully converted rear and the I 640 SD with large spa-like bathroom crosswise in the back



A-CLASS 640



I 640 SD

Ducato 40 H, 180 hp, AL-KO low-frame, Euro VI, 4.5 t

A-CLASS 680



I 680 SG

Ducato 40 H, 180 hp, AL-KO low-frame, Euro VI, 4.5 t



I 680 PLUS

Ducato 40 H, 180 hp, AL-KO low-frame, Euro VI, 4.5 t

A-CLASS 740



I 740 GD

Ducato 40 H, 180 hp, AL-KO low-frame, Euro VI, 4.5 t



I 740 PLUS

Ducato 40 H, 180 hp, AL-KO low-frame, Euro VI, 4.5 t



I 740 BD

Ducato 40 H, 180 hp, AL-KO low-frame, Euro VI, 4.5 t

A-CLASS 790



I 790 GD

Ducato 40 H, 180 hp, AL-KO low-frame, Euro VI, 5.5 t



I 790 QD

Ducato 40 H, 180 hp, AL-KO low-frame, Euro VI, 5.5 t

A-CLASS 840



I 840 GD

Ducato 40 H, 180 hp, AL-KO low-frame, Euro VI, 5.5 t



I 840 QD

Ducato 40 H, 180 hp, AL-KO low-frame, Euro VI, 5.5 t

COACHBUILT 680



A 680 PLUS

Ducato 40 H, 180 hp, AL-KO low-frame, Euro VI, 4.5 t

COACHBUILT 740



A 740 PLUS

Ducato 40 H, 180 hp, AL-KO low-frame, Euro VI, 4.5 t





640

BASIC VEHICLE (STANDARD)		Ducato 40 H
Chassis / Low-frame chassis		Fiat / AL-KO
Cylinder / cubic capacity, ccm		4 / 2,200
Performance, kW / hp		132 / 180
Tank volume diesel, l		90
Wheel base, mm		3,980
DIMENSIONS		A-Class
Total length, cm		645
Total width, cm		230
Total height, cm		311
Headroom, cm		203
WEIGHT SPECIFICATIONS 40 H 4.5 T		A-Class
Mass when ready for driving, kg		3,190 ¹
Max. perm. total mass, kg		4,500
Payload, kg		1,310
Trailer load braked / unbraked, kg		2,000 ² / 750 ²
Max. perm. mass of the combination, kg		6,000
WEIGHT SPECIFICATIONS DUCATO 40 H / TANDEM 5.5 T		
Mass when ready for driving, kg		-
Max. perm. total mass, kg		-
Payload, kg		-
Trailer load braked / unbraked, kg		-
Max. perm. mass of the combination, kg		-
CONFIGURATION		
Fresh water tank / waste water tank approx., l		150 ⁴ (50 l drive load) ³ / 130
Battery capacity, Ah (20 h), AGM		1 x 95
Refrigerator volume approx., l		118 + 29
Heating		Truma Combi CP Plus

1) The vehicle mass when ready for driving has been determined in accordance with Reg (EU) 1230/2012, but reflecting the drive load of the fresh water tank (see Fn. 3 and 4) and one aluminium gas bottle (11 kg)

2) Trailer load may vary depending on the configuration selected

3) Capacity of the fresh water tank acc. to Ann. V, part A, para. 2.6 Fn. (H) Reg (EU) 1230/2012, considering the 50 l drive load

4) Possible with the appropriate setting of the valve on the fresh water tank: max. 150 l

680		740		790		840	
Ducato 40 H		Ducato 40 H		Ducato 40 H		Ducato 40 H	
Fiat / AL-KO		Fiat / AL-KO		Fiat / AL-KO		Fiat / AL-KO	
4 / 2,200		4 / 2,200		4 / 2,200		4 / 2,200	
132 / 180		132 / 180		132 / 180		132 / 180	
90		90		90		90	
3,980 (PLUS 4,025)		4,325		3,760 + 800		4,350 + 800	
Coachbuilt	A-Class	Coachbuilt	A-Class	A-Class		A-Class	
706	708 (SG 698)	752	754	786		846	
230	230	230	230	230		230	
322	311	322	311	311		311	
203	203	203	203	203		203	
Coachbuilt	A-Class	Coachbuilt	A-Class	A-Class		A-Class	
3,370 ¹	3,390 ¹	3,450 ¹	3,470 ¹	-		-	
4,500	4,500	4,500	4,500	-		-	
1,130	1,110	1,050	1,030	-		-	
2,000 ² / 750 ²	2,000 ² / 750 ²	2,000 ² / 750 ²	2,000 ² / 750 ²	-		-	
6,000	6,000	6,000	6,000	-		-	
				A-Class		A-Class	
-	-	-	-	3,760 ¹		3,860 ¹	
-	-	-	-	5,500		5,500	
-	-	-	-	1,740		1,640	
-	-	-	-	2,000 ² / 750 ²		2,000 ² / 750 ²	
-	-	-	-	6,000		6,000	
150 ⁴ (50 l drive load) ³ / 130		150 ⁴ (50 l drive load) ³ / 130		150 ⁴ (50 l drive load) ³ / 130		150 ⁴ (50 l drive load) ³ / 130	
1 x 95		1 x 95		2 x 95		2 x 95	
118 + 29		118 + 29		118 + 29		118 + 29	
Truma Combi CP Plus		Truma Combi CP Plus		Alde WW-heating		Alde WW-heating	

General note

Information on weights and dimensions are implemented in accordance with Reg (EU) 1230/2012 provided that the catalogue including technical data and price list contains no contrary information.

Standard equipment



FRANKIA F-LINE	640 EXCLUSIV	680 EXCLUSIV	740 EXCLUSIV	790 LUXURY	840 LUXURY
Chassis Fiat Ducato					
40 Heavy Chassis	■	■	■	■	■
Driver and passenger airbag	■	■	■	■	■
180 hp	■	■	■	■	■
Euro-VI-Heavy-Duty	■	■	■	■	■
Traction+ incl. electronic stability control (ESC) and Hill Holder	■	■	■	■	■
Hill Descent Control	■	■	■	■	■
90 litre diesel tank	■	■	■	■	■
Manual gearbox (Coachbuilt and Right Hand Drive automatic)	■	■	■	■	■
Steering wheel adjustable in height	■	■	■	■	■
16 inch tyres on steel rims	■	■	■	■	■
4.5 t technically permissible gross weight	■	■	■	-	-
5.5 t technically permissible gross weight	-	-	-	■	■
Electrical auxiliary chassis heater for faster heating of the interior	■	■	■	■	■
AL-KO low-frame chassis	■	■	■	■	■
Body					
Thermo Guard Plus side walls with 7-year water ingress warranty	■	■	■	■	■
GRP gelcoat white – hail resistant	■	■	■	■	■
Full-length, heated double floor with approx. 350 mm height	■	■	■	■	■
Central locking for body door and driver's door via original vehicle key	■	■	■	■	■
Manual rear supports (n/a if optional air suspension ordered)	■	■	■	■	■
Darkening blind for Coachbuilt, manual darkening blind for A-Class vehicles with daylight function	■	■	■	-	-
Darkening blind for Coachbuilt, power darkening blind instead of manual darkening blind for A-Class vehicles	-	-	-	■	■
Storage space Windows Doors					
Storage spaces with LED lighting	■	■	■	■	■
LED storage space lighting underneath the seating area	■	■	■	■	■
Seitz S7 windows with tinted panes, fly screen and blind, installed flush with the wall	■	■	■	■	■
Central supply system with water drum and self-retracting cable reel with 15 m of cable	■	■	■	■	■
Fly screen A-Class integrated in the door frame and all roof hatches	■	■	■	■	■

■ Standard equipment □ Optional against surcharge – not possible

FRANKIA F-LINE	640 EXCLUSIV	680 EXCLUSIV	740 EXCLUSIV	790 LUXURY	840 LUXURY
Beds					
Drop-down bed with power adjustment (for A-Class vehicles)	■	■	■	■	■
Electrical systems					
1 x 95 Ah AGM battery	■	■	■	-	-
2 x 95 Ah AGM battery	-	-	-	■	■
1 x 22 A charger	■	■	■	-	-
2 x 22 A charger	-	-	-	■	■
CBE BUS control panel with LCD screen	■	■	■	■	■
LED awning light with separate switchable motion sensor	■	■	■	■	■
LED dimmable ambient lighting	■	■	■	■	■
LED dimmable spot lights	■	■	■	■	■
LED reading lights	■	■	■	■	■
3 - 4 x 230 V sockets	■	■	■	■	■
3 x USB sockets (4 x for A-Class with drop-down bed)	■	■	■	■	■
230 V socket in side rear storage compartment (right side)	-	-	-	■	■
12 V socket in side rear storage compartment (right side)	-	-	-	■	■
Multimedia Radio Satellite system					
Car radio ready	■	■	■	■	■
High-quality roof combination antenna UKW/DAB+/Ghp	■	■	■	■	■
Upholstery Cushions					
Selection of wood/fabric combinations from six different design options	■	■	■	■	■
Rear storage compartments Bike mounts					
Rail system for securing cargo (for high rear storage compartments)	■	■	■	■	■
Washroom Water supply					
Approx. 150-litre fresh water tank including adjustable 50-litre drive load	■	■	■	■	■
Approx. 130-litre waste water tank	■	■	■	■	■
Ceramic toilet	■	■	■	■	■
Second Thetford cassette	■	■	■	■	■
Air conditioning Heating					
Truma Combi 6 heating incl. CP Plus control	■	■	■	-	-
Alde Compact hot water heating system	-	-	-	■	■
Kitchen Refrigerator Hob					
FRANKIA MaxiFlex kitchen: Uniquely functional modular kitchen featuring a high-end HPL worktop with expandable surface	■	■	■	■	■
TecTower 10, opening on both sides	■	■	■	■	■

Impressive performance

Highlights of the FRANKIA TITAN

The FRANKIA TITAN is the all-rounder among the luxury liners on a Fiat Ducato platform. Choose from five integrated floor plans with a length of eight to nine metres. Whether power drop-down bed, separate beds or extra-wide queen-size bed – it's up to you how you want to live and sleep.



More ground-breaking ideas – thanks to strong partners

Never rest, continue to improve, create something special – this has always been our aim with FRANKIA models on a Fiat Ducato platform with an AL-KO low frame. 36 years ago, today and tomorrow.



Way more storage space

Extra-large rear storage compartment with a height of 1.24 m, FRANKIA double floor (stepless and heated) with a continuous height of 35 cm and many clever storage solutions in the interior



More standard features for maximum comfort

Fully insulated Thermo Guard Plus wall structure with 11-year warranty, Alde Compact hot water heating system, up to 300 l XL fresh water tank



More driving pleasure with Fiat Ducato

All inclusive: New cockpit, 90 l diesel tank, 9-speed automatic gearbox, eco-friendly AdBlue Technology, rear-view camera and much more



More technology for greater independence

Only the FRANKIA TITAN has it: Unique technology package including two 100 Ah LiFePO4 batteries, 2 x 115 W high-performance solar system, 1,700 W sine wave inverter and much more



More impressive than ever: Living and travelling in the FRANKIA TITAN I 890

Luxury liner with a length of nearly 9 m, 5.5 t total weight standard and bar-style seating. It's your choice: Separate beds with a length of 2.10 m or 1.60 m wide queen-size bed



More freedom with the next-generation luxury liner: FRANKIA TITAN Next

Enjoy greater independence: FRANKIA's new luxury liner sets new standards in self-sufficiency with the INDUS smart sanitation system



A-CLASS 790



I 790 GD TITAN

Ducato 40 H, 180 hp, AL-KO, Euro VI, 5.5 t



TITAN NEXT

Ducato 40 H, 180 hp, AL-KO, Euro VI, 5.5 t



A-CLASS 840



I 840 GD TITAN

Ducato 40 H, 180 hp, AL-KO, Euro VI, 5.5 t

A-CLASS 890



I 890 GD-B TITAN

Ducato 40 H, 180 hp, AL-KO, Euro VI, 5.5 t



I 890 QD-B TITAN

Ducato 40 H, 180 hp, AL-KO, Euro VI, 5.5 t

Technical data



	790	TITAN NEXT	840	890
BASIC VEHICLE (STANDARD)	Ducato 40 H	Ducato 40 H	Ducato 40 H	Ducato 40 H
Chassis / Low-Frame chassis	Fiat / AL-KO	Fiat / AL-KO	Fiat / AL-KO	Fiat / AL-KO
Cylinder / cubic capacity, ccm	4 / 2,200	4 / 2,200	4 / 2,200	4 / 2,200
Performance, kW / hp	132 / 180	132 / 180	132 / 180	132 / 180
Tank volume diesel, l	90	90	90	90
Wheel base, mm	3,760 + 800	3,760 + 800	4,350 + 800	4,700 + 800
DIMENSIONS	A-Class	A-Class	A-Class	A-Class
Total length, cm	786	786	846	890
Total width, cm	230	230	230	230
Total height, cm	318	318	318	318
headroom, cm	203	203	203	203
WEIGHT SPECIFICATIONS DUCATO 40 H / TANDEM 5.5 T	A-Class	A-Class	A-Class	A-Class
Mass when ready for driving, kg	4,228 ¹	4,469 ¹	4,328 ¹	4,418 ¹
Max. perm. total mass, kg	5,500	5,500	5,500	5,500
Payload, kg	1,272	1,031	1,172	1,082
Trailer load braked / unbraked, kg	2,000 ² / 750 ²	1,500 ² / 0	2,000 ² / 750 ²	1,500 ² / 0
Max. perm. mass of the combination, kg	6,000	6,000	6,000	6,000
CONFIGURATION				
Fresh water tank / waste water tank approx., l	150 ⁴ (50 l drive load) ³ / 130	250 ⁵ (50 l drive load) ³ / 105	150 ⁴ (50 l drive load) ³ / 130	150 ⁴ (50 l drive load) ³ / 130
Dejection tank, l	-	45	-	-
Battery capacity, Ah (20 h)	2 x 100 LiFePO4	1 x 240 LiFePO4	2 x 100 LiFePO4	2 x 100 LiFePO4
Refrigerator volume approx., l	118 + 29	118 + 29	118 + 29	118 + 29
Heating	Alde WW-heating	Alde WW-heating	Alde WW-heating	Alde WW-heating

1) The vehicle mass when ready for driving has been determined in accordance with Reg (EU) 1230/2012, but reflecting the drive load of the fresh water tank (see Fn. 3 and 4) and one aluminium gas bottle (11 kg)

2) Trailer load may vary depending on the configuration selected

3) Capacity of the fresh water tank acc. to Ann. V, part A, para. 2.6 Fn. (H) Reg (EU) 1230/2012, considering the 50 l drive load

4) Possible with the appropriate setting of the valve on the fresh water tank: max. 150 l

5) Possible with the appropriate setting of the valve on the fresh water tank: max. 250 l

General note

Information on weights and dimensions are implemented in accordance with Reg (EU) 1230/2012 provided that the catalogue including technical data and price list contains no contrary information.

Standard equipment



FRANKIA TITAN	790	840	890
Chassis Fiat Ducato			
40 Heavy Chassis	■	■	■
Driver and passenger airbag	■	■	■
180 hp	■	■	■
2.2 l Euro VI engine	■	■	■
Traction+ incl. electronic stability control (ESC) and Hill Holder	■	■	■
Hill Descent Control	■	■	■
90 l diesel tank	■	■	■
Smart alternator 220 A	■	■	■
Cruise control	■	■	■
9-speed automatic gearbox	■	■	■
Manual climate control	■	■	■
Multifunction steering wheel	■	■	■
Steering wheel adjustable in height	■	■	■
Aluminium rims	■	■	■
5.5 t (tandem axle) technically permissible gross weight	■	■	■
Electrical auxiliary chassis heater for faster heating of the interior	■	■	■
AL-KO low-frame chassis	■	■	■
Reinforced front springs	■	■	■
Body			
Thermo Guard Plus side walls with 11-year water ingress warranty	■	■	■
GFRP gelcoat white – hail resistant	■	■	■
Full-length, heated double floor with approx. 350 mm height	■	■	■
Central locking for body door and cab door via original vehicle key	■	■	■
Manual rear supports (n/a if optional air suspension ordered)	■	■	■
Power darkening blind	■	■	■
Storage space Windows Doors			
Storage spaces with LED lighting	■	■	■
LED storage space lighting underneath the seating area	■	■	■
Seitz S7 windows with tinted panes, fly screen and blind, installed flush with the wall	■	■	■
Central supply system with water drum and self-retracting cable reel with 15 m of cable	■	■	■
Fly screen integrated in the door frame and all roof hatches	■	■	■
Beds			
Drop-down bed with power adjustment (in A-Class vehicles)	■	■	■
Electrical systems			
MT 1700-Si-N/Sinus inverter	■	■	■
2x solar system 115 W with solar remote display, TITAN NEXT: 3x solar system 115 W with solar remote display	■	■	■
Solar controller	■	■	■
Battery computer	■	■	■
2x 100 Ah LiFePO4 battery	■	■	■

■ Standard equipment □ Optional against surcharge – not possible

FRANKIA TITAN	790	840	890
Battery booster 40 A	■	■	■
CBE BUS control panel with LCD screen	■	■	■
LED awning light with separate switchable motion sensor	■	■	■
Dimmable LED ambient lighting	■	■	■
Dimmable LED spot lights	■	■	■
LED reading lights	■	■	■
4 x 230 V sockets	■	■	■
3 x USB sockets (4 x in A-Class with drop-down bed)	■	■	■
230 V socket in passenger side rear storage compartment	■	■	■
12 V socket in passenger side rear storage compartment	■	■	■
Multimedia Radio Satellite system			
Alphatronics SL-Line 24 inch flat screen (32 inch for 890 GD-B/QD-B and TITAN NEXT)	■	■	■
TELECO – TWIN FLATSAT EASY SMART S85 satellite system	■	■	■
Hookup for second TV in bedroom 12 V/coax socket	■	■	■
9 inch navigation system with DAB radio	■	■	■
High-quality roof combination antenna UKW/DAB+/Ghp	■	■	■
Split rear-view camera with separate monitor	■	■	■
Upholstery Cushions			
Selection of wood/fabric combinations from six different design options	■	■	■
Rear storage compartments Bike mounts			
Rail system for securing cargo (for high rear storage compartments)	■	■	■
Washroom Water supply			
Approx. 150 l fresh water tank including adjustable 50 l drive load (TITAN NEXT: approx. 250 l)	■	■	■
Approx. 130 l waste water tank (TITAN NEXT: 105 l + 45-l-dejection tank)	■	■	■
Ceramic toilet (TITAN NEXT: Thetford INDUS system)	■	■	■
Second Thetford Cassette (Exception: TITAN NEXT)	■	■	■
Air conditioning Heating			
Alde fan	■	■	■
Alde heat exchanger	■	■	■
Alde Compact hot water heating system	■	■	■
Duo Control for gas cylinders	■	■	■
Kitchen Refrigerator Hob			
FRANKIA MaxiFlex kitchen: Uniquely functional modular kitchen featuring a high-end HPL worktop with expandable surface	■	■	■
TecTower 10, opens on both sides	■	■	■
Awnings			
Thule 5.5 m awning; awning housing in anthracite	■	■	■

FRANKIA PLATIN

Stand out even among the best

Highlights of the FRANKIA PLATIN

FRANKIA's luxury liner on a Mercedes-Benz platform comes in five different layouts from a length of eight metres. Choose between two different round seating groups, separate beds or the new 1.60 m wide queen-size bed



Breaking new ground with a strong partner

Never rest, continue to improve, set new benchmarks – this has always been the spirit that connects FRANKIA and Mercedes-Benz. 49 years ago, today and tomorrow.



Enjoy your freedom with exceptional extras

All the extras are standard here: Fully insulated Thermo Guard Plus wall structure with 11-year warranty, 270-l fresh water tank, FRANKIA central supply system and much more



Move forward with unique floor plans

Only FRANKIA has it like this! Mercedes-Benz + technology package for self-sufficiency + luxurious XL round seating group + optional rear drop-down bed = FRANKIA I 7900 PLUS PLATIN

*Please note when planning your route: The navigation system does not account for specific vehicle weights and vehicle dimensions, meaning you may not be able to travel the proposed routes with your vehicle.



Travel self-sufficiently with unique technology

Only FRANKIA has it like this! Technology package including one 240 Ah lithium battery, four high-performance solar modules, sine wave inverter, power charging booster and much more



Experience driving pleasure with Mercedes-Benz

High performance for the road: Powerful rear-wheel drive with great traction, 190 hp, infotainment with MBUX and much more

Aluminium rims from model year 2021 pictured; not available for the 2023 vehicle model shown.



Impress with great ideas

Extra-large FRANKIA spa-like bathroom and FRANKIA MaxiFlex kitchen, 2.03 m of headroom throughout the stepless, light-flooded interior, rear storage compartment with a height of up to 1.24 m



Show character with unique style

The FRANKIA PLATIN has personality – and it shows it, too: With its bold and dynamic exterior design and elegant interior with exclusive leather upholstery (optional)

A-CLASS 7900



I 7900 GD PLATIN

Sprinter 519, 190 hp, Euro VI, 5.5 t, in White

Sprinter 519, 190 hp, Euro VI, 5.5 t



I 7900 PLUS PLATIN

Sprinter 519, 190 hp, Euro VI, 5.5 t, in White

Sprinter 519, 190 hp, Euro VI, 5.5 t

Sprinter 519, 190 hp, Euro VI, 5.5 t,
ith drop down rear bed, in White

Sprinter 519, 190 hp, Euro VI, 5.5 t,
ith drop down rear bed



A-CLASS 8400



I 8400 GD PLATIN

Sprinter 519, 190 hp, Euro VI, 5.5 t, in White

Sprinter 519, 190 hp, Euro VI, 5.5 t



I 8400 QD PLATIN

Sprinter 519, 190 hp, Euro VI, 5.5 t, in White

Sprinter 519, 190 hp, Euro VI, 5.5 t



I 8400 PLUS PLATIN

Sprinter 519, 190 hp, Euro VI, 5.5 t, in White

Sprinter 519, 190 hp, Euro VI, 5.5 t

Technical data



Mercedes-Benz

7900	7900	8400
	WITH DROP DOWN REAR BED	

BASIC VEHICLE (STANDARD)	Sprinter 519	Sprinter 519	Sprinter 519
Chassis	Mercedes-Benz	Mercedes-Benz	Mercedes-Benz
Cylinder / cubic capacity, ccm	4 / 1,950	4 / 1,950	4 / 1,950
Performance, kW / hp	140 / 190	140 / 190	140 / 190
Tank volume diesel, l	93	93	93
Wheel base, mm	4,525	4,525	4,825
DIMENSIONS	A-Class / A-Class White	A-Class / A-Class White	A-Class / A-Class White
Total length, cm	807 (PLUS 817)	817	861
Total width, cm	230	230	230
Total height, cm	323	326	323
Headroom, cm	203	203	203
WEIGHT SPECIFICATIONS 5.5 T	A-Class / A-Class White	A-Class / A-Class White	A-Class / A-Class White
Mass when ready for driving, kg	4,469 ¹ / 4,455 ¹	4,625 ¹ / 4,605 ¹	4,625 ¹ / 4,605 ¹
Max. perm. total mass, kg	5,500	5,500	5,500
Payload, kg	1,031 / 1,045	875 / 895	875 / 895
Max. trailer load braked / unbraked, kg	1,950 ² / 750 ²	1,950 ² / 750 ²	1,950 ² / 750 ²
Max. perm. mass of the combination, kg	7,000	7,000	7,000
CONFIGURATION			
Fresh water tank / waste water tank approx., l	270 ⁴ (50 l drive load) ³ / 130 7900 PLUS: 210 ⁵ (50 l drive load) ³ / 130	210 ⁵ (50 l drive load) ³ / 130	270 ⁴ (50 l drive load) ³ / 130 8400 PLUS: 220 ⁶ (50 l drive load) ³ / 130
Battery capacity, Ah (20 h)	1 x 240 LiFePO4	1 x 240 LiFePO4	1 x 240 LiFePO4
Refrigerator volume approx., l	118 + 29	118 + 29	118 + 29
Heating	Alde WW-heating	Alde WW-heating	Alde WW-heating

1) The vehicle mass when ready for driving has been determined in accordance with Reg (EU) 1230/2012, but reflecting the drive load of the fresh water tank (see Fn. 3, 4, 5 and 6) and one aluminium gas bottle (11 kg)

2) Trailer load may vary depending on the configuration selected

3) Capacity of the fresh water tank acc. to Ann. V, part A, para. 2.6 Fn. (H) Reg (EU) 1230/2012, considering the 50 l drive load

4) Possible with the appropriate setting of the valve on the fresh water tank: max. 270 l

5) Possible with the appropriate setting of the valve on the fresh water tank: max. 210 l

6) Possible with the appropriate setting of the valve on the fresh water tank: max. 220 l

General note

Information on weights and dimensions are implemented in accordance with Reg (EU) 1230/2012 provided that the catalogue including technical data and price list contains no contrary information.

Standard equipment



FRANKIA PLATIN	7900	8400
Chassis Mercedes-Benz Sprinter		
Driver and passenger airbag	■	■
190 hp EURO VI BlueTec engine	■	■
Antilock braking system (ABS)	■	■
Traction control system (TCS)	■	■
Electronic brakeforce distribution (EBD)	■	■
Electronic stability control (ESP)	■	■
Hill Hold Assist	■	■
93 l diesel tank	■	■
9-speed automatic	■	■
Semi-automatic climate control	■	■
Cruise control	■	■
250 A alternator	■	■
Auxiliary heating	■	■
Leather steering wheel	■	■
Rain sensor	■	■
Steering wheel adjustable in height and depth	■	■
Electrical auxiliary chassis heater for faster heating of the interior	■	■
LED high beam and blinker	■	■
Original Mercedes-Benz elevated frame with rear-wheel drive	■	■
Body		
Thermo Guard Plus side walls with 11-year water ingress warranty	■	■
GFRP gelcoat – hail resistant	■	■
Heated double floor with approx. 126/348 mm height	■	■
Central locking for body door and cab door via original vehicle key	■	■
Aluminium rims front and covers rear	■	■
Wheel spacers on rear axle	■	■
Manual rear supports (n/a if optional air suspension ordered)	■	■
Double glazing side cab windows	■	■
Power darkening blind instead of manual darkening blind	■	■
Storage space Windows Doors		
Storage spaces with LED lighting	■	■
LED storage space lighting underneath the seating area	■	■
Seitz S7 windows with tinted panes, fly screen and blind, installed flush with the wall	■	■
Central supply system with water drum and self-retracting cable reel with 15 m of cable	■	■
Fly screen integrated in the door frame and all roof hatches	■	■
Beds		
Drop-down bed with power adjustment	■	■
Electrical systems		
MT 1700-Si-N/Sinus inverter	■	■
4x solar system 115 W with solar remote display	■	■
Solar controller	■	■
Hybrid battery computer	■	■
LiFePO4 battery (1 x 240 Ah)	■	■
1 x battery charging booster (90 A)	■	■

■ Standard equipment □ Optional against surcharge – not possible

FRANKIA PLATIN	7900	8400
1 x charger (40 A) including pulser	■	■
CBE BUS control panel with LCD screen	■	■
LED awning light with separate switchable motion sensor	■	■
Dimmable LED ambient lighting	■	■
Dimmable LED spot lights	■	■
LED reading lights	■	■
4x 230 V sockets	■	■
4x USB sockets	■	■
230 V socket in passenger side rear storage compartment	■	■
12 V socket in passenger side rear storage compartment	■	■
Multimedia Radio Satellite system		
Alphatronics SL-24 inch flat screen (32 inch for 8400 PLUS)	■	■
Satellite system	■	■
Hookup for second TV in bedroom	■	■
Mercedes MBUX 10.25 inch multimedia system with DAB+ radio*	■	■
Dolby Surround Sound speaker system	■	■
High-quality roof combination antenna UKW, DAB+ and Ghp	■	■
Rear-view camera linked to MBUX multimedia system*	■	■
Exterior wall colour		
White or Exterior paint: Choice of Platin Metallic or Silver Arrow Metallic (roof in GFRP White)	■	■
Upholstery Cushions		
Selection of wood/fabric combinations from six different design options	■	■
Rear storage compartments Bike mounts		
2-part rear storage compartment (GD/QD floor plan)	■	■
Rail system for securing cargo	■	■
Washroom Water supply		
Up to 270 l fresh water tank including adjustable 50 l drive load	■	■
Approx. 130 l waste water tank	■	■
Ceramic toilet	■	■
Second Thetford Cassette	■	■
Fan with carbon filter for Thetford toilet	■	■
Air conditioning Heating		
Alde Compact hot water heating system	■	■
Additional fan for the driver's cab (Alde)	■	■
Heat exchanger	■	■
Underfloor heating in seating area	■	■
Duo Control for gas cylinders	■	■
Dometic Freshjet 1700 air conditioner	■	■
Kitchen Refrigerator Hob		
FRANKIA MaxiFlex kitchen: Uniquely functional modular kitchen featuring a high-end HPL worktop with expandable surface	■	■
TecTower 10, opens on both sides	■	■
Awnings		
Manual 5.5 m Thule awning, Anthracite	■	■

*Please note when planning your route: The navigation system does not account for specific vehicle weights and vehicle dimensions, meaning you may not be able to travel the proposed routes with your vehicle.

Optional extras

Weight in kg

CHASSIS FIAT DUCATO			
OP30900	Fiat Chassis Right Hand Drive	(Attention: The cab door of A-Class models is always installed on the left hand side - installation on the right hand side is not possible!) Speedometer in miles (For New Zealand speedometer in km/h) Headlights with configuration for left-hand traffic (right-hand drive)	0
OP31005	Pack Safety	Fiat assistance systems pack: Emergency brake assistant, lane departure warning system, rain sensor, traffic sign assist, high-beam assist	1
OP31050	Chassis upgrade Black Style	Radiator grill brilliant black, black skid-plate, headlights with black frames, chrome elements in cockpit (techno-trim), leather steering wheel and gear shift knob, bumper painted in vehicle colour	8
OP31100	Chassis upgrade Vision	Full LED headlights, fog lights with turning lights, digital speedometer (cluster)	2
OP31150	Chassis upgrade Vision Pro	Full LED headlights, fog lights with turning lights, digital speedometer (cluster), wireless smartphone charging station, automatic air conditioning, auxiliary heating, heated windscreen, Keyless Entry and Go	4
OP31200	Chassis upgrade Cockpit	Chromed cockpit elements (techno trim), leather steering wheel and gear shift knob, digital speedometer (cluster)	4
OP31245	Chassis upgrade Comfort+	Wireless smartphone charging station, automatic air conditioning, auxiliary heating	4
OP31451	LED headlights (Fiat)	for low-beam headlights and fog lights. Only for Fiat A-Class.	2
OP31550	ALC (AL-KO Level Controller)	Replaces conventional shock absorbers. The fully automatic system ensures the optimum driving level on the rear axle, regardless of the load. (only for single axle)	19
OP31600	Full air suspension X2 SA	Air Premium X2 for rear axle Only as initial equipment, retrofit not possible! Electronically controlled, fully automatic air suspension system, lifting/lowering function (Lifting max. approx. 40 mm - lowering max. approx. 50 mm in axial area), maintenance free For single axle (640/680/740) Without manual stabilizing legs	45
OP31650	Full air suspension X2 DA	Air Premium X2 for rear axle Only as initial equipment, retrofit not possible! Electronically controlled, fully automatic air suspension system, lifting/lowering function (Lifting max. approx. 40 mm - lowering max. approx. 50 mm in axial area), maintenance free For double axle (740/790/840/890) Without manual stabilizing legs	75
OP31700	Full air suspension X4 SA	Air Premium X4 for front and rear axle. Only as initial equipment, retrofit not possible! Electronically controlled, fully automatic air suspension system, lifting/lowering function (Front axle: lifting approx. 70 mm / lowering approx. 60 mm) (Rear axle: lifting approx. 40 mm / lowering approx. 50 mm) For single axle: rear axle + front axle (640/680/740) Without manual stabilizing legs	55
OP31770	Full air suspension for 5,5 t	from Goldschmitt for front and rear axle (without manual stabilizing legs)	90
OP31800	Aluminium rims single axle	Load capacity 1350 kg (snow chains are not possible)	0
OP31850	Aluminium rims double axle	Load capacity 1350 kg (snow chains are not possible)	0
OP32000	Removable trailer hitch	for 40 Heavy chassis. Ground clearance is limited for PLUS models	50
OP32100	Electrics for trailer hitch	with socket	2
OP32150	Fiat spare tyre + fastening	(not possible for Plus layouts)	45
OP32200	Spare tyre without fastening	(not installed)	39
OP32250	Hydraulic support system HY4.	The unique and space saving hydraulic support system for motorhomes up to 6.0 t. No more inclined angles, no more unsteady ground under the feet. With HY4, the new, innovative support system from AL-KO, you can level your motorhome quickly and easily in the desired park position.	75
OP32255	Hydr. support system HY4 with	weighing function. The unique and space saving hydraulic support system for motorhomes up to 6.0 t. No more inclined angles, no more unsteady ground under the feet. With HY4, the new, innovative support system from AL-KO, you can level your motorhome quickly and easily in the desired park position.	75

*Please note when planning your route: The navigation system does not account for specific vehicle weights and vehicle dimensions, meaning you may not be able to travel the proposed routes with your vehicle.

CHASSIS MERCEDES-BENZ / NEO

OP32267	Chassis upgrade Black Line	Upgrade for standard chassis NEO Black Line: 170 HP, 9G automatic transmission, LED headlights, 92 l tank, semi-automatic air conditioning TEMPMATIK, cruise control with multi function buttons on steering wheel, reinforced front axle, ECO start/stop function, chromed radiator grille, leather steering wheel, 16 inch black aluminium wheels (Mercedes Benz original), insulated driver's cab, electric parking brake, wet wiper system with rain sensor, heat-insulating glass with band filter on windscreen, high beam assist, active lane keeping assist, attention assist, active distance assist DISTRONIC+, MBUX 10,25 inch with DAB Please note that the Mercedes multimedia system does not have truck navigation and currently there is no possibility yet to save POI. When planning your route, please note that specific vehicle weights and dimensions cannot be stored in the navigation system, so that it may not be possible to use suggested routes with your vehicle.	14
OP32268	Chassis upgrade M17	Upgrade for standard chassis NEO M17: 170 HP, 9G automatic transmission, 92 l tank, semi-automatic air conditioning TEMPMATIK, cruise control with multi function buttons on steering wheel, ECO start/stop function, leather steering wheel, 16 inch black aluminium rims (Mercedes Benz original), electric parking brake, attention assist, active distance assist DISTRONIC+, MBUX 10,25 inch with DAB Please note that the Mercedes multimedia system does not have truck navigation and currently there is no possibility yet to save POI. When planning your route, please note that specific vehicle weights and dimensions cannot be stored in the navigation system, so that it may not be possible to use suggested routes with your vehicle.	41
OP32270	Comfort chassis pack MT7	150 HP, 6-speed manual transmission, semi-automatic air conditioning TEMPMATIK, cruise control with multi function buttons on steering wheel, reinforced front axle, ECO start/stop function, leather steering wheel, 16 inch black steel wheels (Mercedes Benz original), insulated driver's cab, electric parking brake	20
OP32275	Comfort + driving assist MT7	150 HP, 6-speed manual transmission, semi-automatic air conditioning TEMPMATIK, cruise control with multi function buttons on steering wheel, reinforced front axle, ECO start/stop function, leather steering wheel, 16 inch black steel wheels (Mercedes Benz original), insulated driver's cab, electric parking brake, Wet Wiper System and rain sensor, heat-insulating glass with band filter on windscreen, high-beam assist, active lane keeping assist, attention assist	21
OP32290	NEO chassis pack MT7	170 HP, automatic transmission 9G -Tronic, semi-automatic air conditioning TEMPMATIK, cruise control with multi function buttons on steering wheel, reinforced front axle, ECO start/stop function, leather steering wheel, 17 inch silver alloy wheels (Mercedes Benz original), insulated driver's cab, electric parking brake, chromed radiator grill	44
OP32295	NEO pack driving assist. MT7	170 HP, automatic transmission 9G -Tronic, semi-automatic air conditioning TEMPMATIK, cruise control with multi function buttons on steering wheel, reinforced front axle, ECO start/stop function, leather steering wheel, 17 inch silver alloy wheels (Mercedes Benz original), insulated driver's cab, electric parking brake, chromed radiator grill, Wet Wiper System and rain sensor, heat-insulating glass with band filter on windscreen, high-beam assist, active lane keeping assist, attention assist, active distance assist DISTRONIC+	45
OP32380	Complete Chassis Pack MB for	low profile. Airbags for driver and passenger, 190 HP, Euro VI, Tempmatic air conditioning, cruise control, 93 l tank, auxiliary heating, automatic transmission, leather steering wheel, rain sensor, battery charging booster.	122
OP32400	Complete Chassis A-class MB	7400/7900/8400, airbags for driver and passenger, 190 HP, Euro VI, Tempmatic air conditioning, cruise control, 93 l tank, auxiliary heating, automatic transmission, leather steering wheel, rain sensor, battery charging booster. DISTRONIC+	122
OP32500	MB Chassis Right Hand Drive	(Attention: The cab door of A-Class models is always installed on the left hand side - installation on the right hand side is not possible!) Speedometer in miles (For New Zealand speedometer in km/h) Headlights with configuration for left-hand traffic	0
OP32520	MB NEO Chassis RHD	Speedometer in mph	0
OP32710	MBUX 10,25 + DAB"	(E1D) + (E4M). Please note that the Mercedes multimedia system does not have truck navigation and currently there is no possibility yet to save POI. When planning your route, please note that specific vehicle weights and dimensions cannot be stored in the navigation system, so that it may not be possible to use suggested routes with your vehicle.	4
OP32740	LED headlights (LG7)		1
OP32850	MB LED headlights	for low-beam headlights and fog lights	3
OP32855	Fog lights (L13)	with turning lights	3
OP32865	MB driving assist. pack T7400	High beam assist, attention assist, active distance assist, active lane-keeping assist. Only for Mercedes T 7400	1
OP32900	Removable trailer hitch MB	Trailer load (braked) max. 1.950 kg. With socket. Electrics has to be factory-installed.	50

Optional extras

			Weight in kg
OP32950	Electrics trailer hitch MB	incl. socket. Factory-installed only.	2
OP33200	Aluminium rim set A-Class	for MB Sprinter A-Class 5,5t consisting of: 2 aluminium rims front axle, 2 hubcaps rear axle, 1 x set wheel spacers 50 mm rear axle (overall 100 mm track widening)	25
OP33210	Aluminium rim set Low-Profile	for MB Sprinter Low-profile 5,5t consisting of: 2 aluminium rims front axle, 2 hubcaps rear axle, 1 x set wheel spacers 50 mm rear axle (overall 100 mm track widening)	25
OP33220	Spare tyre with fastening	(not possible for Plus layouts)	45
OP33230	Spare tyre without fastening	(not installed)	39
OP33250	HPC levelling system	for MB, with 4 hydraulic jacks and automatic levelling (for vehicles up to 10 tons). For Mercedes Low-Profile models the position of the second Thetford cassette changes.	80
OP33260	Add. charger starter batt.		3
OP33270	Battery booster	Mandatory for all Mercedes-based FRANKIA chassis packs	3
OP33300	Rear axle full air suspension	only as initial equipment (From the driving position the chassis can be raised by approx. 80 mm and lowered by approx. 20 mm.) Without manual stabilizing legs	45
OP33335	Automatic gearbox 9G-TRONIC	including leather steering wheel CL3	30
OP33340	LED headlights NEO		2
OP33345	Heated windscreen		0
OP33350	Fuel tank 92 l		24
OP33365	Electrics for trailer hitch.		2
OP33367	Trailer hitch NEO		50
OP33375	MB Fog lights		3
OP33380	MBUX 10,25 inch with DAB	Multi media system with high resolution 26 cm (10,25 inch) touchscreen for quick hard disk navigation with 3D map display and smartphone integration. Please note that the Mercedes multimedia system does not have truck navigation and currently there is no possibility yet to save POI. When planning your route, please note that specific vehicle weights and dimensions cannot be stored in the navigation system, so that it may not be possible to use suggested routes with your vehicle.	5
OP33382	Cab seats with heating (NEO)	and lumbar support, for NEO (Mercedes original seats)	2
OP33383	SKA cab seats (NEO)	instead of the standard Mercedes seats. Mandatory due to option leather.	36
OP33385	Manual stabilizing legs		8
OP33387	Hydraulic support system HY4	for NEO. The unique and space saving hydraulic support system for motorhomes up to 6.0 t. No more inclined angles, no more unsteady ground under the feet. With HY4, the new, innovative support system from AL-KO, you can level your motorhome quickly and easily in the desired park position.	75
OP33389	Hydr.support system HY4 with	weighing function for NEO. The unique and space saving hydraulic support system for motorhomes up to 6.0 t. No more inclined angles, no more unsteady ground under the feet. With HY4, the new, innovative support system from AL-KO, you can level your motorhome quickly and easily in the desired park position.	75

OUTSIDE PAINT

OP33425	Outside colour Silver-ARROW	for PLATIN. Metallic (MB 9777) (roof in GRP white)	0
---------	------------------------------------	----------------------------------------------------	---

EQUIPMENT PACKS

OP33800	Luxury pack Coachb./Low-pr.	consisting of: manual blind plissé, 2nd gel battery 95Ah, additional sockets 12V + 230V in the garage on right hand side, ALDE Compact 320 HE warm water heating (instead of Truma heating)	77
---------	------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----

*Please note when planning your route: The navigation system does not account for specific vehicle weights and vehicle dimensions, meaning you may not be able to travel the proposed routes with your vehicle.

OP33900	Luxury pack for A-Class	consisting of: electric blackout pleated blind instead of manual blind plissé, 2nd gel battery 95 Ah, additional sockets 1 x 12V and 1 x 230V in the garage on right hand side, warm water heating ALDE Compact 3020 HE (instead of Truma heating)	85
OP34202	NEO light pack MT7	FRANKIA light-wing at the front, lighted shower column, light for step, light strip in kitchen, Midi-Heki instead of Mini-Heki above seating group, panoramic window in front mask	19
OP34203	NEO light pack MI7	Lighted shower column, light for step, light strip in kitchen, Midi-Heki instead of Mini-Heki above seating group	11
OP34205	NEO easy-load pack	etractable cable reel in separate storage compartment, gas bottle drawer, tail gate. For NEO GDK. Folding mecanism for wardrobe under GD-bed on right side, Easy-load function for seating group with cushion (folding mechanism for more storage space)	42
OP34250	Comfort pack (Miracle White)	Duo Control, kitchen worktop and sideboard surface under glass cabinet (if present) in synthetic resin, outside shower, external gas socket, carpet for driver's cab and living area, solar panel 165W Not possible for TITAN and PLATIN.	49
OP34255	Comfort pack (Titan White)	Duo Control, kitchen worktop and sideboard surface under glass cabinet (if present) in synthetic resin, outside shower, external gas socket, carpet for driver's cab and living area, solar panel 165 W Not possible for TITAN and PLATIN.	49
OP34350	Multimedia pack (24 inch)	consisting of: SAT antenna TELECO - TWIN FLATSAT EASY SMART S85, LED flatscreen Alphasatronics SL-24 inch DSB with DVB-T2/S2, DVD player, Bluetooth (with swiveling TV place), combined 12V/coax socket for rear bed (front bed for Plus layouts) (except for 640 SD), second SL 24 inch TV, ALPINE radio X903D-DUCA Navigation, Split rear view camera with separate 7 inch monitor, Alpine loudspeaker system Installation position: see roof plan Additional costs can occur if standard roof fittings have to be placed at a different position (250 EUR net for each element)	51
OP34420	MB Multimedia pack (24 inch)	SAT antenna TELECO - TWIN FLATSAT EASY SMART S85, LED flatscreen Alphasatronics SL-24 inch DSB with DVB-T2/S2, DVD player, Bluetooth (with swiveling TV place), combined 12V/coax socket for rear bed (front bed for Plus layouts), second SL 24 inch TV, rear view camera with connection to MBUX, Alpine loudspeaker system Installation position: see roof plan Only in combination with Mercedes multimedia system. Additional costs can occur if standard roof fittings have to be placed at a different position (250 EUR net for each element) If there is a roof lid in the radius of the Sat system, this roof lid may have to be closed in order to allow free movement of the satellite dish (especially if the satellite dish has an unfavourable inclination).	51
OP34500	TV pack (24 inch)	SAT antenna TELECO - TWIN FLATSAT EASY SMART S85, LED flatscreen Alphasatronics SL-24 inch DSB with DVB-T2/S2, DVD player, Bluetooth (with swiveling TV place), combined 12V/coax socket for rear bed (front bed for Plus layouts) (except for 640 SD) Installation position: see roof plan Additional costs can occur if standard roof fittings have to be placed at a different position (250 EUR net for each element) If there is a roof lid in the radius of the Sat system, this roof lid may have to be closed in order to allow free movement of the satellite dish (especially if the satellite dish has an unfavourable inclination).	27
OP34550	TV pack (32 inch)	SAT antenna TELECO - TWIN FLATSAT EASY SMART S85, LED flatscreen Alphasatronics SL-32 inch DSB with DVB-T2/S2, DVD player, Bluetooth (with swiveling TV place), combined 12V/coax socket for rear bed (front bed for Plus layouts) Installation position: see roof plan Additional costs can occur if standard roof fittings have to be placed at a different position (250 EUR net for each element) If there is a roof lid in the radius of the Sat system, this roof lid may have to be closed in order to allow free movement of the satellite dish (especially if the satellite dish has an unfavourable inclination).	34
OP34650	Entrance area with 32 inch TV	Upgrade to 32 inch TV with pull-out system in entrance area (instead of standard entrance area with glass cabinet)	10
OP35000	TV Pack for NEO	SAT antenna TELECO - TWIN FLATSAT EASY SMART S85, LED flatscreen Alphasatronics SL-24 inch DSB with DVB-T2/S2, DVD player, Bluetooth (with swiveling TV place), combined 12V/coax socket for rear bed Installation position: see roof plan Additional costs can occur if standard roof fittings have to be placed at a different position (250 EUR net for each element) If there is a roof lid in the radius of the Sat system, this roof lid may have to be closed in order to allow free movement of the satellite dish (especially if the satellite dish has an unfavourable inclination).	27

SKYLIGHTS / WINDOWS / LOCKER / STAIRS

OP35050	Electric step driver's door	for A-Class (The driver's door is always on the left hand side of the motorhome) Not possible if the two options HY4 and air suspension are simultaNEOUSly ordered.	3
OP35095	Cabin door MI7	Not possible in combination with front left additional locker	43
OP35105	Add. outside locker PLUS	780 x 1058 mm rear left. For 680 PLUS, 740(0) PLUS and 8400 PLUS	8

Optional extras

			Weight in kg
OP35300	Outside locker NEO front left	600x310 mm. Cannot be ordered in combination with cabin door.	3
OP35305	Outside locker NEO front right	600x310 mm.	3
OP35450	MidiHeki instead of MiniHeki	Additional costs can occur if standard roof fittings have to be placed at a different position (250 EUR net for each element) Without lighting panel (even if standard for the Mini-Heki which is replaced)	8
OP35550	Heki 3 instead of	Additional costs can occur if standard roof fittings have to be placed at a different position (250 EUR net for each element) Without lighting panel (even if standard for the Mini-Heki which is replaced)	15
OP35640	2 Heki3 one behind the other	in the front, for 890 layouts. Possible only in combination with op2039200 (cupboards instead of front drop-down bed).	15
OP35650	2x Heki3 one behind t. other	(for Plus layouts)	15
OP35700	Skylight with ventilator	with 12 V ventilator, instead of Mini Heki	2
OP35752	Skylight with ventilator (NEO)	with 12 V ventilator, instead of Mini Heki	2
OP35780	Window for side seating group	Sliding window 500x400 mm. Only for MI7 BD	7
OP35800	Additional Fiamma Turbo 28	with 12 V Ventilator (cutout 280 x 280 mm). Above Toilet	2

AWNINGS

OP35995	Manual awning 3.5m anthracite	Fabric colour Mystic Grey (projection 2,5 m) for NEO models. Manually operated. Awning case in anthracite.	27
OP36025	Manual awning 4 m anthracite	from Thule. Fabric colour Mystic Grey (projection 2,5 m) Awning case in anthracite. Manually operated.	29
OP36035	Electr. awning 4m anthracite	from Thule. Fabric colour Mystic Grey (projection 2,5 m) Awning case in anthracite. Electrically operated.	31
OP36075	Manual awning 4,5m anthracite	from Thule. Fabric colour Mystic Grey (projection 2,5 m) Awning case in anthracite. Manually operated.	31
OP36076	Manual awning 4,5m (NEO)	from Thule. Fabric colour Mystic Grey (projection 2,5 m) Awning case in anthracite. Manually operated.	31
OP36085	Electric awning 4,5m anthracit	from Thule. Fabric colour Mystic Grey (projection 2,5 m) Awning case in anthracite. Electrically operated.	33
OP36086	Electric awning 4,5m (NEO)	from Thule. Fabric colour Mystic Grey (projection 2,5 m) Awning case in anthracite. Electrically operated.	33
OP36125	Manual awning 5 m anthracite	from Thule. Fabric colour Mystic Grey (projection 2,5 m) Awning case in anthracite. Manually operated.	48
OP36175	Manual awning 5,5m anthracite	from Thule. Fabric colour Mystic Grey (projection 2,75 m) Awning case in anthracite. Manually operated.	52
OP36185	Electr. awning 5,5m anthracite	from Thule. Fabric colour Mystic Grey (projection 2,75 m) Awning case in anthracite. Electrically operated. Because of the awning's 230 V drive, an inverter has to be installed by FRANKIA (except if the optional inverter is ordered).	54
OP36190	Elect. awning 5,5m anthracite	from Thule. Upgrade for standard awning. Fabric colour Mystic Grey (projection 2,75 m) Awning case in anthracite. Electrically operated. Because of the awning's 230 V drive, an inverter has to be installed by FRANKIA.	2
OP36225	Electric awning 6 m anthracite	from Thule. Fabric colour Mystic Grey (projection 2,75 m). Awning case in anthracite. Electrically operated. Because of the awning's 230 V drive, an inverter has to be installed by FRANKIA (except if the optional inverter is ordered).	57
OP36275	Electric awning 6m anthracite	from Thule. For TITAN, PLATIN white and Next. Fabric colour Mystic Grey (projection 2,75 m) Awning case in anthracite. Electrically operated, instead of standard awning 5,5 m. Because of the awning's 230 V drive, an inverter has to be installed by FRANKIA.	5

*Please note when planning your route: The navigation system does not account for specific vehicle weights and vehicle dimensions, meaning you may not be able to travel the proposed routes with your vehicle.

OP36420	LED light strip under awning	can be ordered only in combination with an awning	4
OP36422	LED lightstrip under awning f. NEO	can be ordered only in combination with an awning	4

BODY

OP36500	Electr. heated windscreen (MB)	only for Mercedes A-Class	1
OP36510	Electr. heated windscr. (Fiat)	Fiat (only for A-class).	1
OP36520	Electr. heated windscr. (M17)		1
OP36600	Electrical windscreen plissee	instead of manual plissee (for A-Class with Exclusiv pack, standard with Luxury pack)	20
OP36605	Electr. windscreen plissee M17	instead of manual plissee (for NEO A-Class)	20
OP36650	Insulation glass (lateral)	for A-Class including: insulation glass for driver's door (left side), window on driver's side, sliding window on passenger's side	15
OP36700	Rear garage two-part	with lighting (light for rear garage part manually switchable)	18
OP36710	Storage space for camping	furniture in rear garage two-part Without right side wardrobe, without partition under bed (right side), outside locker on right side 1000 x 780 mm (hinged at top) instead of small outside locker	0
OP36950	Side pull-out	for option: rear garage two-part (on right hand side). On the 7400/7900 models, the outside locker measures 450 x 900 mm instead of 450 x 650 mm Only possible with the option rear garage two-part	27
OP36955	Side pull-out	for option: rear garage two-part (on right hand side). On the 7400/7900 models, the outside locker measures 450 x 900 mm instead of 450 x 650 mm Only possible with the option rear garage two-part	27
OP37050	Washroom door in Manhattan	Design/colour Manhattan instead of the standard design in 'White'. Including both cross panels above and below the door.	0
OP37065	Folding curtain sleeping area	Folding curtain (plisse) to separate the bed (NEO BD)	2

INTERIOR

OP37155	Living Naples	<p>Wood: Visby/White</p> <p>Upholstery:</p> <ul style="list-style-type: none"> - Face 1 / Seat Cushions: Pure Touch 5020360170 - Face 2 / Backrest Cushions: Paulino 5020420047 <p>Curtains: Gloria Fb. 21</p> <p>Floor: Anthrazit</p> <p>Cushions:</p> <ul style="list-style-type: none"> - Face A: Akio 5019310042 - Face B: Akio 5019310042 <p>Work top: Duropal Beton (grey)</p> <p>Table top (bar table if Bar layout): Duropal Beton</p> <p>Cab seats:</p> <ul style="list-style-type: none"> - Face 1 / inside: Pure Touch 5020360170 - Face 2 / outside: Pure Touch 5020360170 <p>(See detailed drawings for division of faces 1 and 2)</p>	0
---------	----------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---

Optional extras

			Weight in kg
OP37205	Living Venice	<p>Wood: Visby/White</p> <p>Upholstery:</p> <ul style="list-style-type: none"> - Face 1 / Seat Cushions: Stone 28 - Face 2 / Backrest Cushions: Rio Fendo 5025390070 <p>Curtains: CS Intra</p> <p>Floor: Anthrazit</p> <p>Cushions:</p> <ul style="list-style-type: none"> - Face A: Pure Balance 5024550332 - Face B: Pure Balance 5024550332 <p>Work top: Duropal Beton (grey)</p> <p>Table top (bar table if Bar layout): Duropal Beton</p> <p>Cab seats:</p> <ul style="list-style-type: none"> - Face 1 / inside: Stone 28 - Face 2 / outside: Stone 28 <p>(See detailed drawings for division of faces 1 and 2)</p>	0
OP37255	Living Milan	<p>Wood: Visby/White</p> <p>Upholstery:</p> <ul style="list-style-type: none"> - Face 1 / Seat Cushions: Rio Step Uni 5026710064 - Face 2 / Backrest Cushions: Pure Passion 5026630116 <p>Curtains: Niels Farbe 30</p> <p>Floor: Anthrazit</p> <p>Cushions:</p> <ul style="list-style-type: none"> - Face A: Rio Artan 5018600017 - Face B: Rio Artan 5018600017 <p>Work top: Duropal Beton (grey)</p> <p>Table top (bar table if Bar layout): Duropal Beton</p> <p>Cab seats:</p> <ul style="list-style-type: none"> - Face 1 / inside: Rio Step Uni 5026710064 - Face 2 / outside: Rio Step Uni 5026710064 <p>(See detailed drawings for division of faces 1 and 2)</p>	0
OP37300	Living Marble	<p>Wood: Noce/Bianco</p> <p>Upholstery:</p> <ul style="list-style-type: none"> - Face 1 / Seat Cushions: Soft Basic 5.0 (beige) - Face 2 / Backrest Cushions: Rio Soft (stripes) <p>Curtains: Ambes (brown)</p> <p>Floor: Elfenbein</p> <p>Cushions:</p> <ul style="list-style-type: none"> - Face A: Natura 20 (beige) - Face B: Idea 122 (light brown) <p>Work top: Duropal Silver Metal</p> <p>Table top (bar table if Bar layout): (white)</p> <p>Cab seats:</p> <ul style="list-style-type: none"> - Face 1 / inside: Soft Basic 5.0 (beige) - Face 2 / outside: Soft Basic 5.0 (beige) <p>(See detailed drawings for division of faces 1 and 2)</p>	0
OP37350	Living Aquamarine	<p>Wood: Noce/Bianco</p> <p>Upholstery:</p> <ul style="list-style-type: none"> - Face 1 / Seat Cushions: Nanova 9 (dark grey) - Face 2 / Backrest Cushions: Fortuna 13 (multicolored) <p>Curtains: Ambes (beige)</p> <p>Floor: Elfenbein</p> <p>Cushions:</p> <ul style="list-style-type: none"> - Face A: Natura 20 (beige) - Face B: Idea 99 (teal) <p>Work top: Duropal Silver Metal</p> <p>Table top (bar table if Bar layout): (white)</p> <p>Cab seats:</p> <ul style="list-style-type: none"> - Face 1 / inside: Fortuna 13 - Face 2 / outside: Nanova 9 <p>(See detailed drawings for division of faces 1 and 2)</p>	0
OP37400	Living Pyrite	<p>Wood: Noce/Bianco</p> <p>Upholstery:</p> <ul style="list-style-type: none"> - Face 1 / Seat Cushions: Rio Savaro 500311 0070 (light brown) - Face 2 / Backrest Cushions: Rio Savaro 500311 0070 (light brown) <p>Curtains: 10057 SM</p> <p>Floor: Elfenbein</p> <p>Cushions:</p> <ul style="list-style-type: none"> - Face A: Natura 20 (beige) - Face B: Natura 20 (beige) <p>Work top: Duropal Silver Metal</p> <p>Table top (bar table if Bar layout): (white)</p> <p>Cab seats:</p> <ul style="list-style-type: none"> - Face 1 / inside: Rio Savaro 500311 0070 - Face 2 / outside: Rio Savaro 500311 0070 <p>(See detailed drawings for division of faces 1 and 2)</p>	0

OP37430	Living NEO Granite	<p>Wood: Manhattan/White</p> <p>Upholstery:</p> <ul style="list-style-type: none"> - Face 1 / Seat Cushions: Soft Basic 5.0 (taupe) - Face 2 / Backrest Cushions: Rio Edelbach (grey) <p>Curtains: CS Origami 2707940017</p> <p>Floor: Anthrazit</p> <p>Cushions:</p> <ul style="list-style-type: none"> - Face A: Natura 20 (beige) - Face B: Natura 16 (grey) <p>Work top: Duropal Beton (grey)</p> <p>Table top (bar table if Bar layout): Duropal Beton</p> <p>Cab seats:</p> <ul style="list-style-type: none"> - Face 1 / inside: Soft Basic 5.0 (taupe) - Face 2 / outside: Soft Basic 5.0 (taupe) <p>(See detailed drawings for division of faces 1 and 2)</p>	0
OP37435	Living NEO Naples	<p>Wood: Visby/White</p> <p>Upholstery:</p> <ul style="list-style-type: none"> - Face 1 / Seat Cushions: Pure Touch 5020360170 - Face 2 / Backrest Cushions: Paulino 5020420047 <p>Curtains: Gloria Fb. 21</p> <p>Floor: Anthrazit</p> <p>Cushions:</p> <ul style="list-style-type: none"> - Face A: Akio 5019310042 - Face B: Akio 5019310042 <p>Work top: Duropal Beton (grey)</p> <p>Table top (bar table if Bar layout): Duropal Beton</p> <p>Cab seats:</p> <ul style="list-style-type: none"> - Face 1 / inside: Pure Touch 5020360170 - Face 2 / outside: Pure Touch 5020360170 <p>(See detailed drawings for division of faces 1 and 2)</p>	0
OP37440	Living NEO Venice	<p>Wood: Visby/White</p> <p>Upholstery:</p> <ul style="list-style-type: none"> - Face 1 / Seat Cushions: Stone 28 - Face 2 / Backrest Cushions: Rio Fendo 5025390070 <p>Curtains: CS Intra</p> <p>Floor: Anthrazit</p> <p>Cushions:</p> <ul style="list-style-type: none"> - Face A: Pure Balance 5024550332 - Face B: Pure Balance 5024550332 <p>Work top: Duropal Beton (grey)</p> <p>Table top (bar table if Bar layout): Duropal Beton</p> <p>Cab seats:</p> <ul style="list-style-type: none"> - Face 1 / inside: Stone 28 - Face 2 / outside: Stone 28 <p>(See detailed drawings for division of faces 1 and 2)</p>	0
OP37445	Living NEO Milan	<p>Wood: Visby/White</p> <p>Upholstery:</p> <ul style="list-style-type: none"> - Face 1 / Seat Cushions: Rio Step Uni 5026710064 - Face 2 / Backrest Cushions: Pure Passion 5026630116 <p>Curtains: Niels Farbe 30</p> <p>Floor: Anthrazit</p> <p>Cushions:</p> <ul style="list-style-type: none"> - Face A: Rio Artan 5018600017 - Face B: Rio Artan 5018600017 <p>Work top: Duropal Beton (grey)</p> <p>Table top (bar table if Bar layout): Duropal Beton</p> <p>Cab seats:</p> <ul style="list-style-type: none"> - Face 1 / inside: Rio Step Uni 5026710064 - Face 2 / outside: Rio Step Uni 5026710064 <p>(See detailed drawings for division of faces 1 and 2)</p>	0
OP37450	Personal interior design	<p>Customer's choice from all living worlds for:</p> <p>Wood, upholstery, cushions, curtains, floor, table top and worktop</p>	0
OP37500	Synthetic leather	<p>for cab seats and seating group Colour: according to the samples - Please indicate on your order! The chosen synthetic leather replaces the upholstery fabric from the chosen interior design.</p>	8
OP37550	Leather: Protekt	<p>Colour: according to the samples - Please indicate on your order! Please note that leather is a natural product which can be different in colour and texture! This means that the colour can be a little different from the sample. The chosen leather replaces the upholstery fabric from the chosen interior design.</p>	8
OP37552	Leather: Protekt for NEO MT7	<p>Colour: according to the samples - Please indicate on your order! Please note that leather is a natural product which can be different in colour and texture! This means that the colour can be a little different from the sample. The chosen leather replaces the upholstery fabric from the chosen interior design.</p>	8

Optional extras

			Weight in kg
OP37553	Leather: Protekt for NEO MI7	Colour: according to the samples - Please indicate on your order! Please note that leather is a natural product which can be different in colour and texture! This means that the colour can be a little different from the sample. The chosen leather replaces the upholstery fabric from the chosen interior design.	8
OP37900	Carpet in driver's cab (grey)		3
OP37902	Carpet in driver's cab (grey).	for NEO	3
OP37910	Carpet in living area (grey)		8
OP37912	Carpet in living area (grey).	for NEO	5

SEATS / SEATING GROUHP / CUPBOARDS

OP38150	Straight kitchen and	straight seating bench, instead of L-shaped kitchen and L-shaped seating group. Please note that one of the standard seats with seatbelts will be deleted! (available only for 740-7400 GD/QD)	-28
OP38200	Straight kitchen and straight	seating bench, instead of L-shaped kitchen and L-shaped seating group. Including 1 additional seat with seatbelt, front seating group (right hand side) (1P3P) (available only for 790-7900 GD/QD and 840-8400 GD/QD)	0
OP38205	L-shaped seating group	instead of straight seating bench. 5 seats with seatbelts in total.	28
OP38250	2 additional seats	with seatbelt in the rear, left and right side (only for Mercedes Plus layouts). Please note that the weight of the passengers and their luggage are not taken into account in the indicated weight.	96
OP38300	2 additional seats	with seatbelt in the rear, left and right side (only on Fiat Plus layouts, except for I 790 Plus 4,5 t). Please note that the weight of the passengers and their luggage are not taken into account in the indicated weight.	86
OP38350	1 additional seat for 680 PLUS	with seatbelt, in the rear left side Please note that the weight of the passenger and his luggage are not taken into account in the indicated weight. The models A/I 680 Plus will have no sideboard.	43
OP38450	1 additional seat with	seatbelt for front seating group, right hand side (depending on layout) Please note that the weight of the passenger and of his luggage are not taken into account in the indicated weight.	28
OP38502	Removal of 2 seats.	with seatbelts incl. beltframe in L-seating group (NEO). Without headrests.	-25
OP38503	2 additional seats (MI7)	with seatbelts incl. beltframe in seating group (NEO A-Class).	25
OP38550	Deluxe seats (Mercedes)	with heating, lumbar support and adjustment to side forms (only for Mercedes A-Class)	5
OP38560	Deluxe seats (Fiat)	For Fiat A-Class. Seats with heating, lumbar support and adjustment to side forms.	5
OP38570	Deluxe seats (MI7)	For NEO A-Class. Seats with heating and lumbar support.	1
OP38652	NEO GDK Emergency bed	Emergency bed for GDK. Including Easy-load function for seating group	2
OP38710	Height adjustable table + emergency bed (PLUS).	Height adjustable table foot (instead of standard table foot) with horizontally movable plate. Including additional cushion for emergency bed. 680 PLUS: 1-column height adjustable table foot with 650 x 700 mm table plate 740(0) und 790(0) PLUS: 2-column height adjustable table foot with 950 x 700 mm table plate 840(0) PLUS: 2-column height adjustable table foot with 650 x 800 mm table plate	10
OP38910	Height adjustable table and emergency bed	Height adjustable table foot (instead of standard table foot) with horizontally movable plate. Including additional cushion for emergency bed. 680 SG: 2-column table foot with 800 mm table plate 790(0) GD/QD: 1-column table foot with 650 mm table plate 840(0) GD/QD: 2-column table foot with 800 mm table plate	10
OP38925	Height adjustable table NEO BD	emergency bed. Height adjustable table foot (instead of standard table foot) with horizontally movable plate. Including emergency bed function and additional cushion for emergency bed.	7
OP39055	Without table plate/foot	and fixings in the double floor (If a carpet is ordered: without cutouts in the carpet). Table foot and table plate with mechanics will be loaded into the motorhome.	0
OP39120	2 wire baskets	for telescopic wardrobe right side under GD bed (in driving direction)	6

OP39130	2 wire baskets for	telescopic wardrobe left side under GD bed (in driving direction)	6
---------	---------------------------	-------------------------------------------------------------------	---

BEDS

OP39200	Cupboards instead of	front drop down bed	-60
OP39220	Front drop down bed	instead of cupboards. For NEO A-Class	44
OP39250	Curtain for drop down bed	(separating living area)	2
OP39300	Ladder for front drop-down bed	with fixings (loaded in the motorhome, has to be installed by dealer)	3
OP39350	Pull-out Duo Bed	extensible to 1930 x 1970 mm (mattress dimensions)	20
OP39450	Central bed extension	between the 2 rear beds on GD layout (with additional mattress part) with ladder for easier access to the beds	8
OP39452	Central bed extension for NEO	between the 2 rear beds on GD layout (with additional mattress part) with ladder for easier access to the beds	5

KITCHEN EQUIPMENT

OP39500	Kitchen rear panel and	side protection brilliant white (Ice - white) (instead of standard version)	0
OP39510	Kitchen rear panel	brilliant white (Ice - white) (instead of standard version)	0
OP39550	Thetford oven	with grill function Tec Tower (if standard) replaced with fridge 153 l with storage above it	22
OP39552	Thetford oven with	grill function for NEO	15
OP39562	Fridge 138 l for NEO	Thetford compressor fridge 138 l (126-12)	10
OP39570	3-burner-hob	with two-part cover, instead of the standard hob	0
OP39650	Kitchen combination	with grill, gas oven, 3-burner hob. Tec Tower (if standard) replaced with fridge 153 l with storage above it. kitchen drawers will be replaced by kitchen combination.	22
OP40050	Synthetic resin MiracleWhite	for kitchen worktop, kitchen rear panel and side protection (if present), washroom top and under the standard TV place (if present). Instead of the standard material (HPL). Please note that the other surfaces will be in the material according to the chosen living world or personal interior design. Please note: Signs of scratches and daily wear and tear are inevitable during customary use and these become more obvious in the case of high-gloss and colour-intensive decors in comparison to other decors.	8
OP40100	Synthetic resin TitanWhite	for kitchen worktop, kitchen rear panel and side protection (if present), washroom top and under the standard TV place (if present). Instead of the standard material (HPL). Please note that the other surfaces will be in the material according to the chosen living world or personal interior design. Please note: Normal use scratch and wear marks are unavoidable and will be more visible on high-gloss and intensely coloured surfaces. Especially for GetaCoreUni decors minor occasional dust inclusions cannot be ruled out due to production procedures.	8
OP40150	Ventilator for refrigerator		1

GAS

OP40200	Duo Control	with Eis-Ex	2
OP40202	Duo Control for NEO	with Eis-Ex	2
OP40215	Gas filter for vehicles	with Duo Control (2 filters) Only in combination with Duo Control!	1
OP40217	Gas filter for vehicles with:	Duo Control (2 filters) Only in combination with Duo Control! for NEO	1

Optional extras

			Weight in kg
OP40220	Gas filter for vehicles:	with Duo Control (2 filters) (for TITAN and PLATIN)	1
OP40250	External gas socket		1
OP40252	External gas socket (NEO)		1

WASHROOM / WATER

OP40400	Fresh water filler neck	(Installation only possible in outside wall!) (emergency filler neck n/a)	1
OP40450	Outside shower	warm/cold water (Installation only possible in outside wall)	1
OP40452	Outside shower for NEO	warm/cold water (Installation only possible in outside wall)	1
OP40500	Mains water connection	pressurized water connection, for water filling in the car circuit	1
OP40550	Ventilator/charcoal filter	for Thetford toilet (Please note that an additive for the toilet still has to be used)	1
OP40655	Addit. fresh water vol. 100l	with possible limitation for F-Line (installation possibility has to be checked)	16
OP40750	Toilet with 80l dejection tank	for F-Line with ventilator with charcoal filter for Thetford toilet with compressed water adapter for flushing the tank (installation possibility has to be checked). Without second Thetford cassette!	25

ELECTRICITY

OP41005	LEAB LiFePO + 120W solar panel	LEAB LPS Lithium Power Supply LiFePO battery 160 Ah, charger 50 A, inverter 2000 W, booster 45 A. With 120 W solar panel.	42
OP41010	LEAB LiFePO + 165W solar panel	LEAB LPS Lithium Power Supply LiFePO battery 160 Ah, charger 50 A, inverter 2000 W, booster 45 A. With 165 W solar panel.	55
OP41080	LiFePO battery 100 Ah for NEO	(instead of standard battery)	-15
OP41100	Addit. battery 95Ah	with additional charger	23
OP41150	Solar panel 165 W	with solar charge regulator Position of the solar panel: see roof plan Additional costs can occur if standard roof fittings have to be placed at a different position (250 EUR net for each element)	26
OP41152	Solar panel 165 W	with solar charge regulator Position of the solar panel: see roof plan Additional costs can occur if standard roof fittings have to be placed at a different position (250 EUR net for each element)	26
OP41200	Solar panel 120 W	with solar charge regulator Position of the solar panel: see roof plan Additional costs can occur if standard roof fittings have to be placed at a different position (250 EUR net for each element)	13
OP41202	Solar panel 120W	with solar charge regulator Position of the solar panel: see roof plan Additional costs can occur if standard roof fittings have to be placed at a different position (250 EUR net for each element)	13
OP41250	Inverter	1700 - input voltage 12 Volt DC - output voltage 230 Volt - continuous output 1700 W - connection to all 230 V sockets	9
OP41252	Inverter NEO	1700 - input voltage 12 Volt DC - output voltage 230 Volt - continuous output 1700 W - connection to all 230 V sockets	9
OP41295	Socket pack TITAN NEXT	Installation of 3 x additional 230 V sockets (1x at kitchen, 1x behind the left cab seat, on the outside of the seating bench and 1x in the base of the upper rear cabinet, accessible from the inside, on the right in the direction of travel) and 1x USB behind the left cab seat, on the outside of the seating bench.	2
OP41300	Socket pack for NEO GDK	Installation of 6 x additional 230 V sockets (kitchen, seating group, rear bed left and right, storage compartment near kitchen and rear garage) and 1x 12 V socket (rear garage). See photos for exact positions.	2
OP41301	Additional socket 230V pos. 1	behind the left cab seat, on the outside of the seating bench	1

OP42001	Additional USB socket pos. 1	behind the left cab seat, on the outside of the seating bench	1
---------	-------------------------------------	---------------------------------------------------------------	---

MULTIMEDIA

OP42450	ALPINE Radio	Navigation 9 inch high resolution display WVGA ALPINE sat nav, incl. motorhome software, ACSI	6
OP42452	ALPINE Radio with	Navi. + ALPINE loud speaker system, 9 inch high resolution display WVGA ALPINE sat nav, incl. motorhome software, ACSI and high quality speakers and subwoofer	15
OP42530	Alpine speaker system (TITAN)	with high quality speakers and subwoofer. Only in combination with the TITAN Pack.	9
OP42550	Split rear view camera	with double lens and autom. shutter cover, with separate 7 inch monitor	3
OP42552	Rear view camera	with interface for direct connection to the MBUX multi media system of Mercedes (no separate monitor required). Only in combination with MBUX! Due to the design, no guide lines can be displayed.	3
OP42554	Rear view cam NEO	with interface for direct connection to the MBUX multi media system of Mercedes (no separate monitor required). Only in combination with MBUX! Due to the design, no guide lines can be displayed.	3
OP42560	360° camera system	with separate monitor (only possible for A-class)	9
OP42570	360° camera system instead of	rear view camera (only possible for TITAN and PLATIN)	6
OP42600	Back-up help sensor	top + bottom. Please note: Sensors are permanently activated, even when a trailer hitch is installed	2
OP42602	Back up help sensor	top + bottom. Please note: Sensors are permanently activated, even when a trailer hitch is installed	2
OP42650	Additional TV socket	12 V / coaxial socket. For future connection of a TV set. Position: GD layouts: next to the rear beds, on the side where there is no sliding door QD layouts: next to the rear beds, on the right side BD layouts: next to the rear bed, at the front on the right side Plus layouts: next to the front bed	1
OP42750	LED flatscreen SL-24 inch	DSB with DVB-T2/S2, DVD player, Bluetooth (with movable holder). Additional TV for 2nd TV holder (sleeping area). Only possible in combination with Sat antenna.	6

AIR CON / HEATING

OP42800	Trumatic Combi 6 E heating	instead of Combi 6 - Possibility of operation with 230 V / 1,8 KW - mixed mode gas/230V - 6 KW	4
OP42802	Trumatic Combi 6E heating NEO	instead of Combi 6 - Possibility of operation with 230 V / 1,8 KW - mixed mode gas/230V - 6 KW	4
OP42900	ALDE Compact 3020 HE	warm water heating (Storage room in wardrobe is restricted, dimensions of the beds may change!)	40
OP43000	Additional ventilator	for emission of warm air at the front screen (only for A-Class) Only with ALDE heating or Luxury equipment	8
OP43060	ALDE engine heat exchanger	for pre-heating the engine in the winter or using the heat from the engine to keep the temperature in the living space while driving	5
OP43110	Floor heating	under seating group, only available in combination with option: ALDE 3020 HE warm water heating or Luxury pack (depending on layout)	10
OP43150	Air con Truma Aventa	Cooling capacity 2400 W / heating capacity 1700 W (Installation position: see roof plan) For the following models with this option the Heki 3 (in addition to the Mini-Hekis) will have a forced ventilation in order to ensure the minimum ventilation openings for the use of gas appliances according to DIN EN 721: 680 Plus, 740/790 Plus, 740 GD	34
OP43152	Air con Truma Aventa (NEO)	Cooling capacity 2400 W / heating capacity 1700 W (Installation position: see roof plan)	34
OP43200	Air con Dometic 2200	Freshlight, cooling capacity 2200 W / heating capacity 2700 W (Installation position: see roof plan) For the following models with this option the Heki 3 (in addition to the Mini-Hekis) will have a forced ventilation in order to ensure the minimum ventilation openings for the use of gas appliances according to DIN EN 721: 680 GD/Plus, 740/790 Plus, 840 FD	40

*Please note when planning your route: The navigation system does not account for specific vehicle weights and vehicle dimensions, meaning you may not be able to travel the proposed routes with your vehicle.

Optional extras

			Weight in kg
OP43250	Air condition Dometic 2200	Freshlight, instead of standard air con PLATIN (Dometic Freshjet 1700) Cooling capacity 2200 W + heating capacity 2700 W (only for PLATIN) The air conditioner can be used only when the vehicle is connected to the mains (not during the trip). Note: The fan of the air conditioner may protrude over adjacent doors.	5
OTHERS			
OP43300	Alko safe	completely installed. Installation position is defined by FRANKIA.	12
OP43330	Tightness warranty extension	from 7 to 11 years for Thermo Guard Plus (according to the warranty conditions)	0

Small but significant enough


SIZE SPECIFICATIONS

The **total vehicle length** corresponds to the measurement between the outermost point of the front spoiler and the outermost point of the rear panel (without trailer coupling).

The **total vehicle width** corresponds to the measurement between the outer sides of the exterior walls on both the driver and passenger side without outer mirrors.

The **total vehicle height** may vary with installations and roof options (e.g. skylights, SAT or air conditioning system etc).

The **bed measurements** specified are external measurements. The measurements of the mattresses supplied may differ.



The accessories and original spare parts recommended by FRANKIA have been especially developed for your vehicle and approved by us. Your FRANKIA trading partner supplies these products; they have been informed about the permissible technical details and professionally carry out all necessary work.

Accessories, additions, alterations or fitted components not approved by FRANKIA can lead to damages on the vehicle and compromise road safety. Even if these parts have been approved by an expert, have a parts approval document or certificate, this by no means ensures that the product is of sufficient quality.

Please understand that no liability will be assumed for damages caused by products that have not been approved by FRANKIA, or indeed modifications that were not permitted.

Please note that the prescribed axle loads must be adhered to when fitting special rear attachments such as motorbike brackets, trailer couplings or loading of the rear garage (depending on layout plan).

The prices specified for the optional equipment only have validity as part of new series production. Retrofitting of special optional equipment is sometimes not possible or associated with substantial additional costs.

The total vehicle height may vary with installations and superstructures (e.g. skylights, SAT or air conditioning systems). The number of persons indicated is dependant on weight and axle load. This number can reduce if accessories and optional equipment are installed.

The number of persons specified refers to the weight of the vehicle in production configuration. The optionally selected number of persons is specified

in the registration certificate, which can, nevertheless, only be reached with a weight load increase depending on the model. The technically permissible total mass and the axle loads may not be exceeded. The payload capacity is primarily dependant on the unladen weight. It is reduced by the fitting of accessories and optional equipment. It also presupposes an axle load-dependent distribution of the payload.

The specified mass in running order is defined by Regulation (EU) 1230/2012. It includes, in addition to the mass of the standard equipment of the vehicle when equipped (basic vehicle configuration acc. Directive 2007/46/EC Annex IV or XI), the mass of up to 90 % of the fuel tank capacity (S), the driver (75 kg), tools (6.5 kg), as well as up to 100 % of the filled liquid tanks (fresh-water tank (120 l/150 l) and aluminium gas cylinder(s) (11 kg). Decisive for the mass of the fresh-water tank is its capacity as described in Appendix V, part A, para 2.6 Fn. (H) Reg (EU) 1230/2012, taking into consideration the movement limitation – if any – based on the amount in litres specified in this technical documentation.

Deviations no more than $\pm 5\%$ in the mass in running order are permissible for production reasons.

In principle, the optional equipment and accessories increase the weight in its roadworthy condition and reduces the possible payload as well as the storage space depending on the model. The maximum permissible vehicle weight and axle loads must be observed when the capacity of the fuel and/or fresh water tank is increased. This applies particularly to optional equipment and accessories. The payload for tank systems modified against the standard design must be obtained by the vehicle owner themselves. The maximum towing capacity depends upon the total weight of the vehicle.

Bed dimensions

SD -LAYOUT (I 640)



Drop-down front bed (L x W)

192 x 140 cm

(Option: Duo-bed 192 x 200 cm)

SG -LAYOUT (I 680)



Drop-down front bed (L x W)

192 x 140 cm

(Option: Duo-bed 192 x 200 cm)

GD -LAYOUT (MT 7 NEO, I / T 7400, I 740, I 790, I 840, I 890, I 790 TITAN, TITAN NEXT, I 840 TITAN, I 890 TITAN, I 7900 PLATIN, I 8400 PLATIN)



Drop-down front bed

(L x W, only with A-Class vehicles)

192 x 140 cm

(Option: Duo-bed 192 x 200 cm)



Rear bed area (L x W)

MT 7 GDK NEO:

Left bed: 198 x 80, Right bed: 200 x 80 cm

I/T 7400, I 740:

Left bed: 200 x 80 cm, Right bed: 195 x 80 cm

I 790, TITAN NEXT, I 790 TITAN,

I 7900 PLATIN:

Left bed: 195 x 80 cm, Right bed: 200 x 80 cm

I 8400 PLATIN:

Left bed: 200 x 80 cm, Right bed: 200 x 80 cm

I 840, I 840 TITAN:

Left bed: 205 x 80 cm, Right bed: 205 x 80 cm

I 890, I 890 TITAN:

Left bed: 210 x 80, Right bed: 210 x 80 cm

BD -LAYOUT (I 740, MT 7 NEO)



Drop-down front bed (L x W)

192 x 140 cm

(Option: Duo-bed 192 x 200 cm)



Rear transverse bed (L x W)

209 x 140 cm

MT 7 BD NEO:

203 x 140 cm

QD -LAYOUT (I 790, I 840, I 890 TITAN, I 8400 PLATIN)



Drop-down front bed

(L x W, only with A-Class vehicles)

192 x 140 cm

(Option: Duo-bed 192 x 200 cm)



Rear bed area (L x W)

I 790:

195 x 140 cm

I 840, I 8400 PLATIN:

200 x 160 cm

I 890 TITAN:

200 x 160 cm

PLUS -LAYOUT (COACHBUILT) (A 680, A 740)



Coachbuilt bed (L x W)

Lengthways bed:

left and right: 200 x 80 cm



Standard makeshift bed in rear seating area (L x W)

A 680: 200 x 170 cm

A 740: 200 x 195 cm

PLUS -LAYOUT (I 680, I 7400, I 740, I 840, I 840 TITAN, I 7900 PLATIN, I 8400 PLATIN)



Drop-down front bed (L x W)

Lengthways bed

200 x 193 cm



Standard makeshift bed in rear seating area (L x W)

I 680:

200 x 170 cm

I 7400, I 740, I 7900 PLATIN:

200 x 195 cm

I 7900 PLATIN

optional electric rear drop-down bed:

200 x 140 cm

(no makeshift bed if I 7900 PLATIN is equipped with rear drop-down bed)

I 840, I 840 TITAN, I 8400 PLATIN:

206 x 133 cm

FRANKIA is a PILOTE Group company

FRANKIA-GP GmbH

Bernecker Straße 12 | 95509 Marktschorgast | Germany

Phone: +49 (0)92 27 738-0 | Fax: +49 (0)92 27 738-49

Email: info@frankia.de

Experience the world of FRANKIA online:

www.frankia.com



The illustrations in this catalogue are examples only. They may also show accessories and optional equipment that are not part of the standard scope of supply. Actual model versions may vary. Technical modifications and errors reserved. Equipment fitted as standard and / or marked as optional may differ depending on the country. The images may vary in colour due to printing fluctuations.

Printed in Germany. © Copyright 2022 by FRANKIA-GP GmbH
Version: June 2022 | Edition: P1-2023