



Technical data **2012/2013**

FABRIC DESIGNS

TABBERT

Design version **Grande Puccini**



Grazia (Genuine leather)



Virtuosa



Tendenza (Imitation leather)

Design version **Puccini**



Contina



Aida



Scala

Design version **Vivaldi**



Belezza



Mocca



Vita

Design version **Da Vinci**






Fresco



Mondo



Rosato



technical data / equipment detail	Grande Puccini 590 TD	Grande Puccini 655 DF	Grande Puccini 750 HTD
Length incl. drawbar in cm ▶	866	936	1022
Body length incl. gas bottle locker in cm ▶	728	798	884
Body length inside without gas bottle locker in cm ▶	590	660	746
Body width in cm ▶	250	250	250
Overall height / interior height in cm ▶	265 / 196	265 / 196	265 / 196
Mass of the unladen vehicle ca. in kg ▶	1.970	2.080	2.180
Mass in running order ca. in kg ▶	2.040	2.150	2.250
Maximum technically permissible laden mass in kg ▶	2.300	2.500	2.500
Maximum payload ca. in kg ▶	330	420	320
Tyre size ▶	205/65 R15 rf Li 99 N (775)	205/65 R15 rf Li 99 N (775)	205/65 R15 rf Li 99 N (775)
Awning attachment dimension in cm ▶	1050	1120	1206
Front bed dimensions in cm ▶	201x155	190 x 148	201 x 137
Centre bed dimensions in cm ▶	-	-	-
Rear bed dimensions in cm ▶	215x142/126	227 x 150/148	204 x 140/100
Sleeping berths ▶	4	4	4
Roof lights ▶	1 + Heki	2 + Heki 2	2 + Heki 2
230 V socket outlets ▶	7	7	7
Dometic refrigerator type / volume in litres ▶	RM 8500 / 100	RM 8500 / 100	RM 8500 / 100
Truma heating type ▶	S 5004	S 5004	S 5004

* For information about the weight data of your Tabbert caravan please refer to page 19

GRANDE PUCCINI

STANDARD EQUIPMENT

GENERAL:

- 6 years tightness warranty (in case of annual inspection by the specialist dealer)

1. CHASSIS

- Alloy rims in black
- Wide-track safety chassis with axle shock absorbers
- Drawbar cover
- Spare wheel
- AL-KO smooth running chassis
- Low-profile tyres
- AL-KO premium steadies
- Stabiliser safety coupling (AKS) 2004 with softdock

2. BODY

- Wall thickness 31 mm, roof thickness 58 mm, floor thickness 47 mm
- Tabbert comfort roof, thickness 58 mm, diffusing function
- Mini hammer effect sheet metal in white
- Front and rear in LFI (Long Fiber Injection) – technology
- Gas bottle locker cover with gas strut and three-point locking
- Illuminated entrance step with Tabbert lettering (integrated and insulated)
- Seitz hinged double windows, tinted for sunscreening
- Belt line strip in silver chrome
- Entrance door with window, waste bin, and tray
- Integrated aluminium gas bottle locker bottom with spare wheel holder
- Combination blinds and flyscreens
- Comfortable manoeuvring bars and rods
- Midi Heki Style
- Mini-Heki, with forced ventilation
- Service hatch in the side wall (depending on the layout)
- Rear stowage box in aluminium checker plate
- LED brake lights / rear lights
- LED indicator lights
- LED fog light / reversing light
- 12 V awning lamp above the entrance door

3. LIVING ROOM

- "Noce Lido" furniture decor
- Bi-colour furniture flap doors in high-gloss look
- Seating cushions with high volume weight and extra-high backrests for optimal seating comfort
- Wooden sliding door as room partitioner
- Ventilated seat stowage boxes and rear ventilation of the top cabinets
- Illuminated corner shelves
- Single-support lifting table
- High-quality PVC floor covering
- Upholstery versions: Grazia (genuine leather), Tendenza, Virtuosa
- Tabbert function floor with underfloor trays
- Central dimmer control
- Indirect LED light strip in the ceiling panels (ambience lighting)
- High-quality handle bars and new Push in Plus locks (user-friendly)

4. KITCHEN AND BATHROOM

- Dometic refrigerator (gas / 12 V / 230 V) illuminated with freezing compartment
- 3-burner cooker-sink combination with safety pilot and glass cover
- Automatic mixing tap
- Drawers with soft-close slides
- Washbasin in solid-surface material, in the bathroom
- Top cabinet with mirror and tray areas, in the bathroom
- 12V LED lighting
- Hinged frosted-glass bathroom window with darkening / flyscreen blind
- 230V hot water system
- Dometic toilet with ceramic coating

5. ELECTRIC SYSTEM

- 13-pole connector plug, »Jäger« system (DIN 72570)
- Recessed LED spots (energy-saving, long service life)
- Flicker-free 20 W reading spots (long service life, no brightness fluctuations)
- Large LED ceiling lamp with Tabbert emblem
- Electric floor heating
- Dometic 2500 air-conditioning system, roof-top
- Optimised power supply (constant brightness also in case of changing illumination, no flickering, no voltage fluctuations, silent operation)
- SAT antenna cable laid, and TV preparation
- 22" flat-screen TV with integrated receiver and swivel arm
- Radio CD/MP3 with 4 speakers
- Converter / switching power supply 400 Watt, integrated in the multi-function floor
- USB port


6. GAS / WATER

- Truma S5004 gas heating
- Hot water supply (in kitchen and toilet, with Truma Therme)
- 45 l fresh water tank, integrated in the multi-function floor
- City water connection



2012/2013


PUCCINI



technical data / equipment detail	Puccini 495 HE	Puccini 495 HTD	Puccini 550 E 2,3	Puccini 550 E 2,5	Puccini 560 E 2,3	Puccini 560 E 2,5	Puccini 560 HTD 2,5
Length incl. drawbar in cm ▶	725	725	779	779	779	779	779
Body length incl. gas bottle locker in cm ▶	607	607	643	643	643	643	643
Body length inside without gas bottle locker in cm ▶	532	532	568	568	568	568	568
Body width in cm ▶	230	230	230	250	230	250	250
Overall height / interior height in cm ▶	265 / 196	265 / 196	265 / 196	265 / 196	265 / 196	265 / 196	265 / 196
Mass of the unladen vehicle ca. in kg ▶	1.340	1.340	1.430	1.450	1.430	1.450	1.450
Mass in running order ca. in kg ▶	1.410	1.410	1.500	1.520	1.500	1.520	1.520
Maximum technically permissible laden mass in kg ▶	1.600	1.600	1.700	1.700	1.700	1.700	1.700
Maximum payload ca. in kg ▶	260	260	270	250	270	250	250
Tyre size ▶	205/70 R15C Li 106 (950)	205/70 R15C Li 106 (950)	205/70 R15C Li 106 (950)	205/70 R15C Li 106 (950)	205/70 R15C Li 106 (950)	205/70 R15C Li 106 (950)	205/70 R15C Li 106 (950)
Awning attachment dimension in cm ▶	994	994	1030	1030	1030	1030	1030
Front bed dimensions in cm ▶	200 x 149/125	200 x 137/125	200 x 85 / 188 x 85	200 x 85 / 188 x 85	200 x 85 / 188 x 85	200 x 85 / 188 x 85	218 x 173/125
Centre bed dimensions in cm ▶	-	-	-	-	-	-	-
Rear bed dimensions in cm ▶	200 x 85 / 188 x 85	200 x 137	200 x 129/125	218 x 129/125	200 x 157/153	218 x 157/153	200 x 155
Sleeping berths ▶	4	4	4	4	4	4	4
Roof lights ▶	2 + Heki 2	1 + Heki 2	2 + Heki 2	2 + Heki 2	2 + Heki 2	2 + Heki 2	1 + Heki 2
230 V socket outlets ▶	5	6	6	6	6	6	7
Dometic refrigerator type / volume in litres ▶	RMS 8500 / 90	RMS 8500 / 90	RMS 8500 / 100	RMS 8500 / 100	RMS 8500 / 100	RMS 8500 / 100	RMS 8500 / 90
Truma heating type ▶	S 3004	S 3004	S 5004	S 5004	S 5004	S 5004	S 5004

PUCCINI

2012/2013



technical data / equipment detail	Puccini 560 TD 2,3	Puccini 560 TD 2,5	Puccini 560 UEB	Puccini 590 TD	Puccini 655 D	Puccini 655 TD	Puccini 685 DF
Length incl. drawbar in cm ▶	800	800	800	785	855	855	885
Body length incl. gas bottle locker in cm ▶	665	665	665	665	735	735	765
Body length inside without gas bottle locker in cm ▶	590	590	590	590	660	660	690
Body width in cm ▶	230	250	250	250	250	250	250
Overall height / interior height in cm ▶	265 / 196	265 / 196	265 / 196	265 / 196	265 / 196	265 / 196	265 / 196
Mass of the unladen vehicle ca. in kg ▶	1.450	1.490	1.490	1.570	1.660	1.660	1.690
Mass in running order ca. in kg ▶	1.520	1.560	1.560	1.640	1.730	1.730	1.760
Maximum technically permissible laden mass in kg ▶	1.700	1.700	1.700	1.900	2.000	2.000	2.000
Maximum payload ca. in kg ▶	250	210	210	330	340	340	310
Tyre size ▶	205/70 R15C Li 106 (950)	205/70 R15C Li 106 (950)	205/70 R15C Li 106 (950)	185/65 R15 Li 88 (560)	185/65 R15 Li 88 (560)	185/65 R15 Li 88 (560)	185/65 R15 Li 88 (560)
Awning attachment dimension in cm ▶	1052	1052	1052	1050	1120	1120	1150
Front bed dimensions in cm ▶	200 x 137	200 x 155	218 x 143/125	200 x 155	200 x 155	200 x 155	190 x 148
Centre bed dimensions in cm ▶	-	-	2 x 200 x 85	-	-	-	-
Rear bed dimensions in cm ▶	200 x 147/153	218 x 147/153	-	218 x 147/153	218 x 157/163	218x157/153	218 x 157/173
Sleeping berths ▶	4	4	4	4	4	4	4
Roof lights ▶	1 + Heki 2	1 + Heki 2	1 + Heki 2	1 + Heki 2	2 + Heki 2	1 + Heki 2	2 + Heki 2
230 V socket outlets ▶	7	7	9	7	6	6	7
Dometic refrigerator type / volume in litres ▶	RMS 8500 /100	RMS 8500 /100	RMS 8500 /100	RMS 8500 /100	RMS 8500 / 90	RMS 8500 / 90	RMS 8500 /100
Truma heating type ▶	S 5004	S 5004	S 5004	S 5004	S 5004	S 5004	S 5004

* For information about the weight data of your Tabbert caravan please refer to page 19

PUCCINI

STANDARD EQUIPMENT

GENERAL

6 years tightness warranty (in case of annual inspection by the specialist dealer)

1. CHASSIS

- Wide-track safety chassis with axle shock absorbers
- AL-KO smooth running chassis, fully galvanised
- Low-profile tyres
- AL-KO premium steadies
- Stabiliser safety coupling (AKS) 2004 with softdock

2. BODY

- Wall thickness 31 mm, roof thickness 58 mm, floor thickness 47 mm
- Tabbert comfort roof, thickness 58 mm, rear-ventilated (diffusing function)
- Plain sheet metal
- Illuminated entrance step with Tabbert lettering (integrated and insulated)
- Seitz hinged frame windows, double glazed
- Belt line strip as standard
- Lift-tilt rooflight, version 2 (HEKI 2)
- Entrance door with window, waste bin, and tray
- Spare wheel holder
- Combination blinds and flyscreens
- Comfortable manoeuvring bars and rods
- Mini-Heki, with forced ventilation
- Service hatch in the side wall (depending on the layout)
- LED brake lights / rear lights
- LED indicator lights
- LED fog light / reversing light
- 12 V awning lamp above the entrance door

3. LIVING ROOM

- "Lake Constance Cherry" furniture decor
- Furniture flap doors with real wood veneer
- Upholstery versions: Aida, Contina, or Scala
- Ventilated seat stowage boxes and rear ventilation of the top cabinets into the roof (front and rear)
- Seating cushions with high volume weight and extra-high backrests for optimal seating comfort
- Stowage boxes with trays
- Wooden sliding door as room partitioner

- Ceiling panels with LED illumination
- Corner shelves
- Single-support lifting table
- Indirect LED light strip under the tray
- High-quality PVC floor covering
- Light control

4. KITCHEN AND BATHROOM

- Dometic refrigerator (gas / 12 V / 230 V) illuminated with freezing compartment
- 3-burner cooker-sink combination with safety pilot and glass cover
- Automatic mixing tap
- Drawers with soft-close slides
- Top cabinet with mirror and tray areas, in the bathroom
- 12V LED lighting
- 230V hot water system with automatic mixing tap
- Dometic toilet with ceramic coating

5. ELECTRIC SYSTEM

- 13-pole connector plug, »Jäger« system (DIN 72570)
- Recessed LED spots (energy-saving, long service life)
- Flicker-free 20 W reading spots (long service life, no brightness fluctuations)
- Optimised power supply (constant brightness also in case of changing illumination, no flickering, no voltage fluctuations, silent operation)
- SAT antenna cable laid, and TV preparation
- Converter / switching power supply 400 Watt
- USB port

6. GAS / WATER

- Truma S3004 gas heating (as from body length 550: Truma S5004)
- Hot water supply (in kitchen and toilet, with Truma Therme)
- 45 l fresh water tank, built-in

OPTIONS


Article no.		Weight
Chassis		
150840	ALKO Big Foot for premium steadies	2,5
150266	ALKO Safety Compact 2004	1
151365	ALKO lift jack set	3
151366	ALKO Trailer-Control	4
101353	Drawbar cover	4
151678	Hydraulic steadies - Installation requires combination with Autark or 12 Volt package	22
151372	Spare wheel with steel rim, with standard tyre	21
151728	Spare wheel with alloy rim	-4
151840	Spare wheel with alloy rim instead of steel rim - Tabbert	-4
151373	Wheel locks for single-axle models (2 bolts), for alloy rims	0
151374	Wheel locks for tandem-axle models (4 bolts), for alloy rims	0
151378	Alloy rims with tyres (single-axle models)	-6
151382	Alloy rims with tyres (tandem-axle models)	-12
151838	Alloy rims - white or glossy black, instead of standard alloy rims (single-axle models) - only in combination with Tabbert Premium package	0
151839	Alloy rims - white or glossy black, instead of standard alloy rims (tandem-axle models) - only in combination with Tabbert Premium package	0
Body		
101351	Roof lights with Mini-HEKI instead of HEKI 2	-5
100577	Roof rails	10
101352	Roof reinforcement for automatic antenna	3
101383	Gas bottle locker bottom made of alu checker plate	3,5
100887	GFC roof with reduced hail susceptibility	10
100750	Midi HEKI 700 x 500 (depending on the layout)	8
101330	Midi HEKI, additional (depending on the layout)	8
101331	Midi HEKI instead of HEKI 2	8
101402	Flyscreen door 1/1	4,3
100099	Omnivent roof vent 12 V	5
100612	Additional service hatch - position and size depending on the layout	1,5
101341	Hinged window for toilet washroom (depending on the layout)	4,5
101398	Awning strips lateral and/or above front/rear window	0
101399	Double belt line strips	8
101400	Double belt line strips, silver/chrome	8
101617	Single belt line strip, silver/chrome	4
EXTRAS		
Omnistor awning		
500161	Awning 305cm x 250cm (depending on the layout) - as from body length 420	23
500163	Awning 405cm x 250cm (depending on the layout) - as from body length 490	30
501730	Awning 455cm x 250cm (depending on the layout) - as from body length 590	33
Living room		
551345	Carpeting, body width 2.3 m	7,5
551346	Carpeting, body width 2.5 m	9
551347	Carpeting for all models as from 655	11
551927	Couch instead of wardrobe / display cabinet (PU 655 TD)	18

Article no.	Weight	Article no.	Weight
551425	-3	Bathroom	
551723	5	451743	2
551408	0	451441	3,5
551423	0	451442	
551424	0		6
551835	5		
551934	0	Gas, water, heating	
551926	0	450092	4
551703	0	351386	34
		451443	6,5
Upholstery versions		451444	
550921	0		6,5
550921	0	301057	0,5
550921	0	351388	10
150090	1,8	351389	10
		301385	1,5
Electric system		351390	3,5
250073	0,5	351387	
250072	0,3		2
250940	0,3	301956	1,3
251336	2	301957	1,8
251337	4	351390	3,5
251334	8	451481	9,5
251339	2	451751	9,5
251340	1,3	451445	1
251335	15		
251429	17	Air-conditioning system	
251741	1	551817	40
251742	1,5		
551702	1,5	TÜV	
251358	3	951036	0
251359	3,5		
551327	0,3		
551415		Weight versions	
	3	151451	1.600 kg
251959	4,5	151452	1.600 kg
251362	2,5	151452	1.700 kg
		151453	1.900 kg
Kitchen		151452	1.900 kg
401307	18	151452	2.000 kg
400573	0,3		
401354	5		
401349			
	16,5		
401401	15		

* possible up to 4 weeks before production
 ** possible up to 3 months before production
 *** In case of MTPLM upgrade to 1900 kg alloy rims must be fitted due to the load bearing capacity.

2012/2013


VIVALDI



technical data / equipment detail	Vivaldi 450 TD	Vivaldi 495 HE	Vivaldi 495 HTD	Vivaldi 550 E 2,3	Vivaldi 550 E 2,5	Vivaldi 560 E 2,3	Vivaldi 560 E 2,5
Length incl. drawbar in cm ▶	663	725	725	779	779	779	779
Body length incl. gas bottle locker in cm ▶	545	607	607	643	643	643	643
Body length inside without gas bottle locker in cm ▶	470	532	532	568	568	568	568
Body width in cm ▶	230	230	230	230	250	230	250
Overall height in cm ▶	265	265	265	265	265	265	265
Mass of the unladen vehicle ca. in kg ▶	1.220	1.320	1.320	1.410	1.430	1.410	1.430
Mass in running order ca. in kg ▶	1.290	1.390	1.390	1.480	1.500	1.480	1.500
Maximum technically permissible laden mass in kg ▶	1.500	1.600	1.600	1.700	1.700	1.700	1.700
Maximum payload ca. in kg ▶	280	280	280	290	270	290	270
Tyre size ▶	205/65 R15 rf Li 99 (775)	205/70 R15C Li 106 (950)	205/70 R15C Li 106 (950)	205/70 R15C Li 106 (950)	205/70 R15C Li 106 (950)	205/70 R15C Li 106 (950)	205/70 R15C Li 106 (950)
Awning attachment dimension in cm ▶	932	994	994	1030	1030	1030	1030
Front bed dimensions in cm ▶	200 x 145	200 x 149/125	200 x 137/125	200 x 85/188x85	200 x 85/188x85	200 x 85 / 188 x 85	200 x 85 / 188 x 85
Centre bed dimensions in cm ▶	-	-	-	-	-	-	-
Rear bed dimensions in cm ▶	200 x 133/115	200 x 85 / 188 x 85	200 x 137	200 x 129/125	218 x 129/125	200 x 157/153	218 x 157/153
Sleeping berths ▶	4	4	4	4	4	4	4
Roof lights ▶	1 + Heki 2	2 + Heki 2	1 + Heki 2	2 + Heki 2	2 + Heki 2	2 + Heki 2	2 + Heki 2
230 V socket outlets ▶	6	5	6	6	6	6	6
Dometic refrigerator type / volume in litres ▶	RMS 8500/90	RMS 8500/90	RMS 8500/90	RMS 8500/100	RMS 8500/100	RMS 8500/100	RMS 8500/100
Truma heating type ▶	S 3004	S 3004	S 3004	S 5004	S 5004	S 5004	S 5004

VIVALDI

2012/2013



technical data / equipment detail	Vivaldi 560 HTD 2,5	Vivaldi 560 TD 2,3	Vivaldi 560 TD 2,5	Vivaldi 560 TDL 2,5	Vivaldi 640 MD	Vivaldi 655 D	Vivaldi 690 MD
Length incl. drawbar in cm ▶	779	800	800	800	825	855	885
Body length incl. gas bottle locker in cm ▶	643	665	665	665	705	735	765
Body length inside without gas bottle locker in cm ▶	568	590	590	590	630	660	690
Body width in cm ▶	250	230	250	250	250	250	250
Overall height / interior height in cm ▶	265 / 196	265 / 196	265 / 196	265 / 196	265 / 196	265 / 196	265 / 196
Mass of the unladen vehicle ca. in kg ▶	1.430	1.430	1.470	1.470	1.610	1.640	1.670
Mass in running order ca. in kg ▶	1.500	1.500	1.540	1.540	1.680	1.710	1.740
Maximum technically permissible laden mass in kg ▶	1.700	1.700	1.700	1.700	2.000	2.000	2.000
Maximum payload ca. in kg ▶	270	270	230	230	390	360	330
Tyre size ▶	205/70 R15C Li 106 (950)	205/70 R15C Li 106 (950)	205/70 R15C Li 106 (950)	205/70 R15C Li 106 (950)	185/65 R15 Li 88 (560)	185/65 R15 Li 88 (560)	185/65 R15 Li 88 (560)
Awning attachment dimension in cm ▶	1030	1052	1052	1052	1090	1120	1150
Front bed dimensions in cm ▶	218 x 173/125	200 x 137	200 x 155	200 x 155	200 x 137	200 x 155	200 x 155
Centre bed dimensions in cm ▶	-	-	-	-	186 x 58	-	186 x 58
Rear bed dimensions in cm ▶	200 x 155	200 x 147/153	218 x 147/153	218 x 200/153	218 x 147/135	218 x 157/163	218 x 155/175
Sleeping berths ▶	4	4	4	4	5	4	5
Roof lights ▶	1 + Heki 2	1 + Heki 2	1 + Heki 2	1 + Heki 2	2 + Heki 2	2 + Heki 2	1 + Heki 2
230 V socket outlets ▶	6	7	7	6	8	6	7
Dometic refrigerator type / volume in litres ▶	RMS 8500 / 90	RMS 8500 / 100	RMS 8500 / 100	RMS 8500 / 90	RMS 8500 / 100	RMS 8500 / 90	RMS 8500 / 179
Truma heating type ▶	S 5004	S 5004	S 5004	S 5004	S 5004	S 5004	S 5004

* For information about the weight data of your Tabbert caravan please refer to page 19

VIVALDI

STANDARD EQUIPMENT

GENERAL

6 years tightness warranty (in case of annual inspection by the specialist dealer)

1. CHASSIS

- Wide-track safety chassis with axle shock absorbers
- AL-KO smooth running chassis
- Low-profile tyres
- AL-KO premium steadies
- Stabiliser safety coupling (AKS) 2004 with softdock

2. BODY

- Wall thickness 31 mm, roof thickness 58 mm, floor thickness 47 mm
- Tabbert comfort roof, thickness 58 mm, diffusing function
- Mini hammer effect sheet metal in white
- Illuminated entrance step with Tabbert lettering (integrated and insulated)
- Seitz hinged double windows, tinted for sunscreening
- Belt line strip as standard
- Lift-tilt rooflight (HEKI 2)
- Entrance door with window, waste bin, and tray
- Combination blinds and flyscreens
- Comfortable manoeuvring bars and rods
- Mini-Heki, with forced ventilation
- Service hatch in the side wall (depending on the layout)
- Brake lights / rear lights
- Indicator lights
- Fog light / reversing light
- 12 V awning lamp above the entrance door

3. LIVING ROOM

- "Merano Alder" furniture decor
- Furniture flap doors in frame look
- Upholstery versions: Belezza, Mocca, Vita
- Ventilated seat stowage boxes and rear ventilation of the top cabinets into the roof (front and rear)
- Seating cushions with high volume weight and extra-high backrests for optimal seating comfort
- Stowage boxes with trays
- Wooden sliding door as room partitioner
- Slatted frame with individual height adjustment of the head

section and with spring mattress

- Corner shelves
- Single-support lifting table (depending on the layout)
- High-quality PVC floor covering

4. KITCHEN AND BATHROOM

- Dometic refrigerator (gas / 12 V / 230 V) illuminated with freezing compartment
- 3-burner cooker-sink combination with safety pilot and glass cover
- Electric water supply system
- Automatic mixing tap
- Drawers with soft-close slides
- Top cabinet with mirror and tray areas, in the bathroom
- 12V LED lighting
- 230V hot water system with automatic mixing tap
- Dometic toilet with ceramic coating

5. ELECTRIC SYSTEM

- 13-pole connector plug, »Jäger« system (DIN 72570)
- Recessed LED spots (energy-saving, long service life)
- Flicker-free 20 W reading spots (long service life, no brightness fluctuations)
- Optimised power supply (constant brightness also in case of changing illumination, no flickering, no voltage fluctuations, silent operation)
- SAT antenna cable laid, and TV preparation
- Converter / switching power supply 400 Watt
- USB port

6. GAS / WATER







- Gas heating Truma S3004 (as from body length 550: Truma S5004)
- Hot water supply (in kitchen and toilet with Truma Therme)
- 45 l fresh water tank, built-in

OPTIONS

Article no.		Weight
Chassis		
150840	ALKO Big Foot for premium steadies	2,5
150266	ALKO Safety Compact 2004	1
151365	ALKO lift jack set (with bracket box, fixing parts, bolts) in practical transport box	3
151366	ALKO Trailer-Control	4
101353	Drawbar cover	4
151372	Spare wheel with steel rim, with standard tyre	21
151728	Spare wheel with alloy rim	-4
151840	Spare wheel with alloy rim instead of steel rim - Tabbert	-4
151373	Wheel locks for single-axle models (2 bolts), for alloy rims	0
151374	Wheel locks for tandem-axle models (4 bolts), for alloy rims	0
151378	Alloy rims with tyres (single-axle models)	-6
151382	Alloy rims with tyres (tandem-axle models)	-12
151838	Alloy rims - white or glossy black, instead of standard alloy rims (single-axle models) - only in combination with Tabbert Premium package	0
151839	Alloy rims - white or glossy black, instead of standard alloy rims (tandem-axle models) - only in combination with Tabbert Premium package	0
Roof, windows, gas bottle locker, doors, ventilation		
101342	Hinged window, rear or front (depending on the layout)	7
101351	Roof lights with Mini-HEKI instead of HEKI 2	-5
100577	Roof rails	10
101352	Roof reinforcement for automatic antenna	3
101383	Gas bottle locker bottom made of alu checker plate	3,5
100887	GFC roof with reduced hail susceptibility	10
100750	Midi HEKI 700 x 500 (depending on the layout)	8
101330	Midi HEKI, additional (depending on the layout)	8
101331	Midi HEKI instead of HEKI 2	8
101402	Flyscreen door 1/1	4,3
100099	Omnivent roof vent 12 V	5
100612	Additional service hatch - position and size depending on the layout	1,5
101341	Hinged window for toilet washroom (depending on the layout)	4,5
101397	Awning strips above front and/or rear window	3
101399	Double belt line strips	8
101400	Double belt line strips, silver/chrome	8
101617	Single belt line strip, silver/chrome	4
EXTRAS		
Omnistor awning		
500160	Awning 265cm x 200cm (depending on the layout) - as from body length 400	20
500161	Awning 305cm x 250cm (depending on the layout) - as from body length 420	23
500163	Awning 405cm x 250cm (depending on the layout) - as from body length 490	30
501730	Awning 455cm x 250cm (depending on the layout) - as from body length 590	33

2012/2013







DA VINCI



technical data / equipment detail	Da Vinci 380 HK	Da Vinci 390 QD	Da Vinci 450 TD	Da Vinci 460 E	Da Vinci 490 TD	Da Vinci 540 DM 2,3
Length incl. drawbar in cm ▶	593	637	662	683	725	779
Body length incl. gas bottle locker in cm ▶	475	519	538	565	607	643
Body length inside without gas bottle locker in cm ▶	400	444	470	490	532	568
Body width in cm ▶	230	230	230	230	230	230
Overall height / interior height in cm ▶	262 / 196	262 / 196	262 / 196	262 / 196	262 / 196	262 / 196
Mass of the unladen vehicle ca. in kg ▶	1040	1070	1.140	1.200	1250	1.370
Mass in running order ca. in kg ▶	1110	1140	1.210	1.270	1320	1.440
Maximum technically permissible laden mass in kg ▶	1300	1300	1.400	1.500	1500	1.700
Maximum payload ca. in kg ▶	260	230	260	300	250	330
Tyre size ▶	195/70 R14 rf Li 96 N (710)	195/70 R14 rf Li 96 N (710)	185 R14 C Li 102 N (850)	185 R14 C Li 102 N (850)	185 R14 C Li 102 N (850)	185 R14 C Li 102 N (850)
Awning attachment dimension in cm ▶	858	902	928	948	990	1026
Front bed dimensions in cm ▶	199x139	207x136	199x139	192x86/185x86	199 x 139	199x139
Centre bed dimensions in cm ▶	-	-	-	-	-	194x95
Rear bed dimensions in cm ▶	192x90	192x138/80	198x138/126	198x116/105	198x142/152	2 x 190 x 68
Sleeping berths ▶	3	3	4	3	4	5
Roof lights ▶	1 + Midi Heki	2 + Midi Heki	1 + Midi Heki	2 + Midi Heki	1 + Midi Heki	1 + Midi Heki
230 V socket outlets ▶	6	6	5	6	7	5
Dometic refrigerator type / volume in litres ▶	RMS 8550 / 106	RMS 8550 / 106	RMS 8550 / 106	RMS 8550 / 106	RMS 8550 / 106	RMS 8550 / 106
Truma heating type ▶	S 3004	S 3004	S 3004	S 3004	S 3004	S 5004

DA VINCI

2012/2013



technical data / equipment detail	Da Vinci 540 DM 2,5	Da Vinci 540 E 2,3	Da Vinci 560 DM	Da Vinci 560 TDL	Da Vinci 680 HTD	Da Vinci 700 KD
Length incl. drawbar in cm ▶	779	779	779	801	855	941
Body length incl. gas bottle locker in cm ▶	643	643	643	665	665	821
Body length inside without gas bottle locker in cm ▶	568	568	568	590	660	746
Body width in cm ▶	250	230	250	250	250	250
Overall height / interior height in cm ▶	262 / 196	262 / 196	262 / 196	262 / 196	262 / 196	262 / 196
Mass of the unladen vehicle ca. in kg ▶	1.400	1.370	1.400	1.440	1.650	ca. 1.800
Mass in running order ca. in kg ▶	1.470	1.440	1.470	1.510	1.720	1.870
Maximum technically permissible laden mass in kg ▶	1.700	1.700	1.700	1.700	2.000	2.200
Maximum payload ca. in kg ▶	300	330	300	260	350	ca. 400
Tyre size ▶	185 R14 C Li 102 N (850)	185 R14 C Li 102 N (850)	185 R14 C Li 102 N (850)	185 R14 C Li 102 N (850)	185/65 R14 Li 86 (530)	195/70 R14 rf Li 96 (710)
Awning attachment dimension in cm ▶	1026	1026	1026	1048	1118	1204
Front bed dimensions in cm ▶	199x157	198x86/186x86	199x157	199x157	216x162/141	216x162/141
Centre bed dimensions in cm ▶	194x113	-	214x110	-	188x70	199x148
Rear bed dimensions in cm ▶	2 x 208 x 68	198x146/140	2 x 208 x 68	216x216/152	199x148	183 x 120 / 2x 193 x 77
Sleeping berths ▶	5	4	5	4	5	4
Roof lights ▶	1 + Midi Heki	2 + Midi Heki	1 + Midi Heki	1 + Midi Heki	1 + Midi Heki	1 + Midi Heki
230 V socket outlets ▶	6	6	6	6	7	7
Dometic refrigerator type / volume in litres ▶	RMS 8550 / 106	RMS 8550 / 118	RMS 8550 / 106	RMS 8550 / 118	RMS 8550 / 118	RMS 8550 / 118
Truma heating type ▶	S 5004	S 5004	S 5004	S 5004	S 5004	S 5004

* For information about the weight data of your Tabbert caravan please refer to page 19

DA VINCI

STANDARD EQUIPMENT

GENERAL

6 years tightness warranty (in case of annual inspection by the specialist dealer)

1. CHASSIS

- Wide-track safety chassis with axle shock absorbers
- AL-KO smooth running chassis, fully galvanised
- AL-KO premium steadies
- Stabiliser safety coupling (AKS) 2004 with softdock

2. BODY

- Wall thickness 31 mm, roof thickness 33 mm, floor thickness 48 mm
- Hammer effect sheet metal
- Sandwich roof with fleece (noise insulating)
- Integrated gas bottle locker with parallelly opening cover with gas strut
- Entrance step with Tabbert lettering, integrated, insulated and illuminated
- Seitz hinged double windows, tinted for sunscreening
- Entrance door with window, waste bin, tray, and safety lock
- One-key locking system for all doors and service hatches
- Spare wheel holder
- Combination blinds and flyscreens
- Awning strips at both sides
- Comfortable manoeuvring rod
- Midi HEKI
- Mini-Heki, with forced ventilation
- Service hatch in the side wall (depending on the layout)
- Brake lights / rear lights
- Indicator lights
- Fog light / reversing light
- 12 V awning lamp above the entrance door

3. LIVING ROOM

- "Mali Acacia" furniture decor
- Bi-colour furniture flap doors in "Mali Acacia" and "Pasadena Walnut" offset decor
- High-quality metal handles in stainless steel look
- Upholstery versions: Fresco, Mondo, Rosato
- Ventilated seat stowage boxes and rear ventilation of the top cabinets into the roof (front and rear)
- Seating cushions with high volume weight and extra-high backrests for optimal seating comfort

- Stowage boxes with tray in the seating group area
- Seat box cover integrated in the upholstery
- Fixed beds with cold foam mattress
- Corner shelves
- Single-support lifting table (depending on the layout)
- High-quality PVC floor covering
- Tool hatch in the seat box partition in the entrance area

4. KITCHEN AND BATHROOM

- Dometic refrigerator (gas / 12 V / 230 V) illuminated with freezing compartment
- 3-burner cooker-sink combination with safety pilot and glass cover
- Electric water supply system
- Automatic mixing tap
- Drawers with soft-close slides
- Top cabinet with mirror and tray areas, in the bathroom
- 12V lighting
- 230V hot water system through Truma Therme, with automatic mixing tap
- Dometic toilet with ceramic coating

5. ELECTRIC SYSTEM

- 13-pole connector plug, »Jäger« system (DIN 72570)
- Recessed halogen and LED spots (energy-saving, long service life)
- Flicker-free 10 W reading spots (long service life, no brightness fluctuations), adjustable position
- Optimised power supply (constant brightness also in case of changing illumination, no flickering, no voltage fluctuations, silent operation)
- SAT antenna cable laid, and TV preparation
- Converter / switching power supply 400 Watt
- USB port
- Protected and tidy laying of electric cables

6. GAS / WATER / HEATING

- 45 l fresh water tank, built-in, can be filled from outside and inside, with cleaning opening
- Hot water supply (in kitchen and toilet, with Truma Therme)
- Water pipes laid beside the air-circulation tube
- Warm-air distribution with automatic speed control, 12 V
- Truma S3004 gas heating (as from body length 540: Truma S5004)

OPTIONS

Article no.		Weight
Chassis		
150840	ALKO Big Foot for premium steadies	2,5
150266	ALKO Safety Compact 2004	1
151365	ALKO lift jack set (with bracket box, fixing parts, bolts) in practical transport box	3
151366	ALKO Trailer-Control	4
101353	Drawbar cover	4
151372	Spare wheel with steel rim, with standard tyre	21
151728	Spare wheel with alloy rim	-4
151840	Spare wheel with alloy rim instead of steel rim - Tabbert	-4
151373	Wheel locks for single-axle models (2 bolts), for alloy rims	0
151374	Wheel locks for tandem-axle models (4 bolts), for alloy rims	0
151378	Alloy rims with tyres (single-axle models)	-6
151382	Alloy rims with tyres (tandem-axle models)	-12
Roof, windows, gas bottle locker, doors, ventilation		
101342	Hinged window, rear or front (depending on the layout)	7
100577	Roof rails	10
101383	Gas bottle locker bottom made of alu checker plate	3,5
101958	Garage door 60 x 95 cm, right side in direction of travel (not possible in combination with linen cupboard option) - possible for DV 540 DM, 560 DM	0
100887	GFC roof with reduced hail susceptibility	10
100170	HEKI II (depending on the layout)	0
100750	Midi HEKI 700 x 500 (depending on the layout)	8
101330	Midi HEKI, additional (depending on the layout)	8
102001	Heki II instead of Midi Heki	7,2
101402	Flyscreen door 1/1	4,3
100099	Omniivent roof vent 12 V	5
100612	Additional service hatch - position and size depending on the layout	1,5
Strips		
101397	Awning strips above front and/or rear window	3
101400	Double belt line strips, silver/chrome	8
101617	Single belt line strip, silver/chrome	4
EXTRAS		
Omnistor awning		
500160	Awning 265cm x 200cm (depending on the layout) - as from body length 400	20
500161	Awning 305cm x 250cm (depending on the layout) - as from body length 420	23
500163	Awning 405cm x 250cm (depending on the layout) - as from body length 490	30
501730	Awning 455cm x 250cm (depending on the layout) - as from body length 590	33
Living room		
551687	bunk bed – DV 680 HTD only	0
550590	3rd bunk bed - DV 540 DM, 560DM, 700 KD	0
551986	Additional wardrobe at the right side, only 460 E	0
551345	Carpeting, body width 2.3 m	7,5
551346	Carpeting, body width 2.5 m	9
551347	Carpeting for all models as from 655	11

OPTIONS

DA VINCI

Article no.		Weight
551968	Deluxe bed construction with second compensating cushion (possible for all round seating groups and dinette) - standard for DV 390 QD, 460 E, 540 DM, 560 DM	0
551408	Roll bed - for single bed models	0
551413	Single-support lifting table (depending on the layout)	0
551963	Linen cupboard at bottom bunk bed (shorter lying area of bottom bed!)) 1) - not possible in combination with garage door option	0
Upholstery versions		
550921	Belezza, Mocca, Vita (Vivaldi)	0
550921	Aida, Contina, Scala (Puccini)	0
550921	Grazia (genuine leather), Tendenza, Virtuosa (Grande Puccini)	0
150090	Deko package	1,8
Electric system		
250073	External 230 V socket, incl. antenna connection	0,5
250072	Additional 230 V socket inside	0,3
250940	Additional 12 V socket inside	0,3
551480	Ambience lighting, indirect LED light strip	1
251336	Antenna cable at drawbar, length 5 m	2
251337	Antenna cable at drawbar, length 10 m	4
251334	Antenna package (Kathrein) SAT BAS 60 with articulated mast	8
251339	Antenna mast (articulated) for SAT antenna - depending on the layout	2
251340	Antenna mast (telescoping) 1,200 mm, Shapeg - depending on the layout	1,3
251335	Antenna package (Kathrein) SAT BAS 60 as complete set CAP 610	15
251429	Antenna package SAT 910 - system - only for body width 2.5	17
251741	HDMI port (one port) - improved image quality for HDMI TV sets	1
251742	HDMI port (two ports) - improved image quality for HDMI TV sets	1,5
551415	Swivel arm for flat-screen TV with 230 V and TV connection (depending on the layout)	3
251358	Radio preparation incl. 2 speakers and antenna	3
551327	Smoke detector	0,3
251362	Underbody lighting	2,5
Kitchen		
401307	189 litre refrigerator (depending on the model, on request)	18
400573	12 V refrigerator fan	0,3
401354	Fume extractor (except DV 380 HK)	5
401940	Kitchen equipment comprising: Kitchen roll holder, 2 spice boards, 3 hooks for dish towels - possible for 390 QD, 560 TDL, 680 HTD, 700 KD	
401940	Kitchen equipment comprising: Kitchen roll holder, spice board, 2 hooks for dish towels - possible for 450 TD, 460 E, 490 TD, 540 E, 560 DM	
401940	Kitchen equipment comprising: Spice board, 3 hooks for dish towels - possible for 540 DM 2,3 und 540 DM	
401349	Gas oven with grill, 20 litres - depending on the model (not possible in combination with microwave)	16,5
401401	Microwave, 800 W, 19 l volume (not possible in combination with oven - depending on the layout)	15

Article no.		Weight
Sanitary		
451743	External shower (external water connection) - depending on the layout	2
451441	Shower with tap, means no 230 V socket in the toilet	3,5
Gas, water, heating		
301385	Gas socket, front right	1,5
351390	Truma "Open Fire" only for Truma S 5004	3,5
301057	Remote display + ice-ex	0,5
301956	Mono Control CS vertical (for 1 gas bottle)	1,3
301957	Duo Control CS vertical (for 2 gas bottles)	1,8
351387	Heating system with Ultra-Heat (Truma electric heating) - not possible in combination with Alde hot water heating	2
351388	Floor heating (electric, 26 V), up to 560	10
351389	Floor heating (electric, 26 V), as from 590	10
450092	Mobile waste water system (waste water tank with wheels, odor trap) 25 litres	4
351386	Alde hot water heating – means no service hatch (depending on the model, on request)	34
451443	City water connection - through 45 litre tank (with outside filling)	6,5
451444	City water connection - through 70 litre tank (with outside filling), not possible with 3rd bunk bed	6,5
451481	Hot water system with boiler through Truma-Boiler BN 10 (gas/electric)	9,5
451751	Hot water system with boiler through Truma-Boiler 14 L (electric) please check	9,5
451445	Built-in water connection with pressure reducer (without 45 litre tank)	1
Air-conditioning system		
551817	Dometic B 2500 (means no HEKI 2 in various models)	40
TÜV		
951036	TÜV and registration document	0
Weight versions		
151451	DV 380 HK; 390 QD	1.300 kg
151453	DV 450 TD	1.400 kg
151451	DV 460 E; 490 TD	1.500 kg
151452	DV 460 E; 490 TD	1.500 kg
151452	DV 490 TD	1.500 kg
151452	DV 540 DM 2,3 + 2,5; 540 E 2,3; 550 FSK; 560 TDL	1.700 kg
151452	DV 700 KD	2.200 kg
* possible up to 4 weeks before production		
** possible up to 3 months before production		
*** In case of MTPLM upgrade to 1900 kg alloy rims must be fitted due to the load bearing capacity.		
MTPLM		
MTPLM upgrade to		
151451	DV 380 HK; 390 QD	1.400/1.500 kg **
151453	DV 450 TD	1.500 kg
151451	DV 460 E; 490 TD	1.600 kg **
151452	DV 460 E; 490 TD	1.700 kg **
151452	DV 490 TD	1.800 kg *
151452	DV 540 DM 2,3 + 2,5; 540 E 2,3; 550 FSK; 560 TDL	1.800/1.900 kg ***
151452	DV 700 KD	2.500 kg *

1) lying area dimension on choosing option 551963 Linen cupboard at bottom bunk bed:

- 540 DM 2,3 with bunk bed/linen cupboard | bunkbed: above 1900x680; bottom 1790x680
- 540 DM 2,3 with 3rd bunk bed /linen cupboard | bunkbed: above 1900x630; middle 1790x680; bottom 1790x680
- 540 DM 2,5 with bunk bed/linen cupboard | bunkbed: above 2080x680; bottom 1860x680
- 540 DM 2,5 with 3rd bunk bed /linen cupboard | bunkbed: above 2080x630; middle 1860x680; bottom 1860x680
- 560 DM 2,5 with bunk bed/linen cupboard | bunkbed: above 2080x680; bottom 1860x680
- 560 DM 2,5 with 3rd bunk bed /linen cupboard | bunkbed: above 2080x630; middle 1860x680; bottom 1860x680

2012/2013

PACKAGES

Article no.	Weight	Article no.	Weight		
150080	Tabbert Premium package - single-axle models only possible for Puccini, Vivaldi, Da Vinci as from 1900 kg only in combination with option 151840 spare wheel alloy rim instead of steel rim! Flyscreen door 1/1 Drawbar cover Gas bottle locker bottom made of alu checker plate Tabbert spare wheel (steel rim) Single belt line strip - silver (chrome) Alloy rims with tyres, silver as from 1,501 kg	31,5	150005	12 V supply package Da Vinci, Vivaldi, Puccini, Grande Puccini Electronic charger with integrated Booster voltage lifter for optimal charging while driving Battery alerter Solar controller Connection for battery temperature sensor 80 AH gel battery, suitable for solar technology (equivalent to 100 AH lead battery) Battery power indicator through board control	25
150081	Tabbert Premium package - tandem-axle models only possible for Puccini, Vivaldi, Da Vinci Flyscreen door 1/1 Drawbar cover Gas bottle locker bottom made of alu checker plate Tabbert spare wheel (steel rim) Single belt line strip - silver (chrome) Alloy rims with tyres, silver as from 2,001 kg	25,5	150012	COMFORT PLUS package Da Vinci, Vivaldi, Puccini ALKO Big Foot for premium steadies Awning lamp with motion detector (response distance 2.5 m) Cold-foam mattress with Tabbert bed system and variable head section Fresh water level indicator	0,5
150006	Autark package Da Vinci, Vivaldi, Puccini, Grande Puccini 25 l waste water tank with wheels, in gas bottle locker Hot water supply system Truma BN 10- 10l boiler with e-rod Solar controller Toilet room with shower tap and curtain, (without 230 V socket) Electronic 10 A charger with integrated Booster voltage l ifter for optimal charging while driving Battery alerter Connection for battery temperature sensor 80 AH gel battery, suitable for solar technology (equivalent to 100 AH lead battery) Battery power indicator through board control, for coupling to the basic module Electronic 16A charger with 10 A voltage filter for optimal charging while driving	32,5	150090	Deko package Da Vinci, Vivaldi, Puccini, Grande Puccini 2 deco cushions + 2 pillows + 1 tablecloth 40x150 cm	1,8

Tabbert caravans feature a high payload capacity. With innovative solutions such as the use of high-strength steels for the chassis or intelligent sandwich technology in furniture construction we are able to realise a low unladen weight of our Tabbert caravans.

The law requires that the weight data of a caravan must state the »mass in running order« and the »maximum technically permissible laden mass« (DIN EN 1645-2):

The »mass in running order« is defined as:

Mass of the unladen vehicle + liquid gas bottles (100% filled) + fresh water tank (100% filled)
= mass in running order

The »maximum technically permissible laden mass« defines the maximum permissible mass of the vehicle (vehicle incl. optional equipment / accessories / packages, and gas, water, luggage, load, etc.) for driving

For you as a caravan user the important value of the maximum user payload (for luggage, load, gas, water, etc.) is calculated from the difference between »maximum technically permissible laden mass« and »mass of the unladen vehicle«:

Example:	Mass of the unladen vehicle	1.090 kg	
	Maximum technically permissible laden mass	1.400 kg	
	Maximum user payload	310 kg	(luggage, load, gas, water etc.)

The mass of the unladen vehicle is determined by weighing a vehicle with standard equipment (without optional equipment, accessories, or equipment packages).

Please observe that optional equipment, accessories, and packages have an influence on the mass of the unladen vehicle and can therefore lead to a reduction of the maximum user payload of a caravan. It is your duty as the user of a caravan to make sure that you will not exceed the »maximum technically permissible laden mass« while driving.

Errors excepted. All data are subject to change without notice. There may have been product changes after the editorial deadline (07/2012). With the publishing of this price information all previous price lists become invalid.


Mass in running order and maximum user payload according to the terms of EC directives 97/27 and EN-1645-2: ± 5% possible deviation. Optional equipment increases the mass in running order.

Mattress dimensions may slightly differ from the stated bed dimensions. Refrigerator volume data are according to manufacturer information.

For organisational reasons it is not possible for customers to collect vehicles at our plant.

The water supply system complies with the state of the art of 03/2009 (directive 2002/72EC).


HOW TO READ OUR LAYOUTS:



- | | |
|---|-----------------------------------|
| ① window | ⑧ installation for flat-screen TV |
| ② seating group | ⑨ refrigerator |
| ③ kitchen with 3-bruner cooker and sink | ⑩ wardrobe |
| ④ fixing bed | ⑪ separate basin |
| ⑤ toilett and shower | ⑫ room bath exendible in 3-levels |
| ⑥ bunk bed | ⑬ room partitioner |
| ⑦ entrance | ⑭ linen cupboard |



YOUR TABBERT DEALER



Knaus Tabbert GmbH
Helmut-Knaus-Straße 1
D-94118 Jandelsbrunn
Telefon: +49 (0) 85 83 / 21-1
Telefax: +49 (0) 85 83 / 21-380
www.tabbert.de



B e w e g e n d e M o m e n t e

